

(1) 南放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)								備考	
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu		²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法				
H1. 6. 5	ND	ND	ND	1.2						
H1. 8. 3	ND	ND	ND	0.8						
H1. 10. 13	0.04	ND	ND	ND						
H2. 1. 23	ND	ND	ND	ND						
H2. 6. 5	0.02	ND	ND	ND						
H2. 8. 6	ND	ND	ND	ND						
H2. 10. 11	ND	ND	ND	2.1						
H3. 1. 24	0.05	ND	ND	1.4						
H3. 6. 5	ND	ND	ND	ND						
H3. 8. 8	ND	ND	ND	ND						
H3. 10. 16	ND	ND	ND	ND						
H4. 1. 29	0.02	ND	ND	ND						
H4. 6. 3	ND	ND	ND	ND						
H4. 8. 6	0.01	ND	ND	ND						
H4. 10. 13	ND	ND	ND	0.77						
H5. 1. 21	ND	ND	ND	0.83						
H5. 6. 4	0.02	ND	ND	ND						
H5. 8. 10	ND	ND	ND	ND						
H5. 10. 12	ND	ND	ND	0.78						
H6. 1. 20	ND	ND	ND	ND						
H6. 6. 7	ND	ND	0.002	ND						
H6. 8. 10	0.01	ND	0.002	ND						
H6. 10. 13	0.01	ND	0.003	ND						
H7. 1. 20	0.01	ND	0.003	ND						
H7. 6. 6	ND	ND	0.002	ND						
H7. 8. 9	ND	ND	0.003	ND						
H7. 10. 11	0.01	ND	0.002	ND						
H8. 1. 22	0.02	ND	0.002	ND						
H8. 6. 6	0.02	ND	0.002	ND						
H8. 8. 7	ND	ND	0.002	ND						
H8. 10. 8	0.01	ND	0.003	ND						
H9. 1. 13	0.05	ND	0.003	ND						
H9. 6. 5	ND	ND	0.003	ND						
H9. 8. 7	ND	ND	0.002	ND						
H9. 10. 8	ND	ND	0.003	0.67						
H10. 1. 20	ND	ND	0.002	ND						
H10. 6. 5	0.02	ND	0.002	0.52						
H10. 7. 28	ND	ND	ND	ND						
H10. 10. 13	0.01	ND	ND	ND						
H11. 1. 19	0.01	ND	ND	0.5						
H11. 5. 26	0.01	ND	ND	ND						
H11. 7. 27	ND	ND	0.002	ND						
H11. 10. 12	0.02	ND	ND	0.49						
H12. 1. 18	0.02	ND	0.001	ND						
H12. 5. 23	0.01	ND	0.002	0.61						
H12. 7. 25	0.01	ND	ND	ND						
H12. 10. 10	ND	ND	0.002	ND						
H13. 1. 16	0.02	ND	ND	ND						
H13. 5. 16	0.01	ND	0.001	ND						
H13. 7. 23	0.01	ND	0.001	0.55						
H13. 10. 12	0.03	ND	0.001	0.51						
H14. 1. 15	0.03	ND	0.002	0.43						
H14. 5. 20	0.01	ND	ND	ND						
H14. 7. 12	0.02	ND	0.002	ND						
H14. 10. 23	0.02	ND	ND	ND						
H15. 1. 14	0.01	ND	0.001	ND						
H15. 5. 21	ND	ND	ND	ND						

(1) 南放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)								備考	
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu		²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法				
H15. 7. 15	ND	ND	ND	ND						
H15. 10. 20	ND	ND	ND	ND						
H16. 1. 13	0.01	ND	0.002	ND						
H16. 5. 19	0.02	ND	ND	ND						
H16. 7. 15	ND	ND	ND	ND						
H16. 11. 2	0.01	ND	ND	0.53						
H17. 1. 12	0.01	ND	ND	ND						
H17. 5. 18	ND	ND	0.002	ND						
H17. 7. 14	0.01	ND	0.002	ND						
H17. 10. 11	0.01	ND	ND	ND						
H18. 1. 11	0.03	ND	ND	ND						
H18. 5. 23	0.01	ND	0.001	ND						
H18. 7. 25	ND	ND	0.002	ND						
H18. 10. 11	0.02	ND	0.002	ND						
H19. 1. 9	0.02	ND	0.001	ND						
H19. 5. 9	0.01	ND	0.002	ND						
H19. 7. 25	0.02	ND	0.002	ND						
H19. 10. 9	ND	ND	0.001	ND						
H20. 1. 16	0.02	ND	0.002	ND						
H20. 5. 8	0.02	ND	0.001	ND						
H20. 7. 22	0.01	ND	0.001	ND						
H20. 10. 14	0.02	ND	0.001	ND						
H21. 1. 14	0.02	ND	0.002	ND						
H21. 5. 21	0.02	ND	ND	ND						
H21. 7. 21	0.01	ND	ND	ND						
H21. 10. 15	0.01	ND	ND	ND						
H22. 1. 12	0.01	ND	0.002	ND						
H22. 5. 10	ND	ND	0.001	ND						
H22. 7. 22	ND	ND	ND	ND						
H22. 10. 18	0.01	ND	0.002	ND						
H23. 1. 11	0.01	ND	ND	欠測						
H23. 4. 1	欠測	欠測	欠測	欠測						
H23. 7. 1	欠測	欠測	欠測	欠測						
H23. 10. 1	欠測	欠測	欠測	欠測						
H24. 1. 1	欠測	欠測	欠測	欠測						
H25. 6. 27		0.31	0.59	0.91			0.093	ND	ND	
H25. 7. 31	0.03	ND	ND	ND			0.026	ND	ND	
H25. 8. 19	0.02	ND	0.066	0.47			0.014	ND	0.008	
H25. 9. 19	0.09	0.22	0.46	0.83			0.051	ND	0.014	
H25. 10. 3	0.18	0.52	1.2	0.43						
H25. 10. 5	0.64	0.35	0.71	2.4			0.69	ND	ND	
H25. 10. 17	0.48	0.78	1.8	0.69						
H25. 10. 21	0.42	0.8	1.8	ND						
H25. 10. 30	0.04	0.11	0.27	0.54			0.037	ND	ND	
H25. 11. 12	0.06	ND	0.16	0.53			0.048	ND	0.01	
H25. 12. 9	0.03	ND	0.058	ND			0.011	ND	ND	
H26. 1. 14	0.04	ND	0.13	ND			0.032	ND	ND	
H26. 2. 3	0.05	ND	0.2	0.48			0.046	ND	ND	
H26. 3. 10	0.06	ND	0.14	0.4			0.026	ND	0.007	
H26. 4. 14	0.04	ND	0.078	ND			0.006	ND	0.006	
H26. 5. 19	0.05	ND	0.094	ND			0.016	ND	0.006	
H26. 6. 16	0.04	ND	0.074	ND			0.012	ND	ND	
H26. 7. 7	0.04	ND	ND	ND			0.004	ND	0.007	
H26. 8. 20	0.03	ND	ND	ND			0.003	ND	ND	
H26. 9. 16	0.04	0.06	0.14	0.51			0.009	ND	ND	
H26. 10. 20	0.04	ND	0.054	ND			0.011	ND	ND	
H26. 11. 10	0.03	ND	0.098	0.48			0.006	ND	ND	

(1) 南放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu	
				減圧蒸留法	迅速分析	電解濃縮法				
H26.12.8	0.06	ND	0.091	ND			0.007	ND	ND	
H27.1.14	0.04	ND	ND	ND			0.008	ND	ND	
H27.2.10	0.06	ND	0.07	ND			0.038	ND	0.006	
H27.3.3	0.04	ND	0.075	ND			0.004	ND	ND	
H27.4.22	0.02	ND	ND	ND			0.01	ND	ND	
H27.5.18	0.04	ND	ND	ND			0.015	ND	ND	
H27.6.16	0.02	ND	ND	ND			0.004	ND	ND	
H27.7.21	0.03	ND	0.1	ND			0.014	ND	ND	
H27.8.17	0.04	ND	0.12	ND			0.037	ND	ND	
H27.9.14	0.05	ND	0.15	0.55			0.031	ND	0.006	
H27.10.13	0.03	ND	0.11	0.53			0.008	ND	ND	
H27.11.17	0.06	ND	0.17	ND			0.035	ND	0.007	
H27.12.14	0.05	ND	0.099	ND			0.004	ND	0.013	
H28.1.22	0.04	ND	ND	ND			0.004	ND	0.011	
H28.2.8	0.02	ND	0.051	ND			0.002	ND	ND	
H28.3.3	0.04	ND	0.048	ND			0.001	ND	0.006	
H28.4.20	0.03	0.004	0.021	ND			0.0006	ND	ND	
H28.5.16	0.02	0.007	0.036	ND			0.001	ND	ND	
H28.6.15	0.04	ND	0.01	ND			0.001	ND	ND	
H28.7.11	0.02	0.003	0.018	ND			0.0012	ND	ND	
H28.8.3	0.02	0.002	0.011	ND			0.0006	0.010	0.009	
H28.9.15	0.04	0.014	0.082	ND			0.0058	ND	ND	
H28.10.18	0.03	0.009	0.054	ND			0.0015	ND	ND	
H28.11.15	0.02	0.018	0.11	ND			0.0021	ND	ND	
H28.12.12	0.02	0.003	0.019	ND			0.0018	ND	ND	
H29.1.20	0.03	0.005	0.032	0.42			0.0029	ND	ND	
H29.2.14	0.03	0.004	0.027	ND			0.0015	ND	0.008	
H29.3.7	0.03	0.01	0.069	ND			0.0013	ND	ND	
H29.4.20	0.03	0.002	0.02	ND			0.0014	ND	ND	
H29.5.16	0.04	0.01	0.063	ND			0.0056	ND	0.007	
H29.6.13	0.03	ND	0.006	ND			0.001	ND	ND	
H29.7.10	0.03	0.004	0.035	ND			0.002	ND	ND	
H29.8.18	0.02	ND	0.011	ND			0.0023	ND	ND	
H29.9.14	0.02	0.002	0.017	ND			0.0009	ND	ND	
H29.10.17	0.02	0.004	0.03	ND			0.0016	ND	ND	
H29.11.14	0.02	0.003	0.019	ND			0.0025	ND	ND	
H29.12.5	0.02	0.003	0.025	ND			0.0021	ND	ND	
H30.1.16	0.03	ND	0.014	0.37			0.0012	ND	0.006	
H30.2.13	0.02	ND	0.031	ND			0.0013	ND	ND	
H30.3.13	0.02	0.004	0.031	ND			0.0033	ND	ND	
H30.4.20	0.02	ND	0.024	ND			0.002	ND	ND	
H30.5.16	0.02	ND	0.013	ND			0.0011	ND	ND	
H30.6.14	0.03	ND	0.024	ND			0.0024	ND	ND	
H30.7.10	0.03	0.002	0.019	ND			0.0022	ND	ND	
H30.8.19	0.02	ND	0.011	ND			0.001	ND	ND	
H30.9.13	0.03	0.002	0.022	ND			0.0013	ND	ND	
H30.10.5	0.02	0.002	0.014	ND			0.0013	ND	ND	
H30.11.14	0.02	0.004	0.029	ND			0.002	ND	0.01	
H30.12.11	0.02	ND	0.013	ND			0.0011	ND	0.01	
H31.1.17	0.02	ND	0.013	ND			0.0006	ND	0.006	
H31.2.13	0.03	0.002	0.016	0.43			0.001	ND	ND	
H31.3.18	0.04	ND	0.027	ND			0.0014	ND	0.007	
H31.4.17	0.03	ND	0.019	ND			0.0008	ND	0.015	
R1.5.10	0.02	ND	0.016	ND			0.0007	ND	ND	
R1.6.4	0.03	ND	0.01	ND			0.0005	ND	ND	
R1.7.2	0.03	ND	0.024	ND			0.0017	ND	ND	
R1.8.1	0.02	ND	0.017	ND			0.0011	ND	ND	

(1) 南放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu	
				減圧蒸留法	迅速分析	電解濃縮法				
R1. 9. 20	0.02	ND	0.005	ND			0.0011	ND	ND	
R1. 10. 2	0.02	ND	0.011	ND			0.0008	ND	ND	
R1. 11. 21	0.02	ND	0.021	ND			0.0009	ND	ND	
R1. 12. 11	0.02	ND	0.052	ND			0.0008	ND	ND	
R2. 1. 8	0.04	ND	0.055	ND			0.0006	ND	0.010	
R2. 2. 4	0.03	0.021	0.35	ND			0.0013	ND	0.011	
R2. 3. 12	0.03	ND	0.022	ND			0.0011	ND	ND	
R2. 4. 22	0.02	0.004	0.067	ND			0.0022	ND	ND	
R2. 5. 14	0.04	ND	0.028	ND			0.0006	ND	ND	
R2. 6. 2	0.04	0.002	0.025	ND			0.0008	ND	0.010	
R2. 7. 3	0.02	ND	0.005	ND			0.0007	ND	ND	
R2. 8. 6	0.02	ND	0.021	ND			0.0009	ND	ND	
R2. 9. 11	0.03	ND	0.011	ND			0.0009	ND	0.008	
R2. 10. 20	0.02	ND	0.012	ND			0.0010	ND	0.006	
R2. 11. 12	0.04	ND	0.012	ND			0.0007	ND	ND	
R2. 12. 4	0.02	ND	0.031	ND			0.0009	ND	ND	
R3. 1. 7	0.05	ND	0.016	ND			0.0006	ND	ND	
R3. 2. 12	0.03	ND	0.016	ND			0.0010	ND	0.013	
R3. 3. 4	0.03	ND	0.028	ND			0.0024	ND	0.011	
R3. 4. 20	0.02	ND	0.033	ND			0.0011	ND	0.019	
R3. 5. 12	0.02	ND	0.007	ND			0.0007	ND	ND	
R3. 6. 3	0.02	ND	0.009	ND			0.0013	ND	0.007	
R3. 7. 6	0.02	ND	0.018	ND			0.0017	ND	ND	
R3. 8. 4	0.02	ND	0.015	ND			0.0008	ND	ND	
R3. 9. 2	0.01	ND	0.020	ND			0.0015	ND	ND	
R3. 10. 15	0.02	ND	0.028	ND			0.0011	ND	ND	
R3. 11. 4	0.02	ND	0.011	ND			0.0006	ND	ND	
R3. 12. 14	0.02	ND	0.034	ND			0.0014	ND	ND	
R4. 1. 13	0.01	ND	0.008	ND			0.0009	ND	ND	
R4. 2. 3	0.01	ND	0.021	ND			ND	ND	ND	
R4. 3. 3	0.02	ND	0.022	ND			0.0009	ND	ND	
R4. 4. 13	0.02	ND	0.025	ND			0.0007	ND	ND	
R4. 5. 19	0.02	ND	0.021	ND		0.11	0.0012	ND	ND	
R4. 6. 19	0.01	ND	0.026	ND			0.0009	ND	ND	
R4. 7. 5	0.01	ND	0.014	ND			0.0008	ND	ND	
R4. 8. 2	0.01	ND	0.003	ND		0.10	0.0008	ND	ND	
R4. 9. 13	0.01	ND	0.005	ND			0.0010	ND	ND	
R4. 10. 21	0.01	ND	0.013	ND			ND	ND	ND	
R4. 11. 8	0.02	ND	0.007	ND		0.04	0.0006	ND	0.010	
R4. 12. 9	0.05	ND	0.038	ND			0.0007	ND	ND	
R5. 1. 13	0.06	ND	0.007	ND			0.0007	ND	ND	
R5. 2. 7	0.06	ND	0.003	ND		0.05	0.0009	ND	ND	
R5. 3. 7	0.02	ND	0.015	ND			0.0013	ND	ND	
R5. 4. 25	0.02	ND	0.006	ND			0.0009	ND	ND	
R5. 5. 10	0.01	ND	0.014	ND		0.05	0.0013	ND	0.008	
R5. 6. 7	0.01	ND	0.010	ND			0.0009	ND	0.015	
R5. 7. 11	0.01	ND	0.031	ND			0.0015	ND	ND	
R5. 8. 8	0.01	ND	0.014	ND		ND	ND	ND	0.008	
R5. 8. 25					ND					
R5. 8. 30					ND					
R5. 9. 3	0.01	ND	0.011		ND	0.34	0.0008	ND	ND	
R5. 9. 12					ND					
R5. 9. 19					ND					
R5. 9. 26					ND					
R5. 10. 8					ND					
R5. 10. 12	0.01	ND	0.028		ND	0.33	0.0007	ND	0.010	
R5. 10. 20					ND					

(1) 南放水口										
採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu	
				減圧蒸留法	迅速分析	電解濃縮法				
R5. 10. 24					ND					
R5. 11. 3					ND					
R5. 11. 9	0.02	ND	0.022		ND	0.49	0.014	ND	ND	
R5. 11. 14					ND					
R5. 11. 22					ND					
R5. 11. 28					ND					
R5. 12. 5	0.02	ND	0.011		ND	0.11	0.0008	ND	ND	
R5. 12. 15					ND					
R5. 12. 20					ND					
R6. 1. 10					ND					
R6. 1. 18	0.02	ND	0.005		ND	0.06	0.0009	ND	ND	
R6. 1. 31					ND					
R6. 2. 9	0.02	ND	0.005		ND	0.07	0.0006	ND	ND	
R6. 2. 15					ND					
R6. 3. 15	0.02	ND	0.015		ND	0.16	0.0009	ND	ND	