

## (2) 北放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu	<sup>239+240</sup> Pu	
				減圧蒸留法	迅速分析	電解濃縮法				
H1. 6. 5	ND	ND	ND	ND						
H1. 8. 3	ND	ND	ND	0.84						
H1. 10. 13	0.05	ND	ND	0.5						
H2. 1. 23	ND	ND	ND	ND						
H2. 6. 5	0.03	ND	ND	ND						
H2. 8. 6	ND	ND	ND	ND						
H2. 10. 11	ND	ND	ND	0.9						
H3. 1. 24	0.04	ND	ND	1.3						
H3. 6. 5	0.02	ND	ND	ND						
H3. 8. 8	ND	ND	ND	ND						
H3. 10. 16	ND	ND	ND	ND						
H4. 1. 29	ND	ND	ND	ND						
H4. 6. 3	ND	ND	ND	ND						
H4. 8. 6	0.01	ND	ND	ND						
H4. 10. 13	0.01	ND	ND	ND						
H5. 1. 21	0.02	ND	ND	0.95						
H5. 6. 4	0.02	ND	ND	ND						
H5. 8. 10	ND	ND	ND	1.1						
H5. 10. 12	ND	ND	ND	ND						
H6. 1. 20	0.01	ND	ND	ND						
H6. 6. 7	ND	ND	0.002	ND						
H6. 8. 10	ND	ND	0.002	ND						
H6. 10. 13	ND	ND	0.002	ND						
H7. 1. 20	ND	ND	0.003	0.78						
H7. 6. 6	ND	ND	0.002	ND						
H7. 8. 9	ND	ND	0.003	ND						
H7. 10. 11	0.01	ND	0.003	ND						
H8. 1. 22	0.01	ND	0.003	ND						
H8. 6. 6	ND	ND	0.002	ND						
H8. 8. 7	ND	ND	0.002	ND						
H8. 10. 8	0.02	ND	0.003	ND						
H9. 1. 13	0.05	ND	ND	ND						
H9. 6. 5	0.02	ND	0.002	ND						
H9. 8. 7	ND	ND	0.003	ND						
H9. 10. 8	ND	ND	0.002	0.54						
H10. 1. 20	ND	ND	0.003	ND						
H10. 6. 5	ND	ND	0.002	0.47						
H10. 7. 28	ND	ND	ND	ND						
H10. 10. 13	ND	ND	ND	0.61						
H11. 1. 19	ND	ND	ND	ND						
H11. 5. 26	ND	ND	0.002	0.59						
H11. 7. 27	ND	ND	0.003	ND						
H11. 10. 12	ND	ND	0.002	ND						
H12. 1. 18	0.02	ND	ND	ND						
H12. 5. 23	0.01	ND	0.002	ND						
H12. 7. 25	0.02	ND	0.001	ND						
H12. 10. 10	0.01	ND	0.002	0.53						
H13. 1. 16	0.01	ND	0.003	ND						
H13. 5. 16	0.03	ND	0.002	ND						
H13. 7. 23	ND	ND	ND	ND						
H13. 10. 12	0.02	ND	ND	ND						
H14. 1. 15	0.02	ND	0.002	ND						
H14. 5. 20	0.01	ND	ND	0.5						
H14. 7. 12	0.01	ND	ND	ND						
H14. 10. 23	0.02	ND	0.001	ND						
H15. 1. 14	0.02	ND	0.002	ND						
H15. 5. 21	ND	ND	ND	ND						

## (2) 北放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)								備考	
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu		<sup>239+240</sup> Pu
				減圧蒸留法	迅速分析	電解濃縮法				
H15. 7. 15	ND	ND	ND	ND						
H15. 10. 20	0.01	ND	0.002	ND						
H16. 1. 13	ND	ND	0.003	ND						
H16. 5. 19	0.01	ND	0.002	ND						
H16. 7. 15	ND	ND	ND	ND						
H16. 11. 2	0.02	ND	0.002	0.61						
H17. 1. 12	0.01	ND	ND	ND						
H17. 5. 18	ND	ND	ND	ND						
H17. 7. 14	0.02	ND	0.002	0.93						
H17. 10. 11	0.01	ND	ND	ND						
H18. 1. 11	0.03	ND	ND	1.2						
H18. 5. 23	0.01	ND	ND	ND						
H18. 7. 25	ND	ND	ND	ND						
H18. 10. 11	0.02	ND	0.002	ND						
H19. 1. 9	0.01	ND	0.002	ND						
H19. 5. 9	0.02	ND	0.002	ND						
H19. 7. 25	0.01	ND	0.001	ND						
H19. 10. 9	0.01	ND	0.001	ND						
H20. 1. 16	0.01	ND	0.002	ND						
H20. 5. 8	0.02	ND	0.001	ND						
H20. 7. 22	0.01	ND	0.001	ND						
H20. 10. 14	0.01	ND	0.002	ND						
H21. 1. 14	0.01	ND	0.002	ND						
H21. 5. 21	0.01	ND	ND	ND						
H21. 7. 21	ND	ND	0.002	ND						
H21. 10. 15	ND	ND	0.001	ND						
H22. 1. 12	0.01	ND	0.002	ND						
H22. 5. 10	ND	ND	0.001	ND						
H22. 7. 22	ND	ND	ND	ND						
H22. 10. 18	0.01	ND	0.001	ND						
H23. 1. 11	0.01	ND	0.002	欠測						
H23. 4. 1	欠測	欠測	欠測	欠測						
H23. 7. 1	欠測	欠測	欠測	欠測						
H23. 10. 1	欠測	欠測	欠測	欠測						
H24. 1. 1	欠測	欠測	欠測	欠測						
H25. 6. 27		2.4	5	0.97			0.28	ND	ND	
H25. 7. 31	0.12	0.097	0.18	0.89			0.75	ND	ND	
H25. 8. 19	0.51	ND	0.17	1.3			0.78	ND	ND	
H25. 9. 19	0.05	0.15	0.33	0.49			0.032	ND	ND	
H25. 10. 5	0.06	0.071	0.14	0.52			0.021	ND	ND	
H25. 10. 30	0.41	0.24	0.56	2.5			0.78	ND	ND	
H25. 11. 12	0.08	ND	0.18	0.59			0.077	ND	ND	
H25. 12. 9	0.07	0.077	0.17	0.57			0.09	ND	ND	
H26. 1. 14	0.06	ND	0.2	ND			0.056	ND	ND	
H26. 2. 3	0.08	0.084	0.19	0.47			0.063	ND	ND	
H26. 3. 10	0.04	ND	0.085	ND			0.005	ND	0.012	
H26. 4. 14	0.04	ND	ND	ND			0.002	ND	0.008	
H26. 5. 19	0.03	ND	ND	ND			0.003	ND	ND	
H26. 6. 16	0.03	ND	ND	ND			0.002	ND	ND	
H26. 7. 7	0.09	ND	0.17	0.44			0.083	ND	ND	
H26. 8. 20	0.31	0.13	0.4	2.5			0.44	ND	ND	
H26. 9. 16	0.14	0.13	0.35	0.84			0.17	ND	ND	
H26. 10. 20	0.04	ND	ND	ND			0.012	ND	ND	
H26. 11. 10	0.04	0.066	0.18	ND			0.039	ND	ND	
H26. 12. 8	0.06	ND	0.095	ND			0.024	ND	ND	
H27. 1. 14	0.05	ND	0.069	ND			0.047	ND	0.007	
H27. 2. 10	0.04	ND	ND	ND			0.008	ND	0.007	

## (2) 北放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu	<sup>239+240</sup> Pu	
				減圧蒸留法	迅速分析	電解濃縮法				
H27. 3. 3	0.06	ND	0.094	ND			0.041	ND	0.011	
H27. 4. 22	0.02	ND	ND	ND			0.002	ND	ND	
H27. 5. 18	0.03	ND	ND	ND			0.003	ND	ND	
H27. 6. 16	0.03	ND	ND	ND			0.046	ND	ND	
H27. 7. 21	0.31	0.19	0.67	1.9			0.76	ND	ND	
H27. 8. 17	0.05	ND	0.12	ND			0.1	ND	ND	
H27. 9. 14	0.03	0.21	1	ND			0.003	ND	ND	
H27. 10. 13	0.08	ND	0.14	ND			0.054	ND	ND	
H27. 11. 17	0.06	ND	0.13	ND			0.007	ND	0.013	
H27. 12. 14	0.08	ND	0.059	ND			0.001	ND	0.009	
H28. 1. 22	0.03	ND	0.12	ND			0.002	ND	0.01	
H28. 2. 8	0.03	ND	ND	ND			0.002	ND	ND	
H28. 3. 3	0.05	ND	0.065	ND			0.002	ND	0.009	
H28. 4. 20	0.03	0.004	0.019	0.39			0.0008	ND	ND	
H28. 5. 16	0.02	0.007	0.036	ND			0.0014	ND	ND	
H28. 6. 15	0.07	0.01	0.053	ND			0.0028	ND	0.016	
H28. 7. 11	0.02	0.002	0.009	ND			0.0009	ND	ND	
H28. 8. 3	0.03	ND	0.009	ND			ND	ND	ND	
H28. 9. 15	0.03	0.018	0.1	ND			0.011	ND	ND	
H28. 10. 18	0.02	0.005	0.025	ND			0.0012	ND	ND	
H28. 11. 15	0.02	0.016	0.097	ND			0.0028	ND	ND	
H28. 12. 12	0.03	0.005	0.03	ND			0.0024	ND	ND	
H29. 1. 20	0.03	0.005	0.031	ND			0.0034	ND	ND	
H29. 2. 14	0.03	0.004	0.027	ND			0.0024	ND	ND	
H29. 3. 7	0.03	0.004	0.03	ND			0.0013	ND	ND	
H29. 4. 20	0.03	0.003	0.023	0.36			0.0018	ND	0.006	
H29. 5. 16	0.03	0.006	0.04	ND			0.0027	ND	0.012	
H29. 6. 13	0.02	0.004	0.021	ND			0.0017	ND	ND	
H29. 7. 10	0.02	0.008	0.057	ND			0.0025	ND	ND	
H29. 8. 18	0.02	0.003	0.019	ND			0.0017	ND	ND	
H29. 9. 14	0.02	ND	0.011	ND			0.0011	ND	ND	
H29. 10. 17	0.02	ND	0.009	ND			0.0006	ND	ND	
H29. 11. 14	0.02	0.003	0.022	ND			0.002	ND	ND	
H29. 12. 5	0.02	0.005	0.039	ND			0.0024	ND	ND	
H30. 1. 16	0.03	0.004	0.03	0.4			0.0024	ND	ND	
H30. 2. 13	0.02	ND	0.009	ND			0.0013	ND	ND	
H30. 3. 13	0.02	0.006	0.038	ND			0.0059	ND	ND	
H30. 4. 20	ND	ND	0.011	ND			0.0007	ND	ND	
H30. 5. 16	0.02	ND	0.021	ND			0.0016	ND	ND	
H30. 6. 14	0.04	ND	0.023	ND			0.0016	ND	ND	
H30. 7. 10	0.02	ND	0.005	ND			0.0008	ND	ND	
H30. 8. 19	0.02	ND	0.021	ND			0.001	ND	ND	
H30. 9. 13	0.04	0.009	0.11	ND			0.0096	MD	ND	
H30. 10. 5	0.03	0.005	0.057	ND			0.0042	ND	ND	
H30. 11. 14	0.03	0.002	0.019	ND			0.0011	ND	0.013	
H30. 12. 11	0.02	ND	0.021	ND			0.0012	ND	ND	
H31. 1. 17	0.02	0.002	0.021	ND			0.0011	ND	0.005	
H31. 2. 13	0.02	ND	0.011	ND			0.001	ND	0.007	
H31. 3. 18	0.04	ND	0.016	ND			0.0012	ND	0.009	
H31. 4. 17	0.03	ND	0.012	ND			0.0009	ND	ND	
R1. 5. 10	0.02	ND	0.005	ND			0.0009	ND	ND	
R1. 6. 4	0.02	0.002	0.030	ND			0.0012	ND	ND	
R1. 7. 2	0.03	0.011	0.16	ND			0.011	ND	ND	
R1. 8. 1	0.02	ND	0.013	ND			0.0011	ND	ND	
R1. 9. 20	0.02	0.002	0.025	ND			0.0013	ND	ND	
R1. 10. 2	0.03	0.004	0.056	ND			0.0013	ND	ND	
R1. 11. 21	0.03	ND	0.036	ND			0.0010	ND	ND	

## (2) 北放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu	<sup>239+240</sup> Pu	
				減圧蒸留法	迅速分析	電解濃縮法				
R1. 12. 11	0.02	0.003	0.040	ND			0.0009	ND	0.009	
R2. 1. 8	0.05	0.005	0.055	ND			0.0012	ND	ND	
R2. 2. 4	0.04	0.004	0.072	ND			0.0007	ND	0.011	
R2. 3. 12	0.02	ND	0.020	ND			0.0013	ND	0.007	
R2. 4. 22	0.03	ND	0.017	ND			0.0011	ND	ND	
R2. 5. 14	0.03	ND	0.005	ND			0.0011	ND	0.006	
R2. 6. 2	0.03	ND	0.005	ND			0.0006	ND	ND	
R2. 7. 3	ND	ND	0.005	ND			ND	ND	ND	
R2. 8. 6	0.02	ND	0.007	ND			0.0010	ND	ND	
R2. 9. 11	0.03	ND	0.004	ND			0.0007	ND	ND	
R2. 10. 20	0.02	ND	0.038	ND			0.0012	ND	ND	
R2. 11. 12	0.02	ND	0.015	ND			0.0010	ND	ND	
R2. 12. 4	0.02	ND	0.017	ND			0.0008	ND	ND	
R3. 1. 7	0.03	ND	0.009	ND			0.0009	ND	0.011	
R3. 2. 12	0.04	ND	0.013	ND			0.0009	ND	0.009	
R3. 3. 4	0.04	0.003	0.061	ND			0.0027	ND	0.017	
R3. 4. 20	0.02	ND	0.036	ND			0.0012	ND	0.013	
R3. 5. 12	0.02	ND	0.011	ND			0.0013	ND	ND	
R3. 6. 3	0.02	ND	0.012	ND			0.0016	ND	ND	
R3. 7. 6	0.02	ND	0.024	ND			0.0015	ND	ND	
R3. 8. 4	0.01	ND	0.019	ND			0.0013	ND	ND	
R3. 9. 2	0.01	ND	0.014	ND			0.0034	ND	ND	
R3. 10. 15	0.02	0.003	0.068	ND			0.0072	ND	0.009	
R3. 11. 4	0.02	ND	0.023	ND			0.0011	ND	ND	
R3. 12. 14	0.02	ND	0.024	ND			0.0012	ND	0.006	
R4. 1. 13	0.02	ND	0.021	ND			0.0008	ND	0.009	
R4. 2. 3	0.02	ND	0.025	ND			0.0010	ND	ND	
R4. 3. 3	0.02	ND	0.017	ND			0.0009	ND	ND	
R4. 4. 13	0.02	ND	0.007	ND			0.001	ND	ND	
R4. 5. 19	0.02	ND	0.027	ND		0.34	0.0014	ND	ND	
R4. 6. 19	0.02	ND	0.011	ND			0.0015	ND	ND	
R4. 7. 5	0.01	ND	0.006	ND			0.0007	ND	ND	
R4. 8. 2	0.01	ND	0.004	ND		0.08	0.0009	ND	ND	
R4. 9. 13	0.01	ND	0.005	ND			0.0007	ND	ND	
R4. 10. 21	0.02	ND	0.020	ND			0.0013	ND	ND	
R4. 11. 8	0.02	ND	0.018	ND		0.09	0.0009	ND	ND	
R4. 12. 9	0.05	ND	0.008	ND			0.0009	ND	ND	
R5. 1. 13	0.06	ND	0.017	ND			0.0010	ND	0.009	
R5. 2. 7	0.07	ND	0.005	ND		ND	0.0008	ND	ND	
R5. 3. 7	0.02	ND	0.018	ND			0.0015	ND	ND	
R5. 4. 25	0.01	ND	0.008	ND			0.0009	ND	ND	
R5. 5. 10	0.01	ND	0.011	ND		0.05	0.0009	ND	0.018	
R5. 6. 7	0.01	ND	0.11	ND			0.0012	ND	ND	
R5. 7. 11	0.02	ND	0.004	ND			0.0011	ND	ND	
R5. 8. 8	0.01	ND	0.012	ND		ND	0.0011	ND	ND	
R5. 8. 25					ND					
R5. 8. 30					ND					
R5. 9. 3	0.01	ND	0.004		ND	0.11	ND	ND	ND	
R5. 9. 12					ND					
R5. 9. 19					ND					
R5. 9. 26					ND					
R5. 10. 8					ND					
R5. 10. 12	0.02	ND	0.056		ND	0.30	0.0005	ND	0.018	
R5. 10. 20					ND					
R5. 10. 24					ND					
R5. 11. 3					ND					
R5. 11. 9	0.02	ND	0.024		ND	0.30	0.0009	ND	ND	

## (2) 北放水口

採取日	核種濃度 (Bq/L ※PuはmBq/L)									備考
	全 $\beta$ 放射能	$^{134}\text{Cs}$	$^{137}\text{Cs}$	$^3\text{H}$			$^{90}\text{Sr}$	$^{238}\text{Pu}$	$^{239+240}\text{Pu}$	
				減圧蒸留法	迅速分析	電解濃縮法				
R5. 11. 14					ND					
R5. 11. 22					ND					
R5. 11. 28					ND					
R5. 12. 5	0.02	ND	0.011		ND	0.06	0.0008	ND	ND	
R5. 12. 15					ND					
R5. 12. 20					ND					
R6. 1. 10					ND					
R6. 1. 18	0.02	ND	0.009		ND	0.10	0.0013	ND	ND	
R6. 1. 31					ND					
R6. 2. 9	0.01	ND	0.008		ND	0.07	0.0009	ND	ND	
R6. 2. 15					ND					
R6. 3. 15	0.02	ND	0.025		ND	0.31	0.0012	ND	ND	