

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																												
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)	
1月平均	9.8	8.6	10.4	12.9	12.4	9.5	13.0	10.2	9.6	11.7	12.6	9.3	12.2	9.5	12.1	12.7	9.5	12.9	9.5	8.9	10.3	9.2	10.4	11.3	10.2	9.1	9.3	8.4	10.8	9.7	10.5	10.8	12.9	10.2	11.8	12.4	10.1	11.0	13.0	13.9	13.6	10.7	1月
2月平均	9.3	6.9	9.7	10.3	11.6	8.6	10.6	10.2	8.3	9.0	10.4	7.4	11.0	7.4	11.6	8.5	8.5	10.2	7.9	8.0	8.1	9.1	9.6	11.4	8.8	7.8	8.1	8.8	10.4	7.3	7.6	8.5	11.5	7.9	11.3	12.0	11.4	8.7	12.0	13.6	11.5	9.3	2月
3月平均	6.6	6.7	10.0	9.0	10.5	10.5	9.7	9.9	8.0	8.4	10.0	7.5	11.2	7.6	10.6	8.2	7.6	9.1	7.7	8.3	7.5	8.5	10.7	11.3	8.3	7.7	8.2	7.2	11.4	8.4	8.2	8.9	9.7	10.2	12.5	9.9	11.4	8.5	13.2	13.5	11.5	9.1	3月
4月平均	8.1	8.3	11.1	12.3	12.1	11.6	11.4	11.8	9.1	10.9	12.1	9.7	13.6	9.1	13.6	11.0	11.1	11.7	9.9	9.6	9.3	9.7	12.3	10.2	12.0	8.7	11.4	8.9	12.6	11.5	9.6	10.9	10.3	13.1	11.2	10.4	14.5	11.9	14.9	15.3	11.8	10.9	4月
5月平均	9.8	11.0	11.8	14.6	12.8	13.5	15.1	11.6	11.9	14.0	15.3	12.5	14.2	11.2	15.3	13.2	16.4	14.1	12.5	11.8	11.7	14.2	14.0	11.1	13.2	11.3	14.4	14.2	12.4	14.3	13.2	14.3	13.8	16.5	12.6	14.9	16.3	16.2	16.7	17.2	14.3	13.5	5月
6月平均	14.3	13.5	13.8	15.8	13.6	15.0	17.1	14.9	15.2	16.0	16.5	14.2	14.8	15.1	17.3	14.6	19.6	15.8	14.5	13.5	15.4	17.8	16.5	14.6	16.3	15.3	17.3	16.0	16.0	16.5	16.6	17.0	16.5	18.0	17.3	18.6	17.3	17.4	20.3	19.7	17.3	16.2	6月
7月平均	18.0	17.5	17.2	18.4	17.8	19.2	20.5	18.0	17.9	18.7	18.5	17.6	17.7	17.9	19.9	18.4	20.4	18.5	17.9	18.3	19.0	19.7	20.7	18.6	17.9	18.8	19.8	19.0	17.9	18.7	19.4	20.9	18.0	19.5	20.3	19.1	21.5	20.7	23.4	22.1	20.4	18.9	7月
8月平均	19.9	19.8	20.7	21.6	20.5	22.2	21.8	20.3	20.7	21.8	22.2	20.7	20.4	21.1	22.0	22.0	22.2	21.1	18.9	20.0	21.9	21.4	22.8	22.0	21.9	21.4	21.7	20.5	21.5	21.0	22.9	23.2	23.9	23.0	22.5	22.9	23.6	22.2	24.0	25.2	-	21.7	8月
9月平均	21.5	21.1	21.0	22.5	21.3	22.5	22.2	20.8	20.8	23.1	21.6	22.1	21.4	21.4	23.4	22.9	21.6	21.3	20.6	20.6	22.2	22.4	22.8	23.1	21.5	23.0	21.9	22.9	23.0	21.7	21.8	22.9	21.8	22.0	23.1	23.1	21.7	22.9	25.2	24.4	-	22.1	9月
10月平均	18.4	18.7	18.8	19.7	19.3	20.3	18.5	18.0	18.1	20.9	20.0	20.1	19.2	19.6	20.0	20.2	18.9	18.9	17.8	18.4	20.0	20.3	20.1	19.9	19.1	20.9	19.2	20.9	20.1	19.1	19.2	20.2	18.4	20.1	19.9	19.2	19.7	20.4	21.5	22.2	-	19.5	10月
11月平均	14.9	15.3	15.2	15.4	17.0	17.3	15.8	15.3	16.5	17.5	17.3	18.4	15.6	15.9	18.0	16.0	18.4	14.3	15.6	16.5	15.9	17.0	16.8	17.4	15.6	17.0	16.2	16.7	16.6	18.0	16.9	16.2	15.4	16.4	16.2	15.8	16.7	19.2	18.4	20.3	-	16.5	11月
12月平均	11.3	12.6	13.4	12.5	13.3	14.2	13.2	13.5	14.6	14.5	13.0	16.2	13.0	12.7	15.5	12.4	15.6	11.1	12.5	13.7	11.3	13.3	12.9	14.1	12.8	14.8	11.9	13.1	12.6	14.5	13.3	15.1	14.2	14.6	13.2	11.5	13.0	16.2	15.8	16.2	-	13.5	12月
最高値	23.8	22.4	22.8	24.8	22.8	25.2	24.6	22.9	22.9	24.2	23.6	23.3	22.7	23.0	25.0	24.7	23.1	22.6	22.2	21.6	23.5	24.4	24.3	24.8	23.3	25.2	23.8	24.3	24.3	23.0	25.0	26.9	25.2	24.2	24.9	25.3	25.1	24.2	26.9	26.8	21.7	24.0	Max.
最低値	5.8	5.5	8.4	7.7	9.0	7.2	8.5	8.0	7.3	7.8	9.0	6.4	9.8	6.8	8.8	7.4	7.1	8.8	6.8	7.4	6.7	7.9	9.2	9.0	7.8	6.6	7.4	6.3	8.8	6.3	6.9	7.6	8.4	7.0	9.7	8.9	8.4	6.9	11.1	12.4	9.7	7.8	Min.
平均値	13.6	13.4	14.5	15.5	15.2	15.5	15.8	14.5	14.4	15.6	15.9	14.6	15.5	14.2	16.7	15.1	16.0	15.1	13.8	14.0	14.5	15.3	15.9	15.5	14.9	14.8	15.5	14.8	15.5	15.2	15.0	15.8	15.6	16.1	16.1	15.9	16.5	16.4	18.3	18.7	14.5	15.3	Ave.
1 / 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/1	
1 / 2	11.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/2	
1 / 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/3
1 / 4	10.8	11.5	-	14.5	12.2	10.0	12.1	11.2	11.6	13.3	13.8	10.6	-	-	12.0	15.3	11.0	13.1	-	-	11.7	9.7	11.8	11.2	-	-	12.3	9.8	11.2	-	-	11.7	13.3	11.4	12.6	-	9.7	9.2	13.7	15.4	-	11.9	1/4
1 / 5	10.0	-	10.3	14.3	12.0	10.3	12.2	-	11.2	12.7	14.2	10.3	-	10.0	11.1	14.8	10.2	-	-	10.2	11.4	9.3	11.1	-	10.3																		

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)		
2 /2	9.5	-	9.2	11.6	11.9	7.2	11.0	-	8.5	9.7	11.0	7.9	-	7.5	12.1	9.2	9.1	-	-	8.0	9.0	9.8	9.8	-	8.6	8.5	7.9	6.6	-	-	7.9	8.7	11.8	8.7	-	-	12.1	9.6	11.8	12.9	-	9.1	2/2	
2 /3	-	7.0	9.8	11.4	11.7	7.8	-	8.4	7.7	9.2	11.2	-	11.0	7.9	12.1	9.4	-	-	8.0	8.1	9.1	9.9	-	-	8.5	8.8	8.0	6.5	-	9.9	7.7	8.4	11.4	-	-	12.8	11.7	9.2	11.4	-	12.0	9.2	2/3	
2 /4	9.0	6.9	9.7	10.6	10.9	-	11.1	9.8	8.4	8.3	-	-	10.7	8.5	10.8	9.6	-	11.1	8.2	8.2	9.0	-	-	11.8	8.7	8.1	8.0	-	11.1	9.9	7.7	8.3	-	-	12.4	12.8	11.3	9.6	-	-	12.4	9.7	2/4	
2 /5	10.3	7.0	8.4	10.8	-	8.0	10.9	9.7	8.4	-	-	7.7	10.7	7.6	11.1	-	8.4	11.0	8.1	8.0	-	-	9.3	12.0	8.6	8.0	-	-	11.1	8.2	7.8	9.0	-	8.3	11.2	12.3	10.9	-	-	13.5	12.2	9.4	2/5	
2 /6	10.7	6.8	8.6	11.7	11.4	7.9	10.6	9.2	-	-	11.0	7.9	10.7	7.6	-	-	9.0	11.0	8.2	7.7	-	8.6	9.8	12.6	8.6	-	-	7.6	10.4	7.5	7.7	-	13.4	8.2	11.7	12.1	-	-	11.8	12.7	11.6	9.6	2/6	
2 /7	10.8	7.1	9.2	-	11.5	8.3	10.8	9.2	-	9.6	11.2	7.4	11.5	-	-	9.4	8.6	11.5	7.8	-	8.6	8.7	10.1	12.9	-	-	8.4	8.3	10.3	7.4	-	-	12.6	7.5	12.3	10.8	-	9.7	12.5	13.1	11.5	9.8	2/7	
2 /8	10.5	7.4	-	11.0	11.5	8.3	10.6	-	8.8	9.7	11.5	7.9	-	-	11.9	9.4	8.1	11.5	-	-	8.8	8.9	9.8	12.4	-	7.8	8.3	8.9	10.9	-	-	7.9	12.3	7.4	11.7	-	11.5	9.4	12.2	13.3	-	9.7	2/8	
2 /9	10.0	-	9.4	10.5	12.8	8.2	-	-	8.4	9.8	11.5	7.8	-	7.3	11.6	9.1	8.1	-	-	7.9	7.8	9.2	9.6	-	8.9	8.4	8.6	8.9	-	-	7.9	7.8	12.4	7.0	-	-	9.9	10.0	12.2	13.3	-	8.9	2/9	
2 /10	-	7.2	9.8	10.6	12.4	-	-	8.9	8.7	10.6	10.9	-	11.3	7.5	12.6	9.2	-	-	7.8	7.5	8.6	8.7	-	-	9.2	9.8	8.0	8.6	-	6.5	7.6	8.1	11.8	-	-	11.0	10.7	10.2	11.7	-	11.3	9.2	2/10	
2 /11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2/11		
2 /12	10.8	6.6	11.0	10.6	-	-	11.9	9.8	8.6	-	-	-	10.6	7.5	12.1	-	-	10.7	9.1	7.4	-	-	-	12.3	8.9	7.7	-	-	10.7	6.4	8.0	7.6	-	-	10.4	11.4	11.2	-	-	-	11.8	9.5	2/12	
2 /13	10.7	7.0	10.2	10.4	12.0	8.9	11.1	9.5	-	-	11.1	7.9	10.8	7.9	-	-	8.3	10.5	8.4	7.6	-	8.3	9.8	12.1	9.2	-	-	7.9	10.7	6.7	8.1	-	11.1	8.3	10.0	12.2	-	-	13.5	13.6	12.3	9.4	2/13	
2 /14	10.2	7.4	10.2	-	11.9	8.5	10.6	10.5	-	8.5	11.0	8.0	10.8	-	-	8.7	8.3	10.3	8.5	-	8.0	9.2	9.5	11.3	-	-	7.9	8.7	10.9	7.1	-	-	11.1	7.9	10.1	13.0	-	8.3	12.9	14.3	11.4	9.5	2/14	
2 /15	9.5	7.7	-	10.3	11.7	8.5	11.1	10.0	8.0	8.1	10.3	8.2	-	-	10.8	8.8	8.0	10.0	-	-	7.9	9.4	10.0	11.0	-	7.5	7.8	9.0	11.2	-	-	9.1	11.5	8.6	9.7	-	12.7	8.0	11.8	14.4	-	9.4	2/15	
2 /16	8.7	-	9.4	9.3	12.4	8.6	12.9	-	8.5	8.9	10.5	7.9	-	7.0	11.2	7.9	8.2	-	-	7.6	8.3	9.6	9.4	-	9.8	7.1	7.9	8.9	-	-	7.1	8.2	11.4	8.3	-	-	12.8	8.4	11.4	14.5	-	8.9	2/16	
2 /17	-	6.9	9.2	9.2	12.6	8.0	-	10.5	9.0	8.7	9.5	-	11.4	7.8	11.0	7.9	-	-	8.2	7.5	7.4	9.0	-	-	8.8	6.9	8.1	8.6	-	6.9	7.2	8.4	11.7	-	-	12.2	12.1	8.9	12.0	-	12.6	8.9	2/17	
2 /18	9.0	6.9	9.2	9.3	12.3	-	10.8	11.4	8.8	8.2	-	-	11.1	6.8	11.6	7.7	-	9.9	8.4	7.7	7.4	-	-	10.5	8.6	6.8	8.4	-	10.1	6.6	7.2	8.4	-	-	10.4	11.8	11.5	8.3	-	-	11.7	9.0	2/18	
2 /19	9.0	6.3	9.4	9.2	-	8.1	10.2	11.5	8.4	-	-	6.7	11.0	7.1	11.6	-	9.0	9.4	8.2	7.6	-	-	9.4	10.8	8.6	6.7	-	-	10.8	6.4	6.9	8.5	-	7.4	11.1	12.1	11.1	-	-	15.2	10.9	9.1	2/19	
2 /20	9.0	6.6	9.1	9.2	11.2	9.3	9.9	10.6	-	-	9.6	6.4	10.5	7.3	-	-	9.0	9.2	8.0	8.0	-	9.1	9.5	11.3	8.6	-	-	9.5	9.9	6.3	7.1	-	10.7	7.8	11.8	12.5	-	-	12.7	15.0	10.4	9.2	2/20	
2 /21	9.0	6.6	10.0	-	11.9	9.3	9.7	10.8	-	9.7	9.2	6.5	11.1	-	-	8.0	8.7	9.5	7.5	-	7.5	9.2	9.3	11.6	-	-	8.0	10.2	9.6	6.6	-	-	11.4	8.0	12.0	12.2	-	7.8	11.7	14.7	11.3	9.4	2/21	
2 /22	-	6.4	-	9.7	11.7	9.5	10.2	-	8.4	8.8	9.0	6.5	-	-	11.3	7.5	9.2	9.9	-	-	7.6	9.2	9.5	11.1	-	6.6	7.9	10.1	9.7	-	-	8.8	10.4	7.6	11.2	-	12.2	7.5	11.1	13.3	-	9.1	2/22	
2 /23	8.0	-	10.6	10.4	10.6	9.4	-	-	8.3	8.9	9.2	6.9	-	7.0	11.9																													

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																												
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)	
3 /20	7.0	7.0	10.2	-	10.1	11.2	9.3	-	-	-	10.7	-	-	7.8	-	-	-	9.3	7.8	-	-	8.4	10.3	-	-	-	-	-	9.7	9.0	-	-	11.4	13.0	-	-	-	12.7	-	-	9.7	3/20	
3 /21	-	7.0	-	-	-	-	-	9.4	-	-	-	7.7	11.3	-	-	7.8	8.0	-	-	-	-	8.4	-	11.5	-	-	-	6.9	12.3	-	-	-	9.4	-	-	-	-	-	13.0	9.7	9.3	3/21	
3 /22	6.0	6.8	-	8.2	9.2	11.3	8.9	-	7.9	7.9	11.0	8.1	-	-	-	8.1	8.1	9.4	-	8.3	8.0	8.7	10.2	-	-	-	-	6.8	11.4	-	-	8.9	9.0	10.7	13.1	-	10.7	8.6	14.0	12.4	-	9.1	3/22
3 /23	6.0	-	9.5	8.2	9.2	12.0	-	9.5	8.0	8.6	11.2	-	-	7.1	8.8	7.8	8.7	-	-	8.4	7.9	8.7	10.3	-	9.0	8.3	-	7.2	-	-	9.2	9.2	9.3	9.9	-	10.4	11.0	7.5	14.3	-	-	8.9	3/23
3 /24	-	5.5	9.6	8.1	9.0	-	-	9.5	8.4	9.0	11.0	-	10.8	7.7	9.0	8.4	-	-	8.0	8.7	7.7	8.6	-	9.9	8.8	8.4	-	-	-	8.8	8.3	9.2	8.9	-	-	10.5	11.4	7.9	14.7	-	11.1	9.0	3/24
3 /25	6.3	6.1	9.8	7.8	9.5	-	9.3	8.6	8.4	8.5	-	8.0	10.8	7.8	9.5	-	-	9.4	8.4	8.5	7.9	-	-	9.5	8.8	8.0	-	-	12.0	9.0	8.0	8.9	-	-	12.3	10.4	12.2	8.3	-	13.6	11.8	9.1	3/25
3 /26	7.0	6.1	10.0	7.8	-	11.6	9.3	8.5	-	-	-	7.8	11.2	7.9	9.8	-	8.2	9.5	8.5	8.0	-	-	11.3	10.6	8.3	7.9	-	6.6	11.9	10.0	8.2	-	-	10.4	12.1	10.2	12.2	-	-	13.7	13.2	9.3	3/26
3 /27	6.1	6.6	10.2	-	10.1	10.8	9.4	8.7	-	-	9.6	8.2	11.8	8.4	-	8.0	7.5	9.6	8.9	-	-	8.6	11.5	11.0	8.2	-	-	6.5	12.2	10.2	8.6	-	8.9	11.8	12.0	10.7	-	-	13.5	13.1	11.3	9.6	3/27
3 /28	6.0	7.1	10.6	7.7	9.9	11.5	8.9	-	-	8.3	10.5	7.9	11.4	-	-	8.6	7.8	9.4	9.1	-	8.3	8.7	11.8	10.8	-	-	-	7.3	12.2	10.3	-	9.6	8.4	12.7	12.1	-	-	8.6	13.5	13.4	12.1	9.7	3/28
3 /29	6.5	6.7	-	8.1	9.6	12.0	9.0	-	8.9	8.5	10.0	8.1	-	-	12.8	8.9	7.8	9.8	-	9.0	8.1	8.8	12.0	-	-	7.9	-	7.2	12.8	-	-	9.9	8.6	12.8	11.3	-	12.3	8.7	13.4	13.6	-	9.6	3/29
3 /30	6.5	-	10.6	7.8	9.8	11.5	9.4	10.2	8.3	8.6	10.6	-	-	8.2	11.0	9.6	7.2	-	-	9.3	8.0	8.7	12.0	-	8.4	7.4	-	7.4	-	-	9.4	10.1	9.0	12.7	-	9.2	12.6	8.6	13.7	-	-	9.3	3/30
3 /31	-	7.2	11.1	7.8	10.1	11.8	-	10.0	8.5	8.5	11.0	-	11.7	8.3	10.5	9.3	-	-	8.0	8.9	7.9	8.6	-	10.6	8.6	7.9	-	-	-	9.5	9.9	10.3	9.3	-	-	9.4	12.9	9.3	14.3	-	10.8	9.3	3/31
4 /1	8.1	6.8	10.4	7.8	10.3	-	8.8	10.7	8.7	9.2	-	8.4	11.5	8.0	10.5	-	-	10.2	9.0	8.0	8.2	-	-	9.9	9.3	8.3	-	-	11.8	10.2	10.0	10.2	-	-	11.3	9.9	13.3	8.8	-	14.4	10.4	9.6	4/1
4 /2	6.8	7.2	10.6	8.6	-	13.1	8.6	12.8	8.5	-	-	8.4	12.1	7.8	11.2	-	7.6	11.0	9.1	9.0	-	-	12.2	10.1	9.2	8.7	-	7.5	12.7	10.0	9.2	-	-	13.2	11.2	10.0	16.2	-	-	13.8	10.2	10.0	4/2
4 /3	7.3	7.5	10.4	-	10.8	13.2	8.6	12.7	-	-	10.7	8.4	11.9	7.1	-	9.8	8.2	11.1	8.7	-	-	9.0	12.2	10.5	8.7	-	-	7.8	12.9	10.3	9.6	-	9.1	13.0	10.8	10.3	-	-	14.6	14.1	9.8	10.1	4/3
4 /4	7.2	7.8	10.7	11.8	10.7	13.9	8.8	12.9	-	9.2	10.5	8.0	11.8	-	-	9.5	7.8	11.6	9.1	-	9.0	8.8	11.8	10.6	-	-	-	8.1	12.9	10.4	-	10.4	9.4	13.0	10.8	-	-	9.4	14.4	14.2	9.7	10.2	4/4
4 /5	6.8	7.6	-	11.6	10.7	12.6	9.3	-	8.6	9.5	11.0	8.3	-	-	12.4	10.2	8.0	10.8	-	8.6	8.4	9.1	11.9	-	-	8.4	8.6	7.4	13.0	-	-	9.9	10.0	13.2	11.9	-	14.6	8.9	15.6	14.1	-	9.9	4/5
4 /6	6.8	-	11.4	13.2	10.6	11.8	9.3	13.2	8.6	9.6	11.8	-	-	8.9	12.4	10.3	8.6	-	-	9.1	8.4	8.6	11.9	-	10.0	8.5	8.5	7.2	-	-	9.3	10.1	10.2	13.6	-	9.9	13.1	8.9	15.7	-	-	9.9	4/6
4 /7	-	7.3	11.2	12.0	11.0	11.9	-	12.0	8.9	10.2	12.1	-	14.5	8.8	11.9	10.0	-	-	8.2	9.4	8.3	8.8	-	11.3	10.8	9.1	10.6	-	-	10.9	9.8	10.3	10.2	-	-	10.1	13.5	9.6	15.8	-	10.6	10.3	4/7
4 /8	7.2	7.3	11.2	11.3	11.6	-	8.8	10.7	9.0	10.2	-	8.9	14.3	9.3	11.6	-	-	10.3	9.0	9.0	9.8	-	-	11.3	11.3	8.1	11.3	-	13.7	11.1	9.1	10.2	-	11.6	10.2	14.8	9.4	-	14.9	12.0	10.4	4/8	
4 /9	7.7	8.0	11.0	10.1	-	10.9	9.1	11.5	8.9	-	-	9.0	14.7	9.1	11.1	-	9.9	10.6	9.1	9.0	-	-	13.2	10.7	11.2	8.3	-	7.8	13.4	11.0	8.5	-	-	12.3	11.6	10.8	14.4	-	-	15.1	11.2	10.5	4/9
4 /10	7.8	8.2	11.5	-	11.9	11.3	9.7	13.0	-	-	12.2	9.6																															

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																														
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)			
5 /6	-	9.4	10.8	14.3	13.6	-	-	11.2	10.8	13.8	-	-	14.8	9.8	14.2	-	-	-	13.6	10.4	10.3	-	-	-	-	10.8	12.6	-	-	-	-	12.2	-	-	-	-	15.8	15.9	-	-	-	12.0	5/6		
5 /7	9.1	10.9	11.2	14.0	-	12.5	15.8	11.7	10.5	-	-	11.1	14.6	10.4	14.3	-	16.6	13.6	14.5	10.3	-	-	13.5	10.9	12.6	11.2	-	13.4	11.9	14.0	12.7	-	-	15.3	12.0	13.4	16.2	-	-	18.0	13.6	12.9	5/7		
5 /8	8.9	10.5	11.6	-	12.2	13.0	15.8	11.4	-	-	15.2	11.3	15.4	11.2	-	13.2	16.3	14.4	14.7	-	-	13.0	14.0	9.8	13.0	-	-	13.7	10.3	14.3	12.3	-	11.9	14.7	10.5	14.5	-	-	14.2	17.0	13.5	13.2	5/8		
5 /9	9.7	10.4	12.0	13.7	-	12.5	15.8	-	-	13.7	14.9	11.5	13.8	-	-	12.4	15.6	13.2	11.2	-	10.4	12.7	14.8	10.5	-	14.4	14.4	11.2	14.7	-	12.7	11.9	14.4	11.6	-	-	15.8	14.1	15.6	14.1	13.1	5/9			
5 /10	9.8	10.1	-	14.3	-	13.2	14.9	-	10.6	14.1	15.2	11.4	-	-	15.9	12.5	14.4	13.7	-	11.0	11.4	12.9	14.8	-	9.5	14.9	15.5	11.8	-	-	13.3	13.2	13.9	12.1	-	16.0	14.9	16.4	15.8	-	13.2	5/10			
5 /11	10.4	-	11.6	15.1	12.6	13.4	-	10.2	11.1	14.5	16.2	-	-	11.4	15.3	12.6	14.7	-	-	10.4	10.9	13.5	14.2	-	13.0	11.4	13.9	13.6	-	-	12.0	12.8	12.4	13.6	-	13.9	15.9	15.8	16.9	-	-	12.9	5/11		
5 /12	-	11.4	11.8	15.4	12.1	-	-	10.0	11.6	13.9	16.0	-	13.6	11.6	14.5	-	-	-	13.2	10.3	11.2	12.9	-	10.4	13.3	11.3	13.8	-	-	15.3	12.6	13.3	11.9	-	-	13.8	16.8	16.2	16.8	-	13.4	12.7	5/12		
5 /13	9.2	10.1	12.2	13.6	-	-	15.3	10.7	12.0	13.6	-	11.8	13.5	11.5	14.6	-	-	13.3	12.9	10.9	11.4	-	-	10.6	14.2	9.4	15.5	-	12.2	15.2	12.3	14.0	-	-	12.2	14.7	16.9	16.8	-	16.9	14.3	12.8	5/13		
5 /14	9.4	10.2	11.5	12.4	-	13.9	14.9	11.2	11.5	-	-	11.9	14.2	11.2	15.2	12.8	16.3	13.4	13.8	11.4	-	-	13.9	10.4	13.0	9.7	-	14.6	12.5	14.0	11.7	-	-	16.0	12.6	14.6	16.4	-	-	15.2	15.4	13.1	5/14		
5 /15	10.0	11.1	11.6	-	12.1	13.0	15.3	10.1	-	-	15.6	12.1	13.8	11.5	-	13.7	16.6	13.8	13.8	-	-	14.4	14.0	10.8	12.8	-	-	15.7	13.0	14.4	11.2	-	14.1	15.5	12.4	14.9	-	-	17.0	15.3	15.8	13.6	5/15		
5 /16	10.2	11.3	12.0	14.6	12.2	14.2	15.3	10.9	-	14.7	15.4	12.3	13.6	-	-	14.8	16.2	14.0	12.1	-	11.6	14.7	13.5	11.1	-	-	15.6	15.1	13.0	14.3	-	14.3	15.4	16.2	13.3	-	-	16.1	16.5	16.4	15.2	14.0	5/16		
5 /17	10.9	11.6	-	15.2	13.1	14.2	14.1	-	12.2	14.6	15.2	12.6	-	-	14.7	14.2	14.6	13.5	11.7	11.5	10.9	14.3	14.0	-	-	11.9	15.5	14.5	13.3	-	-	14.6	15.3	17.5	12.9	-	16.5	15.4	17.2	16.6	-	13.8	5/17		
5 /18	11.2	-	12.2	15.6	12.6	13.9	14.2	10.9	12.0	14.8	15.0	-	-	11.0	14.7	14.0	14.6	-	-	11.4	11.4	14.9	12.5	-	12.3	11.9	15.3	13.2	-	-	13.7	13.5	13.8	16.7	-	15.2	15.3	15.5	17.5	-	-	13.5	5/18		
5 /19	-	11.6	12.4	15.7	12.6	14.4	-	11.0	11.3	14.8	15.7	-	14.4	10.5	15.5	-	-	-	12.0	12.0	11.8	15.1	-	12.6	12.4	11.6	16.4	-	-	14.2	13.6	14.1	14.6	-	-	15.3	15.2	16.6	18.4	-	12.9	13.4	5/19		
5 /20	11.0	11.5	11.5	15.4	13.4	-	13.7	11.3	12.0	13.8	-	12.3	14.3	11.6	15.8	-	-	14.1	11.8	11.9	11.5	-	-	13.1	12.5	12.2	15.9	-	13.8	14.3	13.2	15.6	-	-	13.5	15.1	15.7	17.3	-	17.2	13.0	13.3	5/20		
5 /21	9.0	10.8	11.8	15.6	-	13.2	15.7	11.3	12.1	-	-	12.4	14.1	12.2	15.3	14.9	16.5	13.8	11.8	11.9	-	-	12.8	10.2	13.0	9.5	-	16.5	12.0	14.9	13.2	-	-	16.9	12.9	14.2	15.9	-	-	16.8	13.4	13.4	5/21		
5 /22	7.8	11.6	13.3	-	12.2	12.9	15.4	11.4	-	-	15.5	12.8	14.0	11.5	-	14.9	17.4	13.6	12.2	-	-	15.4	13.8	10.4	13.5	-	-	14.6	12.3	14.0	12.8	-	15.0	17.0	11.4	14.3	-	-	18.4	17.4	14.2	13.8	5/22		
5 /23	9.4	11.8	13.6	14.6	12.2	12.9	15.3	-	-	14.0	14.7	12.3	14.1	-	-	14.2	18.1	14.0	12.2	-	11.8	16.1	14.5	10.8	-	-	14.0	13.7	12.8	13.9	-	14.9	14.3	17.9	11.9	-	-	16.1	17.6	18.6	13.5	14.1	5/23		
5 /24	9.8	12.0	-	13.3	12.2	13.6	15.0	-	12.2	13.6	15.6	12.7	-	-	16.8	14.5	17.6	14.3	-	12.1	11.3	14.3	14.9	-	-	11.9	13.4	14.1	12.8	-	-	15.2	15.2	17.3	14.9	-	16.1	15.9	17.2	18.7	-	14.3	5/24		
5 /25	9.7	-	10.2	13.6	12.5	14.4	-	12.3	12.0	14.1	15.7	-	-	11.6	16.2	14.7	18.0	-	-	12.9	13.0	14.9	14.1	-	12.9	11.6	14.0	14.6	-	-	14.0	15.4	13.9	17.6	-	15.7	16.9	17.2	17.2	-	-	14.2	5/25		
5 /26																																													

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)		
6 /22	15.0	-	15.0	17.8	14.7	14.5	-	14.6	15.2	17.4	17.3	-	-	15.9	18.0	14.6	18.8	-	-	12.8	16.8	19.0	16.4	-	16.1	16.4	20.4	16.7	-	-	16.8	18.4	17.9	17.4	-	19.7	18.2	18.1	21.7	-	-	17.0	6/22	
6 /23	-	13.5	16.6	17.9	15.0	-	-	15.7	16.1	17.6	16.6	-	14.8	15.4	18.3	15.8	-	-	14.5	12.7	15.8	18.9	-	14.8	17.0	16.8	20.0	-	-	16.4	16.6	19.4	17.7	-	-	18.1	18.2	17.3	20.4	-	19.2	16.6	6/23	
6 /24	15.2	13.8	15.6	18.5	-	-	17.9	15.5	15.7	17.7	-	17.0	14.8	15.9	18.9	-	-	16.3	15.4	13.5	14.5	-	-	15.8	16.5	15.9	17.2	-	16.2	17.7	16.4	19.3	-	-	18.8	19.3	17.6	17.3	-	18.3	18.2	16.6	6/24	
6 /25	15.7	14.9	15.0	17.5	-	16.3	18.8	15.3	15.7	-	-	17.1	15.0	16.6	16.8	-	19.4	17.0	16.0	13.7	-	-	17.9	15.9	16.5	15.8	-	16.5	16.6	17.9	16.9	-	-	17.7	19.2	17.5	18.2	-	-	18.8	18.1	16.8	6/25	
6 /26	16.5	15.3	14.8	-	15.3	16.1	19.0	16.1	-	-	16.9	15.5	15.0	16.4	-	15.7	19.6	16.6	16.2	-	-	19.3	17.4	16.2	18.0	-	-	17.6	17.8	18.0	17.9	-	17.1	18.2	20.4	18.0	-	-	21.8	19.3	17.8	17.4	6/26	
6 /27	16.1	15.9	15.1	16.5	16.0	17.0	18.7	-	-	17.6	17.2	15.2	15.5	-	-	16.0	20.0	16.8	16.8	-	14.7	20.2	17.6	16.4	-	-	16.6	18.1	17.4	17.8	-	19.2	18.0	18.7	20.9	-	-	18.4	22.1	19.1	18.3	17.6	6/27	
6 /28	16.7	16.1	-	17.1	16.5	16.6	18.5	-	16.9	16.3	17.3	15.1	-	-	16.9	16.9	19.9	17.1	-	15.4	15.4	20.3	18.8	-	-	16.0	16.8	17.7	17.4	-	-	20.2	17.4	17.9	21.1	-	18.7	18.4	22.2	19.7	-	17.6	6/28	
6 /29	17.2	-	17.2	17.0	16.5	17.5	-	17.5	16.9	16.8	17.8	-	-	15.8	16.5	15.8	19.8	-	-	15.8	16.3	20.7	19.0	-	16.0	16.3	17.6	16.6	-	-	18.0	19.7	17.5	16.8	-	19.6	19.5	19.2	21.7	-	-	17.5	6/29	
6 /30	-	16.5	15.9	17.2	15.5	18.0	-	17.9	16.8	17.0	18.2	-	14.9	16.0	16.6	16.0	-	-	17.8	16.4	16.7	20.5	-	15.9	16.6	16.9	18.8	-	-	18.8	18.6	20.0	18.1	-	-	19.4	19.7	19.5	21.6	-	20.1	17.5	6/30	
7 /1	17.5	16.7	16.9	17.7	15.8	-	19.5	15.3	16.5	17.3	-	15.7	15.7	17.8	16.8	-	-	17.9	18.2	15.4	17.4	-	-	16.9	16.7	17.5	19.1	-	18.1	19.2	18.3	20.3	-	-	19.3	18.8	20.1	19.8	-	21.0	20.4	17.6	7/1	
7 /2	17.5	17.3	15.5	17.8	-	18.7	21.1	15.6	17.1	-	-	15.2	16.2	17.7	17.4	14.1	17.8	17.5	18.0	15.5	-	-	18.9	17.2	16.8	18.0	-	18.3	18.0	19.5	18.3	-	-	17.1	19.3	18.4	20.3	-	-	19.0	19.9	17.5	7/2	
7 /3	17.3	17.2	14.9	-	15.8	18.8	21.3	15.3	-	-	17.4	15.1	15.8	16.3	-	16.1	19.2	17.6	18.8	-	-	19.6	18.3	17.1	17.2	-	-	18.6	16.6	19.8	18.7	-	17.1	16.6	20.2	20.8	-	-	22.4	19.5	20.6	17.9	7/3	
7 /4	17.3	17.4	14.6	17.5	16.5	18.5	21.7	15.4	-	16.4	15.7	14.9	15.9	-	-	17.0	19.3	17.5	18.8	-	16.9	19.9	20.4	16.0	-	-	20.5	18.0	16.0	20.2	-	20.8	16.5	16.9	19.3	-	-	19.3	22.7	20.3	20.9	17.9	7/4	
7 /5	17.5	16.8	-	17.6	17.0	18.2	22.1	-	17.9	16.6	15.5	16.3	-	-	19.3	18.2	19.3	17.7	-	18.1	17.2	19.6	19.2	-	-	20.4	19.4	18.9	14.4	-	-	18.5	16.3	17.0	19.5	-	19.6	19.4	22.9	20.5	-	18.2	7/5	
7 /6	17.5	-	16.1	17.7	17.6	16.8	21.8	16.5	17.0	16.4	16.7	-	-	17.8	19.5	18.4	18.6	-	18.0	17.9	17.6	19.2	19.6	-	17.6	20.6	19.3	19.0	-	-	18.4	19.0	17.1	14.9	-	19.1	19.7	19.0	23.5	-	-	18.3	7/6	
7 /7	-	16.6	17.0	17.6	18.0	16.7	-	17.4	17.5	17.4	-	-	18.6	17.1	19.6	-	-	-	17.9	16.9	17.7	19.0	-	16.6	18.1	21.4	20.1	-	-	19.6	18.6	19.7	18.0	-	-	18.3	20.1	17.6	22.8	-	19.9	18.4	7/7	
7 /8	16.2	16.9	17.4	17.0	-	-	23.3	17.6	17.6	18.1	-	16.1	17.2	16.2	19.7	-	-	16.6	-	17.8	18.0	-	-	17.1	18.8	19.9	19.6	-	13.7	17.4	18.4	19.6	-	-	19.3	17.9	19.5	19.0	-	20.7	21.0	18.1	7/8	
7 /9	15.5	17.4	17.9	17.0	-	18.6	19.9	18.5	-	-	-	16.2	17.0	16.7	19.6	18.2	19.3	17.2	17.3	18.7	-	-	21.5	16.8	16.5	19.0	-	19.0	14.9	18.2	18.2	-	-	18.6	19.5	17.8	20.6	-	-	20.3	21.0	18.1	7/9	
7 /10	17.0	18.0	18.0	-	18.5	18.3	20.8	18.2	-	-	18.2	16.8	16.8	16.4	-	19.5	21.4	17.9	18.0	-	-	20.2	21.8	17.1	16.2	-	-	19.4	15.5	16.0	18.2	-	18.4	18.2	19.8	18.1	-	-	22.3	20.7	21.2	18.3	7/10	
7 /11	18.0	17.6	17.8	17.0	17.4	18.7	21.4	-	-	18.3	18.2	17.2	17.4	-	-	20.2	21.0	18.9	17.7	-	19.1	20.1	21.2	17.4	-	-	20.1	20.4	15.8	16.8	-	18.3	19.5	18.4	20.1	-	-	21.3	22.9	20				

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																												
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)	
8 /8	17.2	21.4	19.2	20.8	19.8	24.1	21.3	-	-	21.6	22.8	20.5	18.5	-	-	21.5	22.3	22.5	-	-	21.2	20.4	21.5	21.9	-	-	21.0	18.3	21.2	19.6	-	23.2	23.6	22.2	21.2	-	-	23.6	22.9	24.0		21.3	8/8
8 /9	16.3	21.8	-	20.0	18.6	25.2	22.3	-	20.4	21.1	22.1	20.0	-	-	21.6	21.2	22.5	21.1	-	18.8	21.0	19.7	22.3	-	-	21.5	21.2	21.1	21.3	-	-	22.1	23.1	23.2	21.8	-	-	23.3	22.4	24.5		21.4	8/9
8 /10	16.4	-	17.8	20.2	21.1	24.7	-	16.9	20.6	21.4	21.8	-	-	21.2	21.7	21.7	22.3	-	-	18.8	22.1	19.4	22.7	-	21.0	21.5	21.4	21.5	-	-	23.2	23.1	23.7	22.9	-	-	25.1	21.7	22.4	-		21.4	8/10
8 /11	17.2	20.7	16.8	20.6	21.0	-	-	16.9	20.7	21.0	21.8	-	17.4	21.3	23.0	21.9	-	-	-	19.1	21.8	21.2	-	22.2	21.5	21.4	21.4	-	-	21.0	23.7	-	-	-	-	22.4	21.7	-	-	-		21.1	8/11
8 /12	17.5	19.4	18.8	20.8	-	-	21.5	19.7	19.7	20.7	-	22.0	19.9	21.2	22.3	-	-	19.7	-	19.6	21.7	-	-	22.3	21.7	21.1	22.1	-	21.4	19.8	24.2	23.7	-	-	-	22.4	22.2	21.7	-	-		21.3	8/12
8 /13	17.0	18.6	20.2	20.9	-	21.2	21.2	19.3	20.2	-	-	22.5	21.7	21.2	23.3	-	21.3	20.0	-	20.3	-	-	23.1	21.5	22.1	18.8	-	21.4	22.3	18.5	24.3	-	-	24.0	22.8	22.0	23.2	-	-	26.2		21.5	8/13
8 /14	19.0	18.7	20.6	-	22.4	21.0	21.3	19.2	-	-	22.8	23.3	20.6	21.9	-	21.3	21.8	20.7	-	-	-	22.0	23.0	22.2	21.7	-	-	21.6	22.7	19.8	24.1	-	24.2	23.8	23.2	22.2		-	24.8	26.3		22.1	8/14
8 /15	19.2	18.6	20.6	21.0	19.9	22.0	21.3	-	-	19.1	22.5	22.5	21.3	-	-	22.6	22.5	20.4	18.1	-	22.2	21.0	22.8	22.6	-	-	22.1	20.0	23.4	20.7	-	23.7	24.3	23.9	23.4	-		18.9	26.2	26.2		21.9	8/15
8 /16	19.0	17.9	-	21.3	21.6	22.0	21.4	-	19.8	19.0	21.1	17.2	-	-	24.1	22.7	22.7	21.4	-	20.3	21.5	21.3	23.2	-	-	19.8	22.1	21.0	23.2	-	-	22.9	24.0	24.2	24.4	-	21.8	21.2	25.8	26.1		21.8	8/16
8 /17	19.8	-	21.5	21.6	19.8	20.4	21.8	20.8	19.9	21.2	23.1	-	-	21.4	24.4	23.5	21.9	-	-	20.4	22.1	22.6	22.5	-	23.2	20.3	22.4	21.4	-	-	25.0	22.1	24.1	20.5	-	23.0	21.7	21.3	25.6	-		22.2	8/17
8 /18	-	16.9	20.9	21.8	21.0	19.8	-	21.4	20.4	20.6	23.4	-	21.7	21.2	23.7	23.6	21.6	-	18.6	19.8	22.9	22.4	-	21.8	23.3	22.2	23.0	-	-	21.2	25.0	22.1	24.4	-	-	23.5	22.5	21.5	24.6	-		22.2	8/18
8 /19	18.0	18.2	22.2	22.7	21.0	-	22.1	22.0	20.3	20.3	-	22.1	22.3	21.5	23.0	-	-	21.7	18.8	20.8	23.4	-	-	22.4	23.0	23.1	22.2	-	22.0	21.9	22.8	22.5	-	-	20.3	23.3	23.2	21.6	-	26.5		21.9	8/19
8 /20	22.5	18.9	22.0	23.6	-	22.3	22.0	21.0	21.2	-	-	22.2	22.3	20.9	24.0	-	-	22.6	18.9	21.4	-	-	23.3	22.2	23.0	23.4	-	21.1	20.8	22.7	23.3	-	-	22.7	22.8	23.6	24.0	-	-	26.3		22.2	8/20
8 /21	23.0	18.7	21.4	-	21.5	21.9	21.8	20.4	-	-	22.2	22.4	19.4	20.9	-	23.6	21.5	20.9	18.8	-	-	21.3	23.8	22.1	23.0	-	-	20.6	19.4	22.9	23.0	-	24.8	22.9	23.6	23.7	-	-	23.8	26.2		22.0	8/21
8 /22	23.0	19.6	20.8	23.6	22.2	21.0	21.5	-	-	22.3	21.1	22.5	20.2	-	-	23.6	21.7	20.4	19.2	-	23.4	22.8	23.6	22.4	-	-	21.5	20.3	19.5	22.8	-	22.8	25.0	23.5	24.9	-	-	21.0	24.8	26.8		22.1	8/22
8 /23	22.2	20.8	-	23.2	21.6	21.3	21.3	-	21.2	22.2	22.6	21.6	-	-	19.4	23.5	21.8	21.3	-	21.3	21.8	22.2	23.5	-	-	23.2	21.8	20.9	21.0	-	-	23.0	25.2	22.5	24.1	-	24.1	21.9	25.6	26.8		22.2	8/23
8 /24	22.9	-	21.2	23.7	20.2	18.8	-	22.8	20.6	23.2	23.2	-	-	22.2	22.4	23.7	21.9	-	-	20.9	19.3	21.7	23.0	-	20.0	24.1	22.0	20.8	-	-	22.3	22.2	24.8	22.4	-	24.1	24.3	22.3	24.7	-		22.3	8/24
8 /25	-	21.4	21.3	24.2	19.8	-	-	21.1	21.7	23.3	23.1	-	20.8	21.8	24.7	23.8	-	-	18.8	20.4	22.5	22.2	-	22.3	20.3	24.0	22.5	-	-	21.9	23.1	21.9	24.7	-	-	22.8	23.8	21.4	24.7	-		22.3	8/25
8 /26	22.2	21.4	22.8	24.8	-	-	21.4	20.2	20.6	24.1	-	20.4	20.8	21.4	24.1	-	-	21.2	19.6	20.2	22.7	-	-	22.4	21.8	23.3	22.0	-	20.9	21.9	22.9	21.8	-	-	24.4	24.5	24.0	22.3	-	26.1		21.9	8/26
8 /27	20.2	21.5	22.5	22.8	-	22.5	22.5	21.0	21.2	-	-	20.9	21.2	20.4	23.7	-	22.7	21.5	19.9	20.4	-	-	23.8	22.5	22.3	22.8	-	21.9	21.7	21.7	22.8	-	-	21.7	24.2	25.1	24.0	-	-	25.5		22.1	8/27
8 /28	19.0	21.1	22.4	-	21.9	22.0	22.6	22.8																																			

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																												
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)	
9 /24	20.0	20.8	20.6	22.4	-	-	21.6	20.6	20.1	-	-	21.5	20.7	19.3	-	-	-	20.7	19.8	20.8	-	-	-	22.1	20.4	23.2	-	21.9	22.2	21.3	22.2	-	-	-	22.8	21.9	21.9	-	-	23.4	21.3	9/24	
9 /25	19.8	21.4	20.6	-	21.1	23.3	21.6	20.5	-	-	21.6	21.3	20.5	20.3	22.3	23.3	20.3	20.7	19.9	-	-	22.0	22.0	21.5	20.0	-	-	21.9	22.5	21.2	21.8	-	20.6	22.1	22.6	21.7	-	-	23.9	23.1	21.4	9/25	
9 /26	20.0	-	21.0	21.6	21.6	22.9	21.3	-	-	22.8	21.8	21.3	20.2	-	-	23.2	20.3	20.6	19.9	-	21.2	22.0	21.8	21.7	-	-	21.4	22.2	22.7	20.7	-	22.1	21.2	21.4	22.3	-	-	22.3	24.2	23.1	21.5	9/26	
9 /27	20.5	20.6	-	21.5	21.1	22.2	20.8	-	20.3	22.8	21.5	21.3	-	-	21.8	22.6	20.5	20.3	-	20.7	21.3	21.8	21.9	-	-	19.7	20.8	22.5	21.5	-	-	22.2	21.5	20.8	22.1	-	20.8	22.7	24.3	23.7	21.4	9/27	
9 /28	20.0	-	19.7	21.3	21.0	22.3	-	18.5	20.0	22.5	21.6	-	-	20.8	22.5	22.3	20.5	-	-	20.6	21.5	21.9	22.1	-	22.6	21.7	20.7	22.5	-	-	21.1	22.2	21.1	20.6	-	21.1	21.1	22.6	24.2	-	21.4	9/28	
9 /29	-	20.7	19.6	21.2	21.0	22.4	-	18.8	20.3	22.4	20.8	-	20.0	21.2	22.5	22.1	19.8	-	19.8	21.0	21.4	22.4	-	20.3	22.4	21.6	21.0	-	-	20.8	21.2	21.8	19.8	-	-	21.1	21.2	22.5	24.8	-	21.0	9/29	
9 /30	21.1	20.5	19.6	21.2	21.1	-	20.2	19.3	20.9	22.6	-	21.1	20.3	21.1	22.7	-	-	20.1	19.7	20.8	21.3	-	-	20.3	21.3	21.5	21.1	-	21.6	20.6	20.3	21.4	-	-	22.1	20.7	21.8	22.7	-	23.3	21.0	9/30	
10 /1	20.2	20.7	19.4	20.9	-	22.0	19.8	19.2	-	-	-	20.7	20.1	21.1	23.0	-	19.7	20.0	18.9	20.4	-	-	20.9	20.2	20.8	21.4	-	23.0	21.7	20.7	20.4	-	-	22.2	22.1	20.8	21.6	-	-	23.2	20.8	10/1	
10 /2	20.0	20.4	19.6	-	20.5	22.2	19.3	19.2	-	-	21.3	20.4	20.0	20.8	-	22.3	19.9	20.3	19.1	-	-	22.0	21.3	20.2	20.9	-	-	23.1	22.1	20.3	20.7	-	20.2	21.9	22.2	20.5	-	-	24.1	23.4	20.8	10/2	
10 /3	20.5	20.6	19.8	21.4	19.6	21.8	19.3	-	-	22.1	21.3	20.5	20.1	-	-	21.7	19.8	20.3	18.7	-	21.9	22.1	21.3	19.9	-	-	20.4	22.7	22.0	20.9	-	22.0	20.0	21.8	22.3	-	-	22.7	23.4	23.6	21.0	10/3	
10 /4	20.2	20.6	-	21.3	20.0	22.1	19.9	-	19.0	22.1	21.6	-	-	-	20.9	21.7	19.4	20.4	-	19.3	21.4	22.1	21.4	-	-	21.8	19.9	22.0	21.6	-	-	22.1	20.1	21.5	22.3	-	21.3	23.1	23.7	23.1	21.0	10/4	
10 /5	20.2	-	19.4	21.0	20.0	22.1	20.1	19.4	19.1	22.2	21.4	-	-	20.9	21.0	21.6	19.6	20.0	-	19.3	20.8	22.1	21.5	-	20.6	21.5	19.8	22.3	-	-	19.6	22.0	19.3	21.3	-	20.9	21.6	23.1	23.5	-	20.7	10/5	
10 /6	-	19.8	20.1	21.0	19.8	22.1	-	18.8	18.5	22.2	20.8	-	20.5	20.7	21.5	21.1	-	-	18.7	19.0	20.9	21.7	-	20.3	20.9	21.6	19.6	-	-	20.1	19.5	22.4	19.2	-	-	20.3	21.8	21.7	22.6	-	20.4	10/6	
10 /7	20.4	20.0	20.6	21.4	20.0	-	19.4	18.5	18.4	22.3	-	20.6	20.8	21.0	21.5	-	-	20.0	18.4	19.0	20.8	-	-	20.1	20.4	21.3	19.8	-	21.6	20.1	19.6	20.9	-	-	20.6	20.1	21.1	21.0	-	22.9	20.2	10/7	
10 /8	20.0	19.7	20.2	20.8	-	21.5	19.5	18.5	-	-	-	22.0	20.9	20.3	21.5	-	-	20.3	18.3	19.3	-	-	-	20.3	19.7	21.5	-	-	21.8	20.1	18.9	-	-	-	20.7	19.8	21.2	-	-	22.9	20.2	10/8	
10 /9	20.0	19.3	19.7		19.0	21.0	19.2	18.5	-	-	20.0	20.0	20.1	20.4	-	-	19.3	20.0	18.0	-	-	-	20.9	20.1	19.7	-	-	21.3	21.8	20.0	19.6	-	-	21.2	20.9	19.4	-	-	-	22.3	20.0	10/9	
10 /10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21.1	19.0	19.4	17.7	-	-	20.9	20.6	20.3	-	-	-	21.2	21.2	20.3	-	-	19.7	21.4	20.0	-	-	-	21.2	21.8	20.2	10/10	
10 /11	20.2	19.5	-	20.7	19.9	19.4	18.8	-	-	22.1	19.5	20.0	-	-	-	21.2	19.3	18.8	-	-	20.5	21.1	20.5	-	-	-	19.8	21.3	20.8	-	-	19.9	19.8	21.4	21.2	-	21.5	20.2	21.2	21.6	20.4	10/11	
10 /12	18.0	-	19.6	20.8	19.0	19.3	-	18.6	18.2	21.8	19.6	-	-	19.5	20.8	21.5	19.3	-	-	19.2	20.3	21.2	20.8	-	-	21.9	19.7	21.4	-	-	-	20.2	19.5	20.9	-	19.7	21.3	20.0	21.1	-	20.2	10/12	
10 /13	-	19.2	19.0	20.4	20.1	-	-	18.7	18.4	22.2	19.7	-	18.9	19.8	21.0	21.2	-	-	-	19.2	20.5	21.1	-	-	19.0	21.8	19.5	-	-	-	19.2	20.4	19.4	-	-	20.0	20.2	19.7	21.2	-	20.0	10/13	
10 /14	19.2	19.0	19.0	18.6	-	-	18.6	18.5	18.0	22.1	-	19.8	19.2	20.0	21.2	-	-	-	18.1	18.8	-	-	-	19.7	19.4	21.8	19.8	-	-	19.6	19.4	20.5	-	-	-	19.9	19.7	19.3	-	-	19.7	10/14	
10 /15	18.0	19.2	19.3	19.9	-	20.0	18.8	18.5	17.6	-	-	19.8	19.5	20.3	20.7	-	19.0	19.0	17.5	18.5	-	-	20.3	19.9	19.1	21.5	-	21.1	20.3	19.2	18.6	-	-	19.6	20.2	19.7	20.1	-	-	21.7	19.5	10/15	
10 /16	18.2	19.2	18.9	-	20.1	20.4	17.8	18.4	-	-	20.0	20.0	18.7	20.5	-	20.5	18.5	19.2	17.7	-	-	20.3	20.1	20.0	18.9	-	-	20.9	20.2	18.7	19.0	-	18.3	19.9	19.4	18.8	-	-	21.2	22.4	19.4	10/16	
10 /17	18.0	19.0	18.9	19.4	20.0	20.6	18.4	-	-	21.7	20.5	19.0	20.1	-	-	20.0	18.8	18.8	17.8	-	20.3	20.0	19.6	19.9	-	-	19.8	20.5	19.8	18.6	-	22.6	17.9	20.1	19.1	-	-	19.9	21.3	22.6	19.7	10/17	
10 /18	18.0	18.0	-	19.4	19.5	20.6	18.3	-	18.7	20.5	19.7	19.2	-	-	19.2	20.2	18.3	19.0	-	18.2	20.2	20.2	19.8	-	-	21.7	19.6	20.9	19.5	-	-	20.1	18.0	19.6	19.5	-	18.7	19.7	20.9	22.9	19.5	10/18	
10 /19	17.3	-	19.0	19.3	19.1	20.2	18.3	17.8	18.5	20.6	20.1	-	-	19.6	18.5	19.2	17.6	-	-	18.3	20.0	20.0	19.6	-	18.7	20.5	18.9	20.6	-	-	19.5	20.3	17.7	19.2	-	18.4	1						

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)		
10 /27	-	18.2	17.6	18.9	18.9	-	-	16.9	16.8	19.2	18.9	-	17.9	18.1	19.2	18.7	-	-	17.0	17.1	18.7	18.4	-	19.4	17.9	19.9	17.7	-	-	18.6	18.3	19.4	16.9	-	-	17.9	17.9	19.2	20.5	-	18.2	10/27		
10 /28	16.0	17.2	17.8	19.2	-	-	17.9	16.8	16.8	19.3	-	20.0	17.1	18.3	19.2	-	-	17.8	17.0	16.6	18.2	-	-	18.9	17.6	18.6	17.8	-	18.3	17.9	18.9	18.5	-	-	18.3	17.8	18.2	19.7	-	20.9	18.1	10/28		
10 /29	16.5	17.4	17.8	18.3	-	18.1	17.3	16.8	-	-	-	20.9	17.5	18.4	18.7	-	19.1	17.3	17.1	16.2	-	-	19.2	19.9	17.6	18.3	-	20.2	18.0	17.8	18.4	-	-	18.9	17.8	18.2	17.9	-	-	22.1	18.3	10/29		
10 /30	17.0	17.2	17.7	-	17.8	18.3	17.6	17.0	-	-	19.3	21.2	17.3	18.6	-	17.9	17.8	16.5	16.9	-	-	18.6	19.2	18.4	17.7	-	-	19.7	18.3	17.7	18.3	-	16.9	18.8	17.8	18.4	-	-	19.8	18.9	18.2	10/30		
10 /31	17.0	16.8	17.7	17.0	18.2	18.3	17.6	-	-	19.5	19.8	20.5	17.4	-	-	17.7	18.7	16.3	16.8	-	18.5	18.4	19.0	18.3	-	-	17.8	19.2	18.5	18.2	-	17.7	16.3	18.7	17.9	-	-	19.0	19.6	22.0	18.2	10/31		
11 /1	16.5	16.6	-	17.4	18.6	18.2	17.1	-	17.3	19.4	19.9	19.8	-	-	18.3	18.2	18.4	16.5	-	17.1	17.8	18.4	19.0	-	-	18.5	17.9	18.8	18.3	-	-	18.3	16.2	17.9	18.0	-	17.6	19.0	20.3	21.8	18.1	11/1		
11 /2	16.5	-	16.3	17.7	18.4	18.4	17.0	15.5	17.0	18.7	20.8	-	-	18.2	18.7	17.9	18.6	-	-	17.2	17.7	18.1	19.1	-	17.1	18.2	17.5	19.3	-	-	17.5	17.7	16.7	17.8	-	18.3	17.8	20.2	21.0	-	17.9	11/2		
11 /3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11/3		
11 /4	-	17.6	17.3	16.4	17.6	-	-	16.0	17.5	18.1	-	-	16.7	17.8	17.5	-	-	-	17.6	17.3	17.9	-	-	18.2	16.1	18.0	17.9	-	-	18.6	17.6	17.4	-	-	-	17.3	17.6	20.9	-	-	17.5	11/4		
11 /5	16.0	17.2	17.0	16.6	-	18.5	16.7	15.8	-	-	-	20.3	16.7	17.8	17.0	-	17.3	15.7	17.0	17.3	-	-	18.2	17.4	16.4	17.5	-	17.7	17.7	18.3	18.4	-	-	18.7	17.4	16.5	17.5	-	-	21.8	17.4	11/5		
11 /6	16.0	16.2	16.4	-	18.0	18.6	16.9	15.9	-	-	17.9	20.0	16.4	16.8	-	17.5	17.6	15.2	17.4	-	-	18.3	18.4	19.0	16.1	-	-	18.5	17.4	19.4	18.0	-	16.1	18.9	17.3	16.7	-	-	20.6	21.2	17.5	11/6		
11 /7	16.3	15.9	16.0	16.6	18.6	18.7	16.8	-	-	18.4	18.4	18.3	16.2	-	-	17.3	17.2	14.8	17.3	-	18.1	18.3	18.1	19.5	-	-	17.9	18.6	17.8	19.5	-	16.7	16.7	18.5	17.6	-	-	19.6	21.5	20.3	17.7	11/7		
11 /8	16.3	16.2	-	15.8	18.5	18.5	17.1	-	16.5	18.6	19.2	19.6	-	-	17.3	17.4	16.6	15.3	-	17.2	18.0	17.9	17.9	-	-	17.9	17.4	18.2	17.9	-	-	16.6	16.9	18.0	17.8	-	17.4	20.1	20.7	19.8	17.6	11/8		
11 /9	16.5	-	15.8	15.8	18.5	17.7	-	15.6	16.5	17.9	18.1	-	-	17.1	17.5	16.8	17.6	-	-	17.2	17.7	18.0	17.9	-	16.4	18.2	16.8	18.1	-	-	18.6	17.1	16.8	17.9	-	17.1	17.5	19.7	19.8	-	17.4	11/9		
11 /10	-	15.9	15.9	16.4	18.5	-	-	15.7	15.8	18.2	17.6	-	15.4	17.3	17.1	16.4	-	-	16.3	17.0	17.2	18.2	-	17.9	16.5	17.9	16.4	-	-	18.5	18.3	16.4	15.9	-	-	16.2	17.7	19.8	19.8	-	17.0	11/10		
11 /11	16.0	15.8	16.0	16.2	-	-	16.8	15.7	16.0	18.8	-	19.5	15.6	16.3	16.6	-	-	14.7	15.8	17.4	16.9	-	-	17.9	17.0	17.6	16.4	-	18.0	18.4	17.7	17.0	-	-	16.2	15.9	17.4	19.4	-	21.2	16.9	11/11		
11 /12	16.0	15.1	16.1	15.8	-	-	16.4	15.4	16.5	-	-	19.7	15.3	16.1	17.2	-	20.6	15.2	15.6	17.7	-	-	17.4	17.8	16.6	17.0	-	17.4	16.9	19.0	17.5	-	-	17.4	16.8	15.1	17.3	-	-	21.3	17.0	11/12		
11 /13	15.5	15.0	16.4	-	18.3	17.8	16.2	15.3	-	-	16.9	18.5	15.6	15.6	-	15.8	20.5	15.1	15.6	-	-	17.4	17.6	18.0	15.9	-	-	17.7	16.2	19.3	17.3	-	15.4	17.4	16.5	15.5	-	-	17.6	21.0	16.8	11/13		
11 /14	15.0	15.6	15.6	16.2	18.3	17.9	16.3	-	-	18.4	17.2	18.3	15.3	-	-	15.9	20.4	14.9	15.0	-	16.6	17.4	17.3	18.1	-	-	16.8	17.6	15.5	18.2	-	17.1	16.1	16.7	17.1	-	-	20.3	17.8	20.5	17.0	11/14		
11 /15	15.0	16.0	-	15.2	16.8	17.7	15.3	-	17.5	17.6	17.6	18.4	-	-	17.5	16.0	20.0	14.6	-	16.1	15.7	17.9	17.5	-	-	17.2	16.4	16.9	15.8	-	-	17.2	15.8	16.2	16.9	-	16.8	20.5	18.1	20.6	16.9	11/15		
11 /16	14.5	-	15.2	14.9	16.7	17.0	-	15.5	17.0	17.1	16.3	-	-	16.4	18.5	16.2	19.8	-	-	16.0	15.7	17.4	17.3	-	15.9	16.1	15.7	16.5	-	-	17.5	16.9	15.5	15.7	-	15.6	17.3	19.4	17.6	-	16.6	11/16		
11 /17	-	14.8	15.4	15.9	16.6	17.1	-	15.3	17.0	17.3	16.7	-	15.3	16.8	19.1																													

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)			
12 /11	11.9	13.2	14.7	-	14.0	15.4	12.8	14.6	-	-	13.7	16.5	12.6	11.7	-	13.1	14.3	10.3	12.5	-	-	12.7	13.7	14.5	12.8	-	-	12.8	13.9	14.5	14.4	-	14.9	15.3	13.4	-	-	-	17.2	17.8		13.6	12/11		
12 /12	12.0	13.0	14.0	12.7	14.0	14.8	13.5	-	-	14.1	14.0	16.4	12.7	-	-	12.0	15.7	10.5	12.4	-	10.5	12.7	13.3	14.8	-	-	12.4	13.0	13.7	15.3	-	13.7	15.4	15.6	14.3	-	-	17.2	16.7	17.0		13.6	12/12		
12 /13	11.5	13.2	-	12.6	13.4	14.5	12.4	-	14.5	15.7	13.5	16.8	-	-	15.1	11.6	16.1	10.5	-	13.9	10.9	13.1	13.1	-	-	14.8	12.4	13.3	13.1	-	-	15.1	14.7	14.7	12.8	-	13.0	17.0	16.5	17.2		13.7	12/13		
12 /14	11.5	-	13.6	13.4	13.6	14.2	-	13.6	15.0	14.9	13.1	-	-	12.2	14.6	11.9	16.6	-	-	13.4	10.6	13.9	12.7	-	12.8	14.6	12.1	13.3	-	-	14.1	15.6	13.9	15.5	-	11.6	12.4	-	15.9	-		13.6	12/14		
12 /15	-	13.4	15.2	13.3	14.2	14.0	-	13.1	13.6	14.7	13.5	-	12.1	12.9	15.3	11.8	-	-	12.0	13.2	10.5	14.2	-	13.2	12.5	15.5	12.1	-	-	13.7	13.5	14.6	14.2	-	-	11.3	12.2	16.5	16.0	-		13.2	12/15		
12 /16	11.0	12.8	14.6	12.5	13.3	-	12.6	12.3	13.4	14.5	-	15.8	12.2	12.9	15.6	-	-	10.8	12.4	14.1	10.4	-	-	13.2	12.6	13.8	11.0	-	11.5	13.0	13.5	14.7	-	-	12.1	10.7	12.4	15.7	-	16.3		12.9	12/16		
12 /17	11.2	12.2	14.0	12.4	-	13.0	12.8	12.5	13.2	-	-	17.0	12.1	13.0	16.4	-	15.2	11.3	11.7	13.8	-	-	12.0	13.4	12.3	13.5	-	13.3	11.6	13.7	13.6	-	-	14.4	12.6	10.4	12.6	-	-	15.8		13.2	12/17		
12 /18	10.2	11.7	12.4	-	13.2	13.3	13.2	12.5	-	-	12.7	17.5	12.6	-	-	12.4	15.7	11.3	11.2	-	-	13.7	12.0	13.8	12.0	-	-	13.8	11.8	12.9	12.6	-	13.6	14.5	14.3	10.5	-	-	15.4	15.7		13.1	12/18		
12 /19	10.4	13.0	13.5	12.3	12.1	13.2	12.9	-	-	13.7	12.4	17.6	12.7	-	-	12.5	14.3	11.3	11.9	-	10.6	12.8	12.0	13.7	-	-	11.1	13.7	11.8	12.2	-	14.9	13.8	14.6	13.5	-	-	15.1	14.7	15.4		13.0	12/19		
12 /20	10.4	-	-	12.5	11.4	12.9	11.9	-	13.6	13.0	11.7	16.6	-	-	15.1	12.7	14.0	11.1	-	13.0	10.5	13.3	12.2	-	-	12.9	10.9	12.5	10.9	-	-	15.2	13.6	14.6	13.4	-	11.4	15.7	15.2	16.2		13.0	12/20		
12 /21	9.2	-	14.3	-	11.2	13.6	11.8	13.0	14.2	14.1	11.8	-	-	11.8	14.8	12.8	14.6	-	-	13.5	11.5	13.4	12.4	-	11.6	13.6	10.9	12.0	-	-	11.7	16.0	13.2	13.7	-	9.8	11.7	14.8	15.4	-		12.8	12/21		
12 /22	-	11.7	13.6	12.0	12.1	-	-	13.1	14.0	12.5	11.7	-	-	11.8	14.1	12.3	-	-	11.3	12.7	11.7	13.3	-	13.6	11.6	13.7	11.3	-	-	13.6	11.4	16.3	12.8	-	-	10.1	11.8	15.0	15.4	-		12.6	12/22		
12 /23	10.2	11.4	14.1	11.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.7	10.4	11.1	15.5	-	14.7		11.6	12/23		
12 /24	10.8	11.5	14.2	11.9	-	-	12.7	-	13.2	-	-	15.6	11.0	12.3	13.5	-	-	9.8	11.7	12.3	-	-	-	12.1	11.7	14.2	-	-	10.5	13.1	11.3	-	-	-	13.2	10.5	11.1	-	-	14.1		12.3	12/24		
12 /25	9.7	11.6	13.9	-	11.6	13.0	12.7	-	-	-	11.6	15.4	11.2	12.3	-	12.2	15.2	9.9	11.6	-	-	12.5	11.5	12.1	11.1	-	-	11.5	10.0	13.2	12.3	-	14.1	13.8	12.5	10.9	-	-	14.7	14.5		12.3	12/25		
12 /26	10.1	11.7	14.3	-	11.4	13.5	11.9	-	-	13.6	10.2	15.8	10.6	-	-	11.7	14.8	9.6	11.7	-	11.0	12.2	11.3	12.3	-	-	10.1	11.6	9.8	12.1	-	14.7	13.2	13.9	12.9	-	-	14.5	15.4	15.1		12.1	12/26		
12 /27	10.0	10.9	-	12.1	11.7	13.8	11.3	-	13.9	14.4	10.2	13.4	-	-	13.2	10.6	14.9	9.4	-	11.8	9.7	12.7	11.2	-	-	13.6	10.4	10.6	10.1	-	-	15.4	11.1	14.0	12.9	-	12.9	14.3	15.2	14.7		12.1	12/27		
12 /28	9.5	-	14.6	13.2	11.3	12.4	-	-	-	14.5	10.8	-	-	11.9	14.1	11.0	15.0	-	-	11.6	9.2	13.7	-	-	11.4	13.7	10.0	12.0	-	-	10.7	14.9	-	12.8	-	10.6		14.5	14.3	-		12.2	12/28		
12 /29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	12/29	
12 /30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	12/30	
12 /31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	12/31