

相馬市松川浦の定地水温(℃)																		※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																																
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)								
1月平均	5.4	5.9	6.9	8.3	7.0	6.7	7.9	7.6	7.2	7.3	7.6	7.1	9.1	8.0	8.4	8.6	7.0	9.3	6.6	6.9	7.7	6.6	8.2	7.7	7.9	7.2	7.0	6.3	7.8	7.0	7.7	8.4	7.6	7.0	8.0	8.0	7.2	7.1	8.9	9.7	9.8	7.6								
2月平均	6.2	4.8	6.6	5.8	6.4	6.3	6.6	6.5	6.3	6.2	6.7	6.1	8.0	7.4	7.7	7.3	6.5	8.2	6.3	6.5	6.4	6.6	7.9	6.0	7.0	6.2	6.7	5.5	6.4	5.7	6.8	7.6	7.3	6.3	8.0	8.1	6.5	6.5	8.0	10.1	8.1	6.8								
3月平均	6.1	5.8	7.0	6.2	7.8	7.9	7.2	7.1	7.1	7.3	7.7	7.1	8.8	8.4	8.2	7.4	7.1	8.5	6.8	7.4	6.8	6.9	8.0	8.5	7.3	6.7	6.2	6.6	8.5	7.1	7.8	8.9	8.2	8.3	9.0	8.8	8.9	7.9	10.5	9.4	9.2	7.7								
4月平均	9.7	9.6	9.8	9.7	11.1	10.7	10.9	10.2	9.9	10.7	10.9	9.9	11.3	11.4	11.1	10.2	10.5	12.0	10.5	11.1	10.3	9.5	10.5	10.7	11.5	9.1	11.2	9.9	10.9	10.5	11.1	11.9	10.9	12.2	9.8	10.3	12.0	11.3	13.2	14.8	11.6	10.7								
5月平均	14.3	13.5	14.1	14.7	13.5	15.5	15.6	13.3	14.4	14.9	15.5	14.3	15.4	15.6	16.3	16.0	15.1	15.4	14.8	15.0	14.0	15.0	15.0	14.5	15.7	14.5	15.0	15.8	14.8	14.6	15.2	16.3	16.4	17.2	14.6	15.3	16.7	14.7	16.7	18.0	16.1	15.2								
6月平均	17.3	16.5	18.1	17.9	16.1	18.6	19.6	17.4	18.4	18.5	17.3	17.8	18.5	17.8	19.5	18.6	18.7	18.2	17.8	19.3	18.9	19.2	19.8	17.9	18.8	19.0	19.0	18.5	19.3	19.5	19.1	19.3	18.4	20.1	18.0	19.5	20.5	18.3	21.5	21.0	19.7	18.7								
7月平均	20.6	19.7	21.3	19.3	20.0	21.4	21.7	20.8	19.1	22.7	21.5	21.3	21.6	22.3	22.1	22.8	23.9	21.8	19.5	22.7	21.4	21.3	21.3	21.8	20.8	23.3	24.0	21.9	20.7	22.7	22.8	22.8	23.2	24.5	21.6	21.0	23.9	23.3	25.9	24.0	23.6	21.9								
8月平均	24.6	22.3	23.3	23.2	23.8	24.9	22.7	23.0	21.7	24.8	25.4	23.7	24.2	23.1	24.3	24.7	23.2	24.4	21.4	22.7	24.2	23.8	25.0	23.4	23.4	25.0	24.4	25.2	23.8	24.3	24.5	25.7	23.6	25.1	24.7	25.5	24.6	24.5	27.1	27.3	26.9	24.0								
9月平均	22.1	22.6	21.9	21.5	21.8	23.8	22.0	21.8	21.3	23.5	21.8	22.2	22.6	22.6	23.6	22.7	22.5	22.7	21.5	22.2	22.7	22.7	23.6	22.5	22.0	23.7	22.9	24.3	23.6	22.5	21.2	23.0	22.3	22.6	24.1	24.0	22.2	23.1	26.4	25.0	25.5	22.7								
10月平均	18.1	17.5	18.6	18.4	17.9	19.9	18.1	17.4	17.1	19.8	19.0	18.8	18.1	19.5	19.1	19.1	17.9	18.4	17.2	17.5	19.5	18.1	18.9	18.8	18.3	19.9	18.7	19.8	19.2	18.2	17.7	19.3	17.2	19.8	19.0	18.9	19.4	18.7	20.2	21.1	20.2	18.6								
11月平均	14.0	12.8	13.9	12.6	15.2	15.6	14.1	13.8	14.2	14.9	13.6	14.2	14.9	14.5	15.3	14.1	13.8	12.3	14.2	15.3	14.4	14.8	14.9	14.2	14.5	15.2	15.1	14.8	14.5	14.1	15.2	13.7	13.4	15.4	14.9	14.6	15.7	15.2	16.0	16.9	-	14.4								
12月平均	9.0	9.6	9.2	9.2	10.3	12.5	11.0	10.4	10.4	10.8	9.5	11.7	11.9	11.0	10.8	9.5	10.0	9.3	11.5	11.7	9.2	10.8	10.8	11.6	11.2	11.8	10.5	9.8	10.3	9.9	11.5	10.7	9.5	11.0	10.9	10.9	11.6	11.3	12.0	12.1	-	10.6								
最高値	27.9	25.7	26.3	26.6	26.2	27.8	26.1	26.8	24.2	29.2	28.1	26.8	26.7	25.3	27.4	26.9	26.5	27.7	25.0	26.5	26.4	27.1	27.4	26.0	26.1	28.3	28.9	28.5	26.4	27.9	28.2	27.9	26.1	28.5	27.2	27.8	27.9	27.8	30.2	29.5	29.3	27.1								
最低値	4.6	3.8	4.9	4.2	5.4	4.5	5.7	5.2	5.3	5.2	5.8	5.1	6.4	6.2	7.0	6.0	5.5	6.4	4.8	5.5	5.1	5.6	6.6	5.4	5.6	4.9	4.9	5.1	4.5	4.6	5.5	6.4	6.0	5.0	7.0	6.7	5.8	6.0	7.1	7.2	6.7	5.6								
平均値	14.2	13.6	14.4	14.0	14.3	15.5	15.0	14.2	14.0	15.3	14.9	14.7	15.5	15.3	15.7	15.2	14.9	15.3	14.2	15.0	14.8	14.7	15.5	15.0	15.0	15.3	16.0	15.0	15.2	14.9	15.2	15.7	15.0	16.0	15.4	15.5	15.9	15.3	17.4	17.6	17.3	15.1								
1 / 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
1 / 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
1 / 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
1 / 4	7.2	7.6	-	8.5	7.2	8.6	9.2	8.2	8.2	9.2	8.8	6.8	-	-	7.9	8.0	8.3	8.4	-	-	9.7	6.6	7.7	9.1	-	7.7	8.4	7.6	8.0	-	-	10.5	9.0	7.2	7.6	-	8.3	7.6	8.1	11.4	-	8.2								
1 / 5	5.1	-	7.1	8.2	7.0	8.6	9.0	-	7.8	8.8	9.9	6.3	-	9.5	8.4	8.4	7.8	-	-	8.6	8.7	6.1	8.3	-	8.8	8.2	8.7	7.4	-	-	7.9	9.6	8.8	8.1	-	-	8.0	7.7	7.4	11.0	-	8.2								
1 / 6	-	7.0	7.4	7.9	6.4	8.6	-	8.0	7.0	8.1	8.8	-	10.2	10.4	9.0	8.8	-	-																																

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																																
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)					
1/31	5.3	5.0	6.2	-	7.0	5.1	6.9	6.6	-	5.6	5.8	6.2	8.3	-	-	8.6	6.9	8.5	4.8	-	7.0	6.6	8.6	7.3	-	-	5.8	5.5	7.3	6.8	-	-	7.2	5.6	8.3	7.8	-	6.4	7.7	10.0	8.7	6.7					
2/1	5.8	4.8	-	7.2	7.0	4.6	7.0	5.2	7.0	6.0	5.8	6.1	-	-	8.0	7.6	7.3	9.2	-	-	6.1	6.8	8.5	6.9	-	7.1	5.7	5.6	7.6	-	-	6.6	7.4	5.7	7.7	-	5.9	6.4	7.4	10.4	-	6.9					
2/2	5.6	-	5.5	7.6	6.3	4.8	7.0		6.6	5.8	6.2	5.1	-	7.0	8.2	7.8	6.5	-	-	6.3	6.8	6.3	7.6	-	6.8	6.9	5.6	5.3	-	-	6.0	6.8	7.0	5.4	-	-	6.6	6.2	7.8	9.4	-	6.5					
2/3	-	5.4	5.2	6.5	6.0	5.8	-	6.2	6.5	5.8	6.3	-	8.6	7.8	7.6	7.6	-	-	5.5	6.5	7.1	6.4	-	-	7.2	6.4	6.2	5.9	-	7.6	6.3	6.9	7.2	-	-	8.7	6.2	6.4	7.3	-	9.3	6.9					
2/4	5.4	5.0	4.9	5.9	5.4	-	7.3	7.2	6.6	5.4	-	-	6.9	7.2	7.2	7.4	-	9.3	5.6	6.2	7.2	-	-	6.5	7.4	6.0	6.8	-	7.8	7.2	6.7	7.5	-	-	8.7	8.7	6.3	6.3	-	-	9.3	7.1					
2/5	5.7	4.7	5.8	6.6	-	5.7	6.5	7.0	6.2	-	-	5.7	7.0	7.0	7.3	-	6.2	9.8	5.6	6.0	-	-	7.4	6.2	7.5	6.2	-	-	7.3	6.4	6.8	7.6	-	6.6	7.8	8.9	6.1	-	-	9.8	9.1	7.0					
2/6	6.3	5.0	6.3	6.6	6.1	6.0	6.8	6.8	-	-	6.6	5.4	7.6	7.1	-	-	6.1	9.5	5.6	5.5	-	6.4	8.1	6.1	7.7	-	-	5.5	7.5	6.5	7.2	-	8.9	6.7	7.8	7.9	-	-	7.7	9.0	8.8	7.0					
2/7	6.7	4.7	6.4	-	6.2	6.3	7.2	7.2	-	6.8	6.8	5.6	7.5	-	-	8.1	5.6	9.8	5.9	-	6.4	6.5	7.8	6.0	-	-	7.1	6.0	7.2	6.6	-	-	8.6	6.7	8.4	6.7	-	6.3	8.2	8.1	8.8	7.0					
2/8	6.4	4.0	-	6.5	6.6	6.6	7.0	-	6.2	6.1	6.8	5.7	-	-	7.4	8.2	5.5	9.5	-	-	5.1	6.3	7.8	5.8	-	5.7	6.5	5.4	6.3	-	-	6.7	7.8	6.8	8.3	-	7.0	6.5	8.3	9.2	-	6.7					
2/9	6.4	-	7.3	6.7	6.4	5.6	-	-	5.3	7.1	7.0	6.2	-	6.5	7.3	8.0	5.6	-	-	6.3	6.6	5.8	8.3	-	6.5	6.2	6.6	5.2	-	-	6.7	7.6	7.5	6.9	-	-	5.9	6.8	7.8	9.3	-	6.7					
2/10	-	3.8	7.7	6.5	6.8	-	-	6.8	5.3	6.7	7.2	-	7.5	6.3	7.9	8.0	-	-	7.1	6.2	7.4	5.7	-	-	7.7	6.2	6.4	5.2	-	5.2	6.8	7.1	7.0	-	-	7.2	5.8	7.0	7.9	-	7.9	6.7					
2/11	-	-	-	-	-	-	-	-	5.8	-	-	-	-		-	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.8					
2/12	7.0	5.0	8.2	6.5	-	-	6.2	7.1	6.2	-	-	-	8.3	6.8	7.6	-	-	6.5	7.1	6.7	-	-	-	6.7	7.6	4.9	-	-	5.6	4.8	7.2	7.7	-	-	7.6	7.5	6.1	-	-	-	7.2	6.8					
2/13	7.2	5.0	6.8	6.6	6.7	6.1	5.7	7.3	-	-	7.2	6.7	8.2	7.9	-	-	6.4	6.9	6.3	6.8	-	5.6	7.8	6.1	7.6	-	-	5.2	6.8	4.6	7.3	-	7.0	5.6	7.4	8.0	-	-	8.9	9.8	7.6	6.7					
2/14	7.1	5.4	6.8	-	6.3	5.9	5.9	7.4	-	5.2	7.3	6.9	8.1		-	7.9	6.5	7.1	6.3	-	6.1	6.6	7.9	5.4	-	-	6.8	5.7	6.8	5.0	-	-	7.0	5.8	7.7	8.5	-	6.7	9.0	11.2	6.7	6.7					
2/15	6.9	5.3	-	6.1	6.8	6.0	6.6	7.3	6.2	5.4	6.6	7.1	-	-	7.4	7.9	6.6	7.6	-	-	6.5	7.1	7.5	5.8	-	5.7	6.7	5.8	7.0	-	-	8.5	7.6	6.0	7.0	-	7.7	6.7	8.4	12.2	-	6.8					
2/16	6.0	-	6.3	5.7	7.4	6.0	7.4	-	6.4	6.2	6.7	6.6	-	7.4	7.5	7.2	6.8	-	-	6.8	6.1	6.9	6.6	-	7.8	5.3	6.1	5.7	-	-	5.7	8.3	7.7	5.8	-	-	7.2	6.7	8.0	11.3	-	6.7					
2/17	-	4.8	6.0	5.0	7.3	6.2	-	6.0	6.7	6.6	5.8	-	8.4	7.6	7.4	6.8	-	-	6.1	6.7	6.4	6.7	-	-	7.5	5.3	6.4	5.4	-	4.6	5.9	8.4	8.2	-	-	8.7	7.1	6.6	7.8	-	8.5	6.7					
2/18	6.1	5.0	6.0	5.1	6.8	-	6.0	6.3	6.2	7.2	-	-	8.3	7.5	7.9	6.3	-	8.3	6.3	5.6	6.7	-	-	5.6	7.1	5.1	6.9	-	6.6	4.8	5.9	7.9	-	-	7.1	8.7	6.9	6.1	-	-	7.3	6.7					
2/19	6.3	4.8	6.3	5.0	-	6.3	6.7	6.6	5.8	-	-	5.6	7.9	7.7	7.6	-	6.8	7.3	6.7	6.5	-	-	7.1	5.5	7.2	5.6	-	-	6.2	4.6	5.9	7.9	-	5.6	7.6	8.6	6.6	-	-	12.4	7.9	6.7					
2/20	6.4	4.0	6.2	4.8	6.3	6.5	5.9	5.8	-	-	6.6	5.3	7.5	8.3	-	-	6.4	7.5	6.9	6.2	-	7.1	8.1	6.0	6.6	-	-	5.1	6.2	5.2	6.5	-	7.4	6.2	7.7	8.2	-	-	7.9	12.5	8.1	6.7					
2/21	6.2	4.5	6.2	-	7.3	7.2	6.9	5.8	-	7.9	6.5	5.4	8.7	-	-	6.7	6.6	8.4	6.4	-	6.5	7.2	8.4	5.6	-	-	6.6	5.4	5.8	5.4	-	-	7.0	6.1	8.4	7.6	-	6.2	7.7	11.2	8.1	6.8					
2/22	5.5	4.4	-	4.7	5.7	7.2	6.8	-	6.6	6.0	6.8	5.6	-	-	7.2	6.0	7.3	8.2	-	-	5.8	7.4	8.9	6.1	-	5.9	6.8	5.4	5.8	-																	

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)		
3 /16	6.0	-	6.8	5.4	9.0	8.0	6.2	8.6	7.0	7.0	7.8	-	-	7.5	8.2	7.0	6.9	-	-	8.0	7.0	7.5	7.2	-	8.0	8.4	-	6.7	-	-	7.8	8.6	7.8	9.0	-	8.9	8.3	8.5	11.0	-	-	7.7		
3 /17	-	5.9	6.4	6.3	8.6	8.1	-	7.5	6.7	7.8	9.5	-	8.2	7.9	8.8	6.7		-	6.5	7.9	6.9	7.3	-	9.7	7.5	7.0	-	-	-	6.8	8.8	9.0	8.0	-	-	8.4	8.1	8.6	11.0	-	8.8	7.8		
3 /18	6.0	5.7	6.8	6.3	7.6	-	7.0	7.3	6.8	7.2	-	7.6	9.1	7.5	9.6	-	-	9.0	6.5	8.4	7.4	-	-	9.8	7.8	7.1	-	-	9.3	7.4	8.6	9.3	-	-	9.2	8.6	8.1	8.0	-	9.9	8.1	8.1		
3 /19	6.2	5.6	7.4	6.5	-	8.3	6.6	6.7	6.6	-	-	6.7	8.2	8.0	10.0	-	7.6	8.9	6.9	7.4	-	-	6.8	9.9	9.2	7.5	-	6.4	10.2	6.8	8.8	-	-	8.6	9.3	9.3	8.5	-	-	9.7	8.1	8.0		
3 /20	6.4	5.8	6.9	-	7.0	8.3	8.4	-	-	-	8.0		-	9.2	-	-	-	8.8	6.8	-	-	6.5	6.8	-	-	-	-	-	7.0	9.3	-	-	8.4	9.6	-	-	-	9.8	-	-	8.1			
3 /21	-	-	-	-	-	-	-	-	-	-	-	7.8	9.8	-	-	7.2	8.3	-	-	-	-	-	-	9.2	-	-	-	5.7	9.4	-	-	-	8.8	-	-	-	-	-	-	7.9	8.4	8.3		
3 /22	7.2	5.8	-	6.6	6.7	7.8	7.6	-	7.0	7.6	9.2	8.2	-	-	-	7.8	8.3	9.3	-	7.3	7.1	6.5	8.0	-	-	-	-	6.4	9.6	-	-	9.4	8.6	7.9	10.1	-	8.7	7.2	12.0	8.2	-	8.1		
3 /23	7.0	-	7.4	7.6	7.8	8.0	-	6.5	7.8	7.5	8.4	-	-	8.5	7.2	7.6	8.4	-	-	7.2	7.6	6.5	8.3	-	8.8	7.4	-	6.9	-	-	9.4	9.4	8.6	7.6	-	8.6	8.8	6.8	12.7	-	-	7.9		
3 /24	-	4.9	7.6	7.1	7.8	-	-	6.2	8.4	7.4	8.8	-	8.7	8.0	7.6	8.1	-	-	7.6	7.8	7.7	7.0	-	9.5	7.4	7.4	-	-	-	7.0	7.6	9.1	8.2	-	-	8.7	8.5	7.6	12.5	-	9.6	7.9		
3 /25	7.3	4.6	8.2	6.4	8.4	-	8.6	6.5	8.8	7.2	-	7.2	8.9	8.5	8.7	-	-	8.8	7.9	8.1	7.6	-	-	9.3	7.2	6.8	-	-	9.0	7.1	8.4	8.6	-	-	8.8	8.6	9.3	8.2	-	10.8	10.1	8.1		
3 /26	7.8	6.1	6.8	6.3	-	7.8	8.6	7.0	8.6	-	-	7.8	9.2	8.9	8.9	-	9.6	9.0	8.2	8.3	-	-	9.1	9.7	6.8	7.2	-	7.0	8.6	8.6	8.1	-	-	9.5	9.3	9.6	9.6	-	-	10.7	10.5	8.5		
3 /27	6.6	7.4	6.8	-	8.4	8.1	8.6	7.0	-	-	7.6	8.2	9.2	9.3	-	7.3	7.6	9.7	8.7	-	-	7.7	8.6	10.0	6.8	-	-	7.0	8.6	8.6	7.9	-	7.4	9.4	9.4	9.6	-	-	10.5	9.1	10.6	8.4		
3 /28	6.8	6.9	7.7	7.0	8.6	9.0	7.9	-	-	7.8	8.0	8.4	9.6	-	-	7.8	7.3	8.1	8.1	-	7.7	7.9	8.8	9.5	-	-	-	7.4	9.4	8.8	-	9.8	8.0	10.7	9.5	-	-	8.6	10.4	9.7	11.0	8.5		
3 /29	7.1	6.0	-	6.8	8.8	9.1	8.5	-	7.2	8.2	7.4	8.8	-	-	7.5	8.8	7.2	8.9	-	8.8	7.8	7.8	9.0	-	-	7.0	-	7.1	10.2	-	-	9.7	9.0	11.7	9.4	-	11.4	8.6	10.9	11.6	-	8.5		
3 /30	7.1	-	9.7	7.1	9.0	8.8	9.2	8.0	7.0	7.6	8.6	-	-	10.9	7.0	8.9	6.5	-	-	9.5	7.2	6.9	9.0	-	7.8	6.3	-	7.4	-	-	9.7	10.4	9.3	10.5	-	8.6	11.8	8.8	11.5	-	-	8.4		
3 /31	-	7.4	8.8	6.5	8.4	9.4	-	9.5	7.9	8.4	10.0	-	9.7	10.3	7.2	8.8	-	-	8.4	9.5	7.3	6.5	-	8.8	8.4	7.3	-	-	-	9.5	10.4	10.6	8.3	-	-	9.2	11.6	9.7	12.3	-	9.4	8.8		
4 /1	7.4	7.4	7.3	6.2	9.0	-	8.8	9.8	8.5	8.4	-	9.2	9.7	9.1	8.2	-	-	10.4	9.4	8.8	7.4	-	-	8.3	8.0	8.7	-	-	9.2	9.2	11.1	10.7	-	-	8.3	9.7	11.8	7.4	-	12.4	8.8	9.1		
4 /2	7.3	7.8	7.5	7.6	-	10.3	8.4	10.8	8.8	-	-	9.4	10.1	7.7	9.8	-	7.5	10.9	9.4	8.4	-	-	10.5	8.9	8.4	8.2	-	7.2	9.3	9.8	10.4	-	-	12.6	8.4	10.0	11.8	-	-	11.7	8.4	9.3		
4 /3	8.2	7.6	7.8	-	9.3	10.6	8.9	11.2	-	-	8.0	8.0	9.7	8.2	-	8.5	8.1	10.9	9.3	-	-	7.3	10.1	10.2	8.8	-	-	7.4	9.6	9.8	11.4	-	8.3	11.7	8.2	9.6	-	-	12.0	12.1	8.7	9.2		
4 /4	8.8	7.5	8.4	10.3	10.0	9.6	9.0	11.4	-	9.0	8.3	8.0	10.3	-	-	8.9	7.8	11.0	9.6	-	8.4	7.2	9.8	10.3	-	-	-	7.6	10.6	10.2	-	10.6	8.8	12.2	8.5	-	-	9.4	12.3	12.7	8.8	9.4		
4 /5	9.4	8.2	-	9.6	9.6	9.1	9.6	-	9.3	8.8	9.4	8.4	-	-	9.9	9.0	8.1	11.1	-	9.1	8.5	7.3	9.5	-	-	7.6	-	8.0	10.4	-	-	10.7	9.7	10.6	8.8	-	11.4	9.1	13.2	12.0	-	9.2		
4 /6	9.3	-	8.8	9.4	10.2	8.5	10.0	10.8	9.2	8.8	9.7	-	-	9.0	9.3	9.2	9.3	-	-	10.1	8.9	7.6	9.4	-	9.3	9.4	-	8.8	-	-	10.9	11.4	10.5	10.3	-	9.2	11.1	9.8	14.2	-	-	9.6		
4 /7	-	8.1	8.8	8.6	10.6	9.0	-	9.9	9.7	9.6	9.8	-	10.8	9.5	9.0	9.3	-	-	9.3	11.1	10.5	7.8	-	11.3	10.9	8																		

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																											
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)
4 /30	10.8	11.4	12.4	14.2	-	-	13.4	12.5	9.9	-	-	14.8	13.5	13.5	13.6	-	-	13.5	14.4	12.1	-	-	-	11.8	12.3	11.4	-	-	11.4	12.2	15.2	-	-	-	-	12.1	13.5	-	-	18.0	13.5	12.8
5 /1	11.5	10.8	13.2	-	11.0	11.6	12.6	10.2	-	-	14.4	14.6	12.8	13.3	-	12.7	11.0	13.9	11.3	-	-	11.7	14.0	11.5	12.4	-	-	14.4	11.2	12.8	16.6	-	11.9	16.8	-	11.7	-	-	13.8	17.0	14.3	12.9
5 /2	13.6	8.8	12.8	15.6	11.4	11.4	12.8	11.2	-	11.4	14.3	14.4	14.3	-	-	13.9	10.7	14.2	12.2	-	12.7	11.4	13.4	15.7	-	-	13.4	13.0	12.5	13.0	-	12.7	12.0	14.4	-	-	-	12.8	14.6	16.8	14.4	13.0
5 /3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 /4	16.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 /5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 /6	-	13.7	10.8	12.6	14.8	-	-	10.9	13.6	12.0	-	-	17.3	13.8	13.2	-	-	-	14.5	13.0	14.2	-	-	-	-	11.3	13.7	-	-	-	-	13.7	-	-	-	-	13.8	14.4	-	-	-	13.4
5 /7	13.5	15.2	11.2	12.4	-	15.0	13.0	11.3	14.2	-	-	11.3	15.9	14.6	14.1	-	15.5	13.3	14.3	13.6	-	-	13.5	15.1	15.2	11.2	-	15.6	13.2	11.8	13.7	-	-	15.4	11.7	14.5	14.8	-	-	18.4	13.9	13.7
5 /8	13.3	16.8	11.1	-	13.4	14.5	13.4	11.0	-	-	13.4	12.2	15.4	16.1	-	15.7	13.3	13.3	-	-	12.5	14.1	13.9	15.9	-	-	15.2	13.7	12.2	12.7	-	15.9	14.4	12.1	15.9	-	-	12.9	17.8	14.5	13.9	
5 /9	13.5	15.8	12.5	12.8	14.0	16.0	12.4	-	-	15.6	14.6	11.8	14.5	-	-	14.1	13.8	14.2	12.4	-	14.2	12.9	14.5	14.1	-	-	13.0	15.3	14.0	12.8	-	13.8	16.2	13.6	13.9	-	-	11.6	13.1	15.7	15.4	13.9
5 /10	13.4	14.8	-	12.2	14.0	17.3	14.6	-	12.0	15.4	13.8	11.8	-	-	14.9	14.6	14.3	14.9	-	13.1	14.6	14.4	13.8	-	-	14.7	13.2	15.1	14.8	-	-	13.8	15.6	14.2	13.1	-	16.3	11.0	15.0	17.0	-	14.1
5 /11	12.3	-	15.4	11.0	11.2	17.0	-	11.2	12.8	15.4	14.6	-	-	15.3	15.0	13.6	14.5	-	-	13.0	13.8	15.7	13.8	-	16.2	15.2	13.6	15.2	-	-	13.5	13.9	15.9	14.0	-	15.2	15.8	11.7	15.0	-	-	14.4
5 /12	-	12.1	15.7	12.9	10.6	-	-	11.7	13.7	14.2	16.0	-	15.5	14.5	15.3	14.0	-	-	12.5	14.4	12.2	15.0	-	13.1	16.3	14.4	13.0	-	-	15.8	13.9	14.2	16.6	-	-	16.2	16.3	13.1	15.1	-	14.9	14.4
5 /13	12.1	12.2	16.1	12.9	-	-	16.6	13.2	13.3	15.0	-	11.2	15.2	15.7	17.8	-	-	13.9	13.7	13.2	11.1	-	-	13.1	16.7	12.5	14.2	-	12.9	16.0	13.8	14.9	-	-	13.5	16.3	17.1	16.4	-	16.7	15.7	14.3
5 /14	12.8	12.2	14.4	14.6	-	15.2	17.8	13.8	12.8	-	-	12.4	14.7	15.9	19.0	-	15.0	14.8	16.6	14.5	-	-	14.0	12.8	14.6	13.3	-	15.2	14.3	14.8	16.2	-	-	17.2	14.4	14.8	17.1	-	-	16.5	16.5	15.0
5 /15	14.1	12.0	13.1	-	11.3	14.5	17.9	14.7	-	-	15.8	14.0	13.6	15.7	-	16.5	14.9	15.7	16.1	-	-	14.9	16.4	13.2	13.6	-	-	14.4	13.2	14.4	17.4	-	14.1	18.2	15.9	14.4	-	-	-	17.2	16.1	15.2
5 /16	13.6	12.9	14.5	15.1	13.4	14.4	16.6	14.1	-	14.4	16.4	13.8	15.0	-	-	17.6	13.7	15.3	13.9	-	11.3	14.8	16.1	15.3	-	-	17.1	14.8	13.8	14.2	-	16.3	15.4	18.8	16.1	-	-	14.8	16.2	17.2	16.1	15.2
5 /17	15.0	13.5	-	16.0	14.8	15.0	15.4	-	14.1	14.2	14.9	12.6	-	-	15.6	17.8	13.6	14.7	-	16.0	12.0	14.4	15.8	-	-	14.5	17.3	15.8	13.7	-	-	16.3	15.3	18.0	15.5	-	15.9	13.7	18.0	17.6	-	15.1
5 /18	16.7	-	13.9	16.0	15.9	15.4	15.0	13.1	15.1	15.0	16.0	-	-	12.8	16.4	17.2	14.4	-	16.2	12.2	14.5	16.2	-	12.7	14.8	17.0	15.0	-	-	15.9	17.5	14.8	17.2	-	16.7	15.8	15.0	19.8	-	-	15.3	
5 /19	-	14.0	13.9	16.2	16.0	15.1	-	13.9	16.0	13.4	15.6	-	18.2	13.8	15.7	18.2	-	13.9	16.8	13.0	14.1	-	17.4	13.5	14.0	16.4	-	-	13.6	15.0	17.8	15.7	-	-	16.2	15.6	15.7	20.2	-	15.0	15.3	
5 /20	15.2	13.4	13.0	15.8	15.2	-	14.6	14.2	17.0	13.0	-	13.6	16.1	13.8	15.0	-	-	14.6	14.1	15.4	14.3	-	-	15.0	14.1	14.0	16.4	-	15.8	13.7	14.9	18.3	-	-	12.3	13.1	16.3	15.2	-	19.7	16.1	14.7
5 /21	13.4	14.6	14.4	15.0	-	13.5	14.6	13.8	17.8	-	-	14.5	15.5	14.6	15.4	-	17.6	15.3	14.4	13.6	-	-	14.8																			

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																																
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)					
6 /14	15.0	15.9	-	18.6	14.6	18.2	19.9	-	15.1	17.4	17.0	19.2	-	-	22.4	18.6	17.7	18.1	-	20.7	18.5	19.3	22.8	-	-	19.7	21.4	17.8	19.2	-	-	17.3	17.3	20.2	20.1	-	19.0	18.5	21.5	20.7	-	19.0					
6 /15	13.9	-	17.1	18.6	13.4	18.1	20.2	19.0	16.1	20.1	16.6	-	-	17.2	21.1	19.2	17.1	-	-	21.8	17.9	19.7	19.6	-	18.1	17.0	20.0	17.9	-	-	21.2	19.9	17.5	19.7	-	16.9	19.5	18.3	21.3	-	-	18.8					
6 /16	-	15.6	17.0	17.8	16.2	17.4	-	19.3	18.0	20.4	17.2	-	17.1	18.5	19.4	20.4	-	-	18.3	21.0	18.1	17.8	-	20.4	17.7	16.0	21.6	-	-	19.0	21.3	19.9	16.0	-	-	18.7	21.1	19.1	20.7	-	18.8	18.9					
6 /17	18.6	13.9	18.0	18.2	15.6	-	19.8	19.2	22.3	20.4	-	18.8	17.9	18.5	19.2	-	-	18.9	19.3	20.0	18.5	-	-	20.0	17.6	19.8	21.2	-	20.3	18.4	19.4	21.5	-	-	15.9	20.9	20.9	18.0	-	22.0	17.5	19.4					
6 /18	18.7	12.4	17.4	18.7	-	18.8	19.8	17.8	22.6	-	-	18.2	20.0	17.8	18.2	-	19.7	18.1	19.0	20.4	-	-	20.3	20.9	18.0	18.7	-	18.2	20.0	18.4	19.8	-	-	18.5	16.9	22.1	22.1	-	-	24.0	19.1	19.2					
6 /19	17.6	16.0	18.0	-	14.7	18.1	18.0	16.8	-	-	17.2	19.0	20.8	17.8	-	20.6	21.1	18.5	18.6	-	-	17.9	20.4	20.2	18.5	-	-	19.8	18.8	18.9	19.8	-	17.9	18.3	19.2	21.7	-	-	23.4	23.0	18.4	19.1					
6 /20	16.9	18.3	17.7	18.7	13.5	22.0	17.6	17.4	-	17.6	16.8	19.2	21.5	-	-	20.8	20.1	19.6	18.9	-	20.9	19.3	19.4	18.7	-	-	17.4	17.9	20.4	20.2	-	21.4	18.1	18.7	18.0	-	-	18.5	23.8	24.5	19.1	19.1					
6 /21	17.0	18.6	-	18.8	15.6	21.2	18.4	-	19.8	17.8	16.5	19.0	-	-	18.9	19.2	18.1	19.6	-	21.6	21.2	18.9	19.4	-	-	18.1	17.9	19.6	21.4	-	-	21.6	20.5	18.3	17.9	-	20.1	19.1	23.3	24.0	-	19.2					
6 /22	17.0	-	17.3	19.6	16.2	20.4	-	15.0	19.9	19.8	16.8	-	19.0	19.4	18.7	18.6	-	-	20.0	20.9	20.5	18.9	-	19.7	19.5	19.6	18.6	-	-	20.1	21.0	20.0	19.5	-	22.1	22.6	18.6	22.0	-	-	19.4						
6 /23	-	19.1	19.4	19.3	16.8	-	-	16.2	18.4	21.5	17.0	-	19.6	17.6	19.8	18.8	-	-	18.6	18.6	21.0	21.9	-	18.6	20.8	21.9	20.6	-	-	21.6	19.0	20.2	21.3	-	-	20.4	22.9	19.1	20.6	-	22.8	19.7					
6 /24	18.2	17.2	21.6	19.2	-	-	19.0	16.6	18.6	20.8	-	17.8	19.3	18.6	17.6	-	-	18.7	18.2	17.6	22.2	-	-	18.9	20.1	20.6	18.3	-	19.6	22.8	19.6	20.7	-	-	19.1	20.5	22.1	19.1	-	20.2	20.7	19.3					
6 /25	17.7	17.0	21.2	18.6	-	20.4	19.0	16.4	18.9	-	-	17.1	19.7	19.0	19.1	-	19.4	17.7	18.9	19.6	-	-	19.1	18.4	20.5	22.6	-	17.8	20.4	22.7	20.2	-	-	23.2	18.9	19.7	22.8	-	-	21.7	21.7	19.5					
6 /26	18.6	17.2	20.8	-	17.5	20.1	22.0	17.5	-	-	18.2	16.5	19.1	19.3	-	19.1	20.0	17.2	19.5	-	-	20.0	19.4	18.3	21.1	-	-	18.2	19.8	22.9	21.0	-	21.0	23.3	19.7	19.4	-	-	21.7	20.6	22.7	19.7					
6 /27	17.8	17.8	19.6	19.0	17.8	18.9	23.3	-	-	19.8	18.8	18.7	18.8	-	-	20.1	20.1	17.3	19.4	-	19.4	21.4	21.3	18.5	-	-	19.1	19.6	19.0	22.5	-	20.1	19.5	22.6	20.6	-	-	22.0	23.3	21.6	21.5	20.0					
6 /28	18.0	17.0	-	19.5	16.7	18.4	21.8	-	19.6	17.8	19.0	19.6	-	-	20.8	17.4	20.1	17.4	-	20.1	18.6	21.5	22.9	-	-	20.8	20.2	19.8	18.2	-	-	19.7	19.6	22.3	23.2	-	22.6	21.2	23.2	20.3	-	20.0					
6 /29	18.4	-	17.5	21.0	16.8	18.5	21.2	20.8	19.6	18.2	19.2	-	-	19.7	19.8	20.8	18.8	-	-	19.8	19.4	21.5	21.6	-	20.7	19.7	21.8	18.3	-	-	20.6	20.8	19.9	22.7	-	20.1	21.7	21.8	24.2	-	-	20.2					
6 /30	-	16.4	17.2	21.0	18.3	18.6	-	21.3	19.0	19.2	20.5	-	19.6	19.5	19.0	22.1	-	-	20.7	22.5	19.2	20.9	-	20.3	19.4	18.4	22.9	-	-	20.2	21.5	21.8	19.1	-	-	19.7	22.2	22.2	25.5	-	22.6	20.3					
7 /1	19.0	17.3	18.0	19.0	19.6	-	21.0	18.2	18.6	18.8	-	19.8	20.0	19.8	18.6	-	-	17.4	19.8	23.6	19.0	-	-	22.1	17.2	21.4	22.2	-	20.1	21.6	20.5	22.2	-	-	20.6	18.4	21.7	22.3	-	20.5	21.0	20.0					
7 /2	20.2	17.6	19.0	18.8	-	18.8	19.6	19.4	18.6	-	-	22.0	22.4	20.2	21.0	-	22.9	17.7	19.0	23.7	-	-	21.2	22.0	17.6	21.2	-	20.4	18.4	22.2	19.9	-	-	23.4	21.5	22.6	21.4	-	-	21.0	20.5	20.8					
7 /3	19.6	16.9	18.7	-	16.9	18.3	20.3	20.1	-	-	19.0	21.3	21.8	23.1	-	23.2	23.9	18.3	19.6	-	-	20.9	20.9	22.4	19.5	-	-	21.1	17.2	21.5	19.7	-	21.5	23.5	20.6	23.6	-	-	26.4	23.7	21.6	21.0					
7 /4	17.8	17.9	17.4	18.7	17.0	20.1	20.8	19.0	-	19.6	18.2	20.5	23.1	-	-	22.3	2																														

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)
7 /29	25.2	21.7	23.3	17.8	22.8	-	23.2	23.6	20.6	25.1	-	25.8	17.9	22.7	24.0	-	-	23.1	19.2	24.9	22.3	-	-	23.0	23.5	23.8	24.0	-	22.2	23.2	26.3	23.3	-	-	25.3	20.4	25.9	25.6	-	26.0	23.5	23.1
7 /30	26.7	23.3	20.8	18.1	-	23.6	22.2	24.8	20.8	-	-	24.5	22.2	22.2	23.6	-	24.2	24.0	19.0	26.1	-	-	22.2	23.3	23.0	21.9	-	26.4	21.5	23.3	25.7	-	-	26.5	24.9	20.8	26.1	-	-	25.4	21.8	23.3
7 /31	26.6	22.5	20.2	-	26.2	23.3	23.0	23.2	-	-	24.6	24.1	24.9	22.4		25.1	26.5	23.8	24.0	-	-	21.5	22.4	23.3	22.6	-	-	26.2	21.8	23.1	25.0	-	24.5	26.8	24.8	21.3	-	-	30.1	25.6	21.5	23.9
8 /1	25.8	24.9	20.3	20.8	24.3	23.6	23.5		-	25.7	23.5	23.0	26.4	-		25.3	26.4	23.8	20.5	-	24.5	21.3	23.6	24.4	-	-	21.4	25.3	21.8	23.4	-	25.9	23.6	25.7	23.6	-	-	26.7	28.2	26.8	23.2	23.9
8 /2	26.3	25.7	-	20.8	23.2	23.4	23.8		22.0	25.4	23.6	21.2	-	-	21.8	25.1	23.7	24.1	-	21.5	25.9	21.8	24.4	-	-	21.9	21.8	24.2	21.6	-	-	27.9	22.3	25.3	25.8	-	27.0	26.0	28.7	28.4	-	23.6
8 /3	25.9	-	21.6	20.7	22.3	26.2	22.8	21.4	21.2	26.6	22.5	-	-	22.2	20.8	24.3	23.9	-	-	21.0	24.2	22.1	23.7	-	23.9	22.7	22.4	23.9	-	-	24.9	27.4	23.3	25.9	-	24.7	27.1	25.3	28.1	-	-	23.4
8 /4	-	22.7	21.8	20.8	23.6	26.5	-	22.2	20.6	28.6	22.6	-	26.7	22.1	19.8	24.0	-	-	21.3	19.6	24.3	21.2	-	23.2	23.2	23.1	23.1	-	-	24.8	24.3	27.2	23.2	-	-	25.1	27.1	25.0	27.5	-	27.7	23.3
8 /5	25.8	19.1	21.6	20.9	23.9	-	23.1	22.1	20.6	29.2	-	24.3	24.5	24.2	18.7	-	-	24.4	20.6	19.6	26.4	-	-	21.9	24.0	22.9	23.8	-	23.0	25.2	25.1	26.2	-	-	24.1	25.3	27.1	24.8	-	28.2	27.9	23.6
8 /6	23.6	20.7	21.6	22.4	-	26.7	22.3	22.4	20.2	-	-	22.4	23.0	23.8	21.9	-	24.0	27.7	21.1	19.3	-	-	22.2	23.2	24.8	25.1	-	24.5	24.4	26.6	24.8	-	-	26.3	22.4	25.2	27.1	-	-	27.5	29.3	23.5
8 /7	21.4	22.8	21.4	-	21.4	27.7	22.0	23.2	-	-	24.8	21.7	23.2	22.3	-	22.2	22.1	27.4	20.4	-	-	25.6	23.9	24.4	23.7	-	-	25.1	23.6	27.9	25.8	-	26.1	24.1	22.4	24.0	-	-	25.2	27.3	27.3	23.9
8 /8	18.8	23.7	21.8	21.8	22.0	27.8	19.5	-	-	27.2	26.6	22.6	23.6	-	-	23.7	21.8	26.7	20.5	-	26.2	26.3	24.5	24.7	-	-	25.2	23.3	23.8	27.2	-	25.0	25.1	23.7	25.1	-	-	24.7	22.2	27.4	26.8	24.4
8 /9	17.9	22.2	-	24.0	23.9	26.4	22.5	-	19.8	26.3	27.7	24.0	-	-	25.4	24.6	22.1	25.7	-	24.8	25.0	25.7	24.8	-	-	27.1	25.9	24.0	23.2	-	-	25.4	23.8	22.4	26.1	-	-	26.6	23.8	27.3	-	24.6
8 /10	20.7	-	24.8	25.6	22.7	23.8	-	22.8	19.8	24.8	26.5	-	-	22.2	24.8	24.8	23.6	-	-	25.7	23.2	23.0	27.4	-	22.2	26.6	27.1	24.4	-	-	27.5	26.3	23.4	23.9	-	-	26.0	27.8	23.7	-	-	24.5
8 /11	-	21.8	24.6	23.8	23.6	-	-	22.5	19.9	22.9	25.6	-	24.9	22.8	25.2	25.8	-	-	22.1	25.4	22.0	23.3	-	23.2	21.1	25.9	27.4	-	-	23.8	28.2	-	-	-	-	21.5	24.8	-	-	-	-	23.9
8 /12	20.0	22.7	23.3	21.8	-	-	21.1	21.8	20.4	21.0	-	26.8	23.3	22.2	26.5	-	-	22.9	22.4	26.4	22.3	-	-	23.7	21.0	24.3	28.0	-	24.5	21.6	27.7	26.6	-	-	-	22.8	21.7	26.5	-	-	24.9	23.7
8 /13	24.1	20.4	24.3	21.3	-	25.2	21.2	22.1	20.6	-	-	26.6	24.4	23.1	25.0	-	22.3	24.9	23.0	26.5	-	-	26.7	25.4	21.7	22.3	-	25.6	23.2	21.2	26.9	-	-	26.2	27.2	23.9	21.7	-	-	26.9	24.8	24.1
8 /14	26.9	19.8	23.8	-	25.1	25.3	22.1	22.0	-	-	26.0	26.4	24.6	23.8	-	23.4	22.9	25.8	21.5	-	-	23.5	26.4	26.0	23.7	-	-	26.0	26.0	22.6	25.2	-	23.2	26.2	26.5	24.7	-	-	29.6	26.9	25.4	24.5
8 /15	27.9	21.4	22.9	23.5	24.0	25.5	22.9	-	-	23.4	24.0	25.1	24.3	-	-	26.0	22.6	24.7	19.7	-	23.0	23.0	26.8	26.0	-	-	26.2	26.1	26.3	23.0	-	26.7	23.1	26.6	26.9	-	-	22.0	29.5	27.4	24.2	24.6
8 /16	27.3	22.6	-	22.3	24.2	25.4	22.8	-	22.2	23.6	25.6	23.9	-	-	25.1	26.3	23.2	24.4	-	23.0	23.7	23.5	26.5	-	-	23.2	24.8	26.3	24.8	-	-	27.3	22.8	25.4	23.6	-	21.1	21.9	29.1	28.4	-	24.4
8 /17	26.4	-	23.0	22.8	25.8	25.6	22.4	22.8	22.1	25.1	25.6	-	-	22.0	25.7	24.5	24.4	-	-	22.9	25.2	24.6	25.7	-	24.3	23.7	24.4	27.7	-	-	24.4	25.5	22.6	24.5	-	26.7	21.2	21.9	28.0	-	-	24.4
8 /18	-	22.8	23.6	21.4	25.0	-	-	22.8	22.2	27.3	24.8	-	24.3	22.1	25.1	24.4	-	-	18.9	21.8	26.1	23.4	-	24.1	26.1	24.8	23.1	-	-	23.9	25.4	25.3	22.3	-	-	27.4	23.1	20.6	27.0	-	25.4	24.1
8 /19	24.7	23.5	23.9	23.2	24.4	-	22.9	21.1	22.2	28.0	-	23.8	25.1	22.8	26.4	-	-	24.1	19.4	23.9	25.3	-	-	24.2	25.4	24.3	22.1	-	25.0	24.1	24.7	26.2	-	-	23.9	27.8	23.5	21.5	-	29.2	26.7	24.2
8 /20	25.2	23.3	23.9	23.8	-	26.8	23.4	20.8	22.5	-	-	23.1	25.0	24.3	24.9	-	23.8	24.8	20.0	23.6	-	-	25.3	24.2	24.8	25.1	-	24.2	25.4	25.3	24.4	-	-	23.7	24.1	27.1	24.8	-	-	29.5	28.1	24.1
8 /21	25.0	22.6	23.8	-	24.2	26.0	22.5	22.3	-	-	25.1	23.2	24.3	24.8	-	22.8	23.2	23.1	20.3	-	-	27.1	25.7	23.1	23.5	-	-	21.7	23.4	26.3	25.0	-	23.1	24.9	23.6	26.8	-	-	27.8	27.9	28.4	23.9
8 /22	24.1	21.8	24.8	23.6	24.0	25.5	25.2	-	-	20.6	27.5	23.7	23.7	-	-	22.9	23.4	23.2	21.3	-	24.8	25.6	24.4	19.9	-	-	22.8	21.6	23.4	26.4	-	26.2	24.0	27.4	23.9	-	-	23.9	27.4	28.0	28.1	23.9
8 /23	25.0	22.4	-	24.4	23.8	23.4	24.0	-	22.3	20.6	26.5	24.0	-	-	25.6	23.8	23.2	23.0	-	21.7	25.0	25.0	24.5	-	-	27.9	23.1	24.2	23.2	-	-	24.3	24.4	28.5	24.4	-	24.3	25.2	26.1	27.1	-	24.2
8 /24	24.8	-	24.0	24.0	23.8	21.9	-	23.1	22.8	22.2	27.6	-	-	24.9	26.4	24.3	23.1	-	-	20.4	22.6	25.2	24.4	-	23.1	27.7	23.6	25.1	-	-	24.1	25.1	24.3	27.0	-	26.1	24.9	27.0	25.0	-	-	24.4
8 /25	-	22.8	25.2	26.6	24.0	-	-	26.4	24.2	23.4	28.1	-	22.1	24.8	25.6	24.5	-	-	24.1	21.9	24.0	25.4	-	21.7	23.5	27.3	24.8	-	-	25.1	22.7	25.7	24.2	-	-	26.7	24.1	25.6	22.9	-	28.2	24.6
8 /26	25.3	21.9	25.6	26.2	-	-	24.1	26.8	21.8	24.2	-	23.9	22.6	24.0	26.0	-	-	21.7	25.0	22.5	21.1	-	-	20.6	23.9	26.7	24.7	-	23.6	24.1	20.8	25.5	-	-	25.1	26.7	24.9	25.4	-	27.7	28.7	23.9
8 /27	26.9	21.9	24.3	25.8	-	23.2	23.7	26.0	22.0	-	-	23.8	23.7	24.1	24.8	-	23.3	22.7	22.9	22.8	-	-	26.4	21.7	23.3	26.2	-	25.4	24.4	22.1	21.0	-	-	23.8	26.1	26.0	25.4	-	-	27.2	28.0	23.9
8 /28	26.9	22.8	23.8	-	22.5	22.9	23.4	24.6	-	-	26.6	22.6	23.8	21.5	-	26.8	23.0	24.2	21.9	-	-	23.5	24.5	23.0	22.6	-	-	26.5	22.3	22.8	20.7	-	22.9	24.1	24.9	25.6	-	-	27.6	25.2	27.7	23.7
8 /29	26.8	22.2	21.9	26.0	24.1	23.1	23.2	-	-	24.3	25.6	22.5	24.9	-	-	26.9	23.1	23.6	22.9	-	23.4	22.1	24.6	22.2	-	-	25.8	27.6	22.6	23.5	-	23.5	24.0	23.6	24.4	-	-	23.4	29.3	24.4	27.1	24.0
8 /30	26.8	21.4	-	24.1	24.2	22.6	22.8	-	23.6	24.5	24.0	22.7	-	-	24.3	25.9	23.2	23.8	-	22.0	23.7	21.4	24.5	-	-	25.9	25.5	28.5	24.2	-	-	24.1	23.6	23.8	25.3	-	25.1	23.2	30.2	25.2	-	24.2
8 /31	25.2	-	22.9	24.2	24.5	23.8	21.5	24.2	24.2	24.6	24.0	-	-	20.3	24.8	26.5	22.4	-	-	22.9	24.6	23.4	23.7	-	20.6	25.8	25.0	27.9	-	-	21.4	22.7	23.1	23.8	-	26.1	25.0	23.2	29.5	-	-	23.8
9 /1	-	24.7	23.7	25.0	24.2	26.5	-	24.0	24.0	26.2	24.6	-	25.6	20.6	25.7	26.2	-	-	21.3	22.6	24.7	23.5	-	22																		

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)
9 /12	21.9	22.3	23.1	20.8	23.5	24.2	22.1		-	25.0	22.4	23.2	24.0	-	-	22.4	21.7	23.8	23.8	-	23.7	23.4	22.8	22.9	-	-	25.0	25.7	23.8	22.2	-	23.5	22.6	21.2	25.2	-	-	24.6	27.8	26.5	25.8	23.4
9 /13	22.0	22.3	-	21.5	24.6	24.4	21.7	-	20.9	22.8	22.8	22.8	-	-	24.9	21.6	22.9	23.2	-	23.2	24.1	22.3	22.9	-	-	23.4	25.6	25.8	24.0	-	-	22.1	22.5	22.3	23.9	-	22.3	24.8	27.9	26.6	-	23.1
9 /14	22.5	-	22.5	22.3	22.8	24.1	-	22.2	21.4	20.4	21.9	-	-	24.1	25.2	22.5	22.9	-	-	24.1	24.3	21.2	23.5	-	21.5	23.7	25.8	27.5	-	-	20.8	21.1	22.7	23.2	-	22.6	22.3	24.3	27.9	-	-	23.0
9 /15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22.0	23.6	20.5	-	-	21.9	23.6	25.6	-	-	-	21.1	22.9	22.3	-	-	22.5	22.5	24.0	27.7	-	-	22.6
9 /16	-	22.7	22.4	19.0	22.4	-	-	21.7	22.2	21.3	-	-	20.4	23.0	21.6	-	-	-	22.1	22.0	23.8	-	-	23.3	22.7	23.6	25.6	-	-	22.8	22.1	24.0	-	-	-	24.2	22.3	23.8	-	-	26.1	22.7
9 /17	21.9	22.0	20.2	17.6	-	23.9	21.7	21.8	21.8	-	-	22.2	20.3	22.8	21.9	-	23.5	21.4	22.1	21.4	-	-	-	23.1	22.1	23.5	-	-	22.2	22.2	21.6	-	-	-	24.7	24.9	20.9	-	-	25.3	26.4	22.4
9 /18	21.7	22.8	18.1	-	22.8	24.4	21.3	21.8	-	-	18.8	21.8	21.9	20.9	-	22.5	23.5	20.9	22.5	-	-	-	23.1	22.9	21.8	-	-	24.2	22.8	22.1	20.7	-	-	23.1	24.7	25.3	-	-	-	26.4	26.8	22.3
9 /19	21.7	23.4	19.2	21.9	21.8	24.3	21.0	-	-	24.5	19.0	22.6	21.7	-	-	22.9	23.7	21.2	22.5	-	-	22.8	22.9	23.0	-	-	-	22.7	22.6	21.4	-	-	22.2	22.9	23.8	-	-	-	27.3	25.9	24.7	22.4
9 /20	21.7	21.6	-	22.6	21.3	23.6	19.1	-	20.4	24.5	19.8	22.6	-	-	23.8	23.7	22.5	22.1	-	-	23.3	22.9	23.5	-	-	-	20.7	23.3	23.4	-	-	21.7	22.3	22.7	23.5	-	-	22.0	26.7	25.2	-	22.4
9 /21	21.9	-	21.5	22.3	21.2	22.6	18.3	21.0	20.5	24.7	19.6	-	-	24.5	22.2	23.6	21.9	-	-	22.5	22.8	22.8	23.8	-	-	24.4	20.4	22.7	-	-	-	19.8	21.5	21.8	-	-	22.8	21.7	26.5	-	-	22.0
9 /22	-	22.1	22.6	22.6	20.7	-	-	20.4	20.1	23.2	20.2	-	21.5	24.0	19.6	23.5	-	-	17.9	22.6	22.9	22.6	-	22.3	-	24.2	21.4	-	-	21.5	-	-	21.5	-	-	-	23.0	20.2	26.2	-	23.6	21.7
9 /23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21.2	-	-	-	23.5	-	-	-	-	-	22.4
9 /24	20.3	21.4	21.5	22.3	-	-	21.6	20.8	19.8	-	-	19.2	19.8	21.5	20.6	-	-	20.7	18.9	21.7	-	-	-	21.7	21.9	19.1	-	22.2	22.6	21.3	22.1	-	-	-	22.8	23.1	22.8	-	-	22.3	23.7	21.1
9 /25	18.6	21.2	21.1	-	20.8	22.8	21.7	20.9	-	-	21.2	20.7	19.6	22.4	-	21.7	20.8	20.5	18.9	-	-	21.2	24.0	21.4	21.8	-	-	22.4	23.2	21.0	21.4	-	21.9	22.4	22.7	22.3	-	-	24.5	21.8	23.7	21.6
9 /26	19.6	20.8	21.2	18.4	20.8	22.4	20.9	-	-	20.8	22.0	21.1	20.1	-	-	21.7	21.2	20.9	19.7	-	20.6	21.7	23.0	20.6	-	-	20.9	21.4	22.4	21.5	-	22.8	22.2	21.0	22.7	-	-	22.6	24.1	22.2	24.4	21.4
9 /27	19.0	20.9	-	17.9	20.0	21.9	20.9	-	20.1	21.8	21.8	21.0	-	-	22.2	21.3	21.2	20.4	-	20.3	20.2	19.7	22.8	-	-	20.2	20.3	21.6	21.6	-	-	22.5	22.3	20.4	21.7	-	21.7	23.1	24.3	23.1	-	21.2
9 /28	19.6	-	19.5	19.4	20.2	21.6	-	19.0	19.6	21.6	21.2	-	-	21.5	22.7	20.8	21.2	-	-	21.2	20.6	20.4	22.5	-	21.2	20.7	20.4	20.7	-	-	21.4	22.9	20.9	20.4	-	19.8	21.7	22.1	23.9	-	-	21.0
9 /29	-	20.7	19.6	19.6	20.4	21.9	-	18.8	20.3	21.6	21.0	-	18.8	21.6	22.6	20.9	-	-	20.5	21.7	20.4	21.0	-	18.7	21.0	20.3	20.8	-	-	21.5	20.4	22.7	20.5	-	-	20.4	21.9	22.3	24.6	-	23.9	20.7
9 /30	17.7	20.1	19.6	19.0	19.8	-	20.2	18.8	20.3	20.0	-	20.7	19.2	21.5	23.4	-	-	20.5	19.7	22.0	20.6	-	-	19.1	20.5	19.9	21.2	-	22.2	22.0	19.8	20.6	-	-	23.1	20.4	22.2	22.2	-	22.7	23.7	20.7
10 /1	18.5	21.3	19.4	20.0	-	20.1	20.3	19.6	19.6		-	20.6	19.5	20.2	22.6	-	19.4	20.1	19.4	21.1	-	-	21.1	19.3	20.2	20.5	-	24.0	22.0	21.2	20.3	-	-	21.8	23.0	20.3	22.1	-	-	22.8	23.5	20.7
10 /2	19.1	20.4	19.4	-	19.4	24.9	19.5	19.4	-		20.2	20.6	19.7	21.2	-	21.4	19.6	20.3	19.1	-	-	21.2	21.4	19.3	20.6	-	-	22.3	22.2	20.9	20.0	-	19.9	21.8	23.0	20.7	-	-	23.6	23.6	23.2	20.7
10 /3	19.8	21.4	19.9	21.0	18.6	20.7	20.2	-	-	21.6	21.2	20.8	20.2	-	-	21.1	18.5	21.2	18.5	-	21.4	20.2	21.5	19.7	-	-	19.6	21.9	21.6	21.2	-	22.4	20.1	21.7	22.9	-	-	22.4	23.5	22.4	22.8	20.8
10 /4	20.3	20.5	-	20.4	18.4	21.0	20.5	-	18.4	20.8	21.0	20.9	-	-	20.8	21.6	19.0	21.4	-	18.8	20.6	20.8	21.7	-	-	21.5	19.8	19.4	20.6	-	-	22.1	18.8	21.5	21.6	-	21.4	22.1	23.3	22.4	-	20.6
10 /5	20.2	-	19.9	20.4	19.0	21.5	20.3	19.0	18.8	21.3	20.1	-	-	19.3	20.6	21.1	18.9	-	-	18.5	21.0	21.3	21.5	-	19.6	21.7	19.7	20.0	-	-	19.5	21.3	18.9	21.0	-	20.9	21.9	22.0	23.3	-	-	20.2
10 /6	-	19.6	19.4	19.8	19.5	21.6	-	18.2	18.2	21.6	18.5	-	20.0	20.5	19.9	20.8	-	-	17.8	18.7	20.3	17.3	-	19.5	19.4	22.0	19.5	-	-	18.2	19.6	21.9	18.5	-	-	20.2	21.7	19.3	22.4	-	23.8	19.6
10 /7	20.3	19.8	20.8	18.6	19.4	-	18.5	17.3	18.4	21.8	-	21.0	19.7	21.0	20.2	-	-	21.3	17.2	19.2	20.9	-	-	19.6	19.9	21.4	18.8	-	21.2	17.3	18.1	21.2	-	-	20.8	19.8	20.6	17.4	-	22.6	21.4	19.8
10 /8	20.3	18.8	20.3	18.6	-	21.0	18.5	16.8	18.3		-	20.0	19.9	20.8	20.7	-	-	19.8	17.3	19.2	-	-	-	19.6	17.1	21.6	-	-	22.6	18.8	17.3	-	-	-	20.9	20.3	21.2	-	-	21.9	22.0	19.4
10 /9	19.5	18.8	19.8	-	18.2	19.5	18.3	17.6	-	-	18.8	18.8	18.4	20.7	-	-	18.5	19.9	17.1	-	-	-	18.4	19.6	17.7	-	-	21.4	22.2	19.0	16.1	-	-	21.6	19.6	19.6	-	-	-	21.9	22.1	19.1
10 /10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.4	18.1	19.9	17.3	-	-	18.7	18.7	20.1	-	-	-	20.9	22.2	19.5	-	-	19.7	21.8	17.9	-	-	-	20.3	20.8	21.6	19.6
10 /11	19.5	19.2	-	19.2	18.5	19.5	17.0	-	-	21.4	18.9	18.6	-	-	-	20.9	17.5	19.2	-		20.3	18.2	19.1	-	-	-	19.4	20.6	21.8	-	-	20.1	19.3	21.3	19.6	-	21.7	19.4	19.5	20.8	-	19.6
10 /12	19.3	-	20.0	19.7	17.0	21.0	-	17.8	18.4	21.4	18.9		-	20.2	21.2	21.4	18.3	-	-	18.3	20.1	19.7	19.4	-	-	21.5	19.1	20.4	-	-	-	19.8	19.4	20.7	-	19.2	21.4	19.4	19.3	-	-	19.7
10 /13	-	16.8	19.5	19.0	16.9	-	-	18.0	17.6	21.6	19.8		16.4	20.0	21.1	19.7	-	-	-	19.5	19.8	19.6	-	-	18.1	21.5	18.9	-	-	-	18.2	18.1	18.8	-	-	19.3	20.2	19.1	19.5	-	-	19.2
10 /14	20.0	16.0	19.4	18.4	-	-	16.9	18.0	16.4	21.5	-	19.5	17.2	20.5	21.5	-	-	-	17.7	17.5	20.2	-	-	18.5	18.8	21.4	19.2	-	-	17.5	17.1	17.2	-	-	-	19.3	20.4	19.3	-	-	20.8	18.7
10 /15	18.5	17.4	19.1	18.7	-	20.8	18.2	17.8	16.8	-	-	19.6	18.5	21.1	19.9	-	17.6	19.4	17.0	17.8	-	-	19.2	18.9	18.5	21.1	-	19.4	18.2	18.3	17.3	-	-	20.1	18.0	19.3	20.6	-	-	20.3	20.8	18.7
10 /16	18.6	17.9	18.6	-	18.5	20.2	18.0	18.0	-	-	19.8	18.9	17.1	20.7	-	19.4	17.9	19.5	17.4	-	-	18.4	18.4	19.0	18.2	-	-	19.1	18.2	17.8	17.7	-	16.2	19.7	17.0	17.5	-	-	19.5	21.7	20.9	18.4
10 /17	19.2	17.2	18.5	19.0	17.8	20.3	18.4	-	-	19.2	20.0	18.6	18.2	-	-	19.2	18.3	19.0	17.4	-	20.2	18.5	18.5	19.3	-	-	19.9	19.8	15.4	18.3												

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																																
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)					
10 /27	-	16.3	17.0	17.0	17.4	-	-	16.6	14.0	18.0	17.8	-	16.3	17.7	17.5	15.2	-	-	15.7	14.3	18.0	16.2	-	17.8	15.9	17.9	16.3	-	-	18.4	15.5	17.6	17.1	-	-	17.9	17.7	15.7	18.3	-	18.8	16.7					
10 /28	14.8	15.8	17.5	17.4	-	-	17.0	16.4	13.4	18.4	-	16.1	14.3	18.4	16.4	-	-	16.0	16.1	14.2	18.0	-	-	17.2	16.7	17.1	17.1	-	16.8	17.0	16.9	15.3	-	-	16.3	16.8	18.1	16.6	-	21.0	18.5	16.5					
10 /29	15.5	15.6	17.6	16.6	-	18.2	17.2	16.6	14.0	-	-	17.4	15.5	18.2	17.8	-	16.6	16.1	16.5	14.1	-	-	17.6	17.2	16.3	16.6	-	17.8	18.6	16.4	16.6	-	-	18.7	16.8	16.8	17.8	-	-	17.8	18.4	16.8					
10 /30	16.1	13.8	17.8	-	16.2	18.0	17.3	17.1	-	-	17.8	18.0	15.6	18.5	-	16.8	15.4	16.3	16.4	-	-	17.7	17.4	16.4	17.4	-	-	17.6	17.4	16.2	16.9	-	15.3	18.4	17.4	15.7	-	-	17.9	17.7	18.1	17.0					
10 /31	16.3	13.0	17.4	15.8	16.6	17.2	16.6	-	-	17.9	17.6	17.4	16.0	-	-	16.7	15.7	16.1	16.1	-	15.9	17.6	17.8	16.6	-	-	17.4	17.4	17.8	16.6	-	15.4	14.0	17.6	18.1	-	-	17.0	18.4	17.8	18.1	16.8					
11 /1	16.4	13.8	-	15.5	17.2	15.7	15.8		15.1	15.8	17.8	17.3	-	-	17.6	16.9	16.2	16.0	-	17.0	15.5	17.6	17.9	-	-	16.3	17.6	17.8	17.2	-	-	16.3	12.8	16.6	18.3	-	17.2	16.9	18.8	18.5		16.6					
11 /2	16.2	-	16.4	15.8	17.0	16.4	15.3	15.1	15.2	16.0	15.2	-	-	16.2	17.0	15.9	16.4	-	-	17.1	16.6	16.3	17.6	-	15.9	15.9	17.4	16.8	-	-	16.1	15.1	14.5	15.0	-	17.1	17.1	17.1	19.1	-		16.1					
11 /3	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
11 /4	-	15.6	16.2	14.1	17.0	-	-	14.5	15.8	16.1	-	-	15.9	17.1	16.5	-	-	-	16.4	16.6	16.5	-	-	16.4	14.9	15.6	17.8	-	-	14.9	16.1	15.9	-	-	-	16.4	16.3	16.7	-	-		16.1					
11 /5	15.7	14.9	15.9	14.3	-	16.4	14.1	14.9	15.9	-	-	16.6	16.5	15.3	15.8	-	15.5	12.9	15.4	16.4	-	-	16.9	16.5	16.1	15.8	-	16.2	16.8	14.4	16.3	-	-	16.3	16.9	16.3	16.5	-	-	19.0		15.8					
11 /6	15.9	15.0	14.9	-	16.8	17.3	13.8	14.6	-	-	14.4	16.9	16.2	15.3	-	16.6	16.1	12.9	16.1	-	-	17.2	16.5	16.8	16.5	-	-	16.7	17.0	15.6	16.3	-	15.0	16.8	17.0	16.4	-	-	18.8	18.3		15.9					
11 /7	16.0	14.7	14.8	13.2	17.0	17.8	14.5	-	-	17.6	14.9	15.9	15.6	-	-	16.4	15.4	13.3	16.3	-	17.6	17.2	15.6	16.9	-	-	17.1	17.1	17.2	16.0	-	15.3	15.9	16.6	16.5	-	-	14.4	19.1	18.4		16.1					
11 /8	16.2	14.8	-	12.3	16.9	17.3	16.0	-	13.6	16.6	14.8	15.2	-	-	16.4	16.6	15.4	14.0	-	15.8	17.1	16.5	15.9	-	-	17.1	16.4	17.1	16.9	-	-	15.3	15.9	16.7	16.3	-	17.2	15.3	18.2	17.9		16.0					
11 /9	16.2	-	14.6	12.9	17.1	16.6	-	13.8	14.0	16.2	13.8	-	-	16.4	16.3	14.6	15.9		-	15.4	16.4	16.8	15.9	-	16.4	17.5	15.7	16.3	-	-	15.5	14.3	16.0	17.0	-	16.3	17.5	14.9	17.9	-		15.7					
11 /10	-	13.6	15.6	13.8	16.8	-	-	13.0	13.4	16.6	14.2	-	14.6	15.9	15.1	14.0	-	-	14.5	14.9	15.9	17.0	-	13.2	16.6	16.7	15.2	-	-	16.1	15.9	12.3	15.0	-	-	14.9	17.5	15.2	17.9	-		15.0					
11 /11	15.3	14.1	15.8	13.2	-	-	15.6	13.8	13.4	16.7	-	15.6	14.3	16.1	15.4		-	12.9	14.7	16.1	15.3	-	-	12.7	16.8	16.5	15.6	-	15.7	15.6	15.5	12.0	-	-	14.7	14.0	17.1	15.7	-	18.1		15.0					
11 /12	15.2	13.4	15.8	12.9	-	-	15.3	14.1	13.6	-	-	15.9	15.1	15.4	16.5	-	13.1	13.5	14.5	17.0	-	-	15.8	13.1	15.1	16.0	-	16.3	14.4	15.6	15.0	-	-	16.8	15.1	10.8	17.2	-	-	18.0		14.9					
11 /13	14.4	12.4	15.8	-	16.5	16.9	15.4	14.4	-	-	14.7	14.0	14.6	15.0	-	14.4	12.0	13.4	14.2	-	-	14.4	15.5	14.0	14.4	-	-	15.8	13.4	15.4	14.9	-	14.8	16.8	15.1	12.0	-	-	15.0	17.6		14.5					
11 /14	14.9	12.8	14.4	13.6	16.1	16.7	14.6	-	-	15.2	14.6	14.1	14.9	-	-	14.5	12.1	13.0	14.1	-	14.4	14.7	16.2	14.9	-	-	16.3	15.7	12.4	15.2	-	14.1	14.9	16.5	16.1	-	-	16.1	14.7	15.2		14.7					
11 /15	14.7	13.4	-	12.8	14.8	15.7	14.3	-	14.4	13.6	13.8	14.9	-	-	16.3	14.4	12.0	12.4	-	15.8	13.8	15.2	16.4	-	-	15.8	15.3	15.2	13.4	-	-	15.0	14.2	16.5	15.5	-	16.3	15.6	14.8	16.6		14.7					
11 /16	14.4	-	14.0	12.0	14.6	14.5	14.4	14.9	14.2	12.6	13.4	-	-	15.2	15.7	14.7	13.0	-	-	15.1	13.4	14.5	15.5	-	13.9	14.9	14.8	15.2	-	-	16.2	13.4	13.1	15.7	-	14.7	15.6	15.3	15.2	-		14.5					

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	平年値(※)
11 /17	-	11.4	14.2	12.4	14.8	15.3	-	14.7	14.8	12.8	13.6	-	15.0	15.7	14.7	14.5	-	-	14.9	15.6	13.4	14.2	-	15.6	13.9	14.4	14.6	-	-	13.4	16.3	13.8	12.0	-	-	14.7	13.7	14.8	15.7	-		14.4
11 /18	14.1	11.4	13.2	12.1	14.6	-	14.6	13.6	15.2	13.9		13.4	14.8	13.8	12.9	-	-	11.5	14.3	15.7	13.5	-	-	15.5	13.0	13.6	14.1	-	14.2	12.8	16.4	13.6	-	-	15.3	15.1	14.3	14.3	-	17.0		14.1
11 /19	13.7	12.0	13.7	11.6	-	15.2	14.5	13.8	15.2	-	-	12.6	14.5	13.0	14.9	-	13.7	10.6	14.2	15.1	-	-	14.2	14.9	13.1	13.2	-	14.0	14.4	12.8	15.5	-	-	13.7	15.7	15.4	15.2	-	-	16.9		14.0
11 /20	13.7	11.7	12.1	-	14.4	15.2	13.6	14.4	-	-	13.0	11.6	14.0	11.9	-	13.2	13.8	11.2	13.9	-	-	13.5	14.0	13.9	13.0	-	-	13.8	14.0	12.1	15.4	-	11.6	13.0	14.9	15.8	-	-	15.2	16.5		13.4
11 /21	13.6	11.7	12.8	11.0	14.0	15.1	12.6	-	-	15.2	11.8	13.6	14.3	-	-	13.4	13.6	11.9	14.3	-	13.0	13.5	13.4	13.9	-	-	14.0	13.6	13.6	12.4	-	14.1	11.6	13.5	13.7	-	-	14.2	14.5	16.5		13.4
11 /22	13.2	12.3	-	11.1	14.4	15.0	12.9	-	14.2	14.2	11.6	13.0	-	-	13.8	12.5	13.7	11.0	-	14.2	12.5	13.8	12.8	-	-	14.8	13.1	13.3	13.6	-	-	14.6	11.7	13.9	13.4	-	15.2	13.8	14.8	16.8		13.3
11 /23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
11 /24	-	-	12.5	12.7	13.5	-	-	12.9	13.8	14.2	12.8	-	-	12.1	14.2	11.3	-	-	-	14.6	13.3	13.1	-	-	13.2	13.8	13.6	-	-	-	13.9	12.6	12.1	-	-	14.0	14.6	13.0	15.2	-		13.3
11 /25	11.5	11.2	11.8	11.7	-	-	12.6	13.3	14.2	13.8	-	13.2	14.0	13.1	14.8	-	-	11.6	12.8	13.9	13.0	-	-	11.4	13.2	13.6	12.8	-	13.5	13.7	13.3	11.8	-	-	14.0	14.3	14.3	13.6	-	15.7		13.3
11 /26	11.1	11.3	11.3	11.0	-	14.6	12.3	13.6	13.4	-	-	12.3	14.7	12.9	14.6	-	13.2	11.1	11.3	13.2	-	-	13.0	11.6	13.4	14.4	-	12.8	14.2	12.7	12.5	-	-	14.2	12.5	13.9	14.4	-	-	15.5		13.1
11 /27	10.3	11.0	12.2	-	12.6	14.4	12.6	11.0	-	-	12.2	12.9	15.3	13.1	-	12.9	12.4	11.0	12.0	-	-	13.6	12.5	11.8	13.8	-	-	11.6	12.8	12.8	13.5	-	11.6	14.3	12.8	12.9	-	-	13.5	16.0		12.7
11 /28	11.0	10.8	11.4	11.6	13.0	14.4	12.9	-	-	13.4	12.5	13.0	13.2	-	-	11.8	11.6	11.0	12.1	-	12.4	12.8	12.5	12.4	-	-	13.2	11.3	12.6	13.0	-	12.1	12.0	14.6	12.7	-	-	14.9	14.1	15.2		12.5
11 /29	10.7	11.0	-	11.1	12.9	14.0	12.9	-	12.1	14.0	11.8	12.8	-	-	13.6	11.5	12.1	11.2	-	13.8	12.7	13.4	11.9	-	-	14.3	13.5	12.1	12.8	-	-	11.5	12.1	14.0	11.7	-	12.9	16.1	13.5	14.2		12.7
11 /30	10.7	-	10.8	10.8	12.2	13.6	13.0	12.1	11.8	13.0	11.2	-	-	12.9	13.4	12.1	12.5	-	-	12.9	11.3	11.2	12.1	-	12.6	14.4	13.4	11.8	-	-	13.5	11.4	11.7	13.9	-	12.0	13.1	16.1	13.8	-		12.5
12 /1	-	10.1	10.4	10.9	12.0	13.9	-	12.2	12.4	12.8	11.6	-	12.6	14.1	12.1	11.6	-	-	13.4	13.5	10.9	13.2	-	11.7	12.4	14.3	12.7	-	-	13.6	13.2	12.3	10.6	-	-	12.2	13.7	15.0	13.2	-		12.5
12 /2	11.3	10.0	9.6	11.1	12.1	-	13.0	12.2	12.4	13.1	-	11.8	12.7	11.4	12.8	-	-	10.3	12.8	13.0	11.3	-	-	12.3	12.6	14.1	12.2	-	12.2	13.4	12.9	11.8	-	-	13.0	12.4	12.2	14.0	-	13.8		12.4
12 /3	11.3	10.2	9.3	9.5	-	13.6	12.3	11.8	12.6	-	-	11.4	12.1	10.8	12.1	-	11.6	10.1	12.7	12.5	-	-	12.2	12.7	12.7	14.7	-	11.4	12.4	11.6	13.6	-	-	13.3	13.0	12.6	11.7	-	-	14.5		12.3
12 /4	11.4	10.6	9.6	-	12.2	13.4	11.8	11.4	-	-	10.6	11.4	12.0	11.2	-	11.9	11.6	10.6	12.2	-	-	11.5	11.8	12.7	12.5	-	-	12.0	11.8	11.3	12.8	-	10.9	13.1	12.8	12.4	-	-	13.5	14.9		11.8
12 /5	11.3	10.4	9.3	11.6	12.0	13.1	11.8	-	-	12.4	10.7	13.0	12.8	-	-	11.7	11.4	10.4	12.0	-	10.6	11.6	11.7	12.6	-	-	12.3	11.6	12.2	11.7	-	12.9	11.4	13.3	12.1	-	-	12.5	13.4	14.4		11.9
12 /6	11.4	10.1	-	10.0	11.7	13.8	12.6	-	11.4	11.0	10.3	12.4	-	-	11.6	11.5	11.5	10.3	-	12.9	10.1	11.1	11.2	-	-	13.3	12.2	11.7	12.2	-	-	12.7	10.6	12.3	11.2	-	12.0	11.7	13.3	14.2		11.6
12 /7	10.8	-	8.2	9.8	11.4	14.2	12.9	10.1	11.2	11.4	9.2	-	-	11.4	11.1	9.9	11.1	-	-	13.0	10.7	11.9	11.6	-	12.4	13.2	12.0	11.6	-	-	11.3	11.8	10.6	12.6	-	12.5	12.4	11.4	13.9	-		11.5
12 /8	-	9.8	8.4	10.3	11.3	-	-	11.9	11.4	11.8	9.8	-	13.6	11.5	10.3	9.8	-	-	11.1	13.2	10.4	11.8	-	12.3	12.4	12.1	12.2	-	-	11.3	10.3	11.6	10.7	-	-	12.6	12.4	11.8	12.4	-		11.5
12 /9	10.5	10.0	9.4	10.5	-	-	11.5	11.3	11.2	11.8	-	12.0	13.1	11.3	11.0	-	-	9.6	12.0	11.5	10.6	-	-	12.3	12.1	11.7	11.4	-	11.4	10.9	9.8	11.6	-	-	9.6	12.1	11.8	12.0	-	12.8		11.4
12 /10	9.3	10.0	9.6	10.0	-	15.0	11.1	11.6	11.2	-	-	11.2	13.1	11.1	11.9	-	10.6	8.8	11.4	12.2	-	-	11.1	12.1	11.9	11.6	-	10.2	11.6	10.4	9.7	-	-	11.2	10.2	11.7	11.8	-	-	12.5		11.2
12 /11	8.5	9.8	9.8	-	9.6	14.5	11.2	11.8	-	-	10.0	12.3	12.6	11.2	-	10.0	9.7	8.9	11.3	-	-	10.3	11.4	11.9	12.0	-	-	10.2	10.2	10.8	10.9	-	10.6	11.2	10.7	11.7	-	-	12.7	12.6		11.0
12 /12	9.2	10.0	9.7	10.2	9.3	12.5	11.2	-	-	11.5	10.3	13.0	12.1	-	-	8.4	8.7	9.7	11.0	-	10.4	9.2	11.5	11.9	-	-	11.2	9.4	10.0	10.8	-	9.8	10.2	11.0	11.2	-	-	11.9	13.1	12.1		10.6
12 /13	9.2	9.8	-	10.4	9.5	12.7	10.2	-	10.1	11.8	9.8	12.5	-	-	11.4	8.9	9.3	9.5	-	12.6	9.0	10.9	11.3	-	-	11.3	10.8	9.2	10.1	-	-	9.9	9.5	10.5	10.5	-	12.3	11.9	12.1	11.2		10.4
12 /14	9.4	-	8.6	10.5	9.5	13.4	-	10.8	10.4	11.4	9.6	-	-	11.7	11.1	8.4	9.2	-	-	12.2	8.6	11.3	11.4	-	11.3	11.3	10.7	9.2	-	-	11.0	9.7	9.0	10.4	-	10.4	12.0	11.9	11.9	-		10.4
12 /15	-	9.8	9.6	10.3	9.9	11.7	-	10.2	9.6	11.2	10.0	-	10.9	11.6	10.9	9.6	-		11.5	12.6	8.6	11.2	-	10.9	10.4	11.0	11.4	-	-	8.7	12.1	9.8	8.3	-	-	10.3	12.3	11.7	12.5	-		10.5
12 /16	8.6	9.0	9.9	9.5	9.4	-	10.8	9.9	9.6	9.6	-	12.5	11.4	10.7	10.8	-	-	9.6	11.6	12.4	9.1	-	-	10.8	10.0	11.2	10.6	-	8.2	7.5	12.7	9.7	-	-	10.4	10.0	12.2	11.2	-	11.1		10.4
12 /17	8.5	8.8	8.3	8.8	-	11.0	10.8	9.8	10.2	-	-	13.2	11.5	10.9	11.1	-	9.9	9.7	11.6	11.3	-	-	10.5	11.2	9.5	11.1	-	10.0	8.6	8.5	12.1	-	-	9.6	10.6	10.1	12.3	-	-	11.2		10.5
12 /18	7.7	8.9	8.4	-	10.1	11.7	10.6	9.0	-	-	9.0	12.9	11.6	10.0	-	9.2	9.7	8.7	11.6	-	-	9.8	10.7	11.5	10.4	-	-	10.2	8.8	6.2	11.9	-	8.2	10.3	10.9	9.9	-	-	11.6	11.5		10.1
12 /19	8.1	9.4	8.2	8.4	9.3	11.5	9.1		-	9.4	9.3	11.8	11.9	-	-	9.2	9.2	9.0	11.5	-	7.4	9.9	10.2	11.4	-	-	9.5	9.4	8.8	7.3	-	10.4	8.9	10.2	10.7	-	-	9.9	11.8	11.2		9.7
12 /20	7.8	8.9	-	8.2	9.8	11.3	9.3	-	8.6	8.8	9.1	11.5	-	-	9.6	10.0	9.2	8.6	-	10.4	8.6	10.0	10.1	-	-	10.7	9.3	9.3	8.6	-	-	10.7	8.4	9.4	11.2	-	9.7	9.7	11.7	10.9		9.6
12 /21	7.4	-	8.3	8.4	9.9	11.6	9.6	9.0	9.4	9.7	8.8	-	-	9.7	9.1	10.4	9.5	-	-	10.8	8.4	10.3	9.9	-	9.8	10.4	9.2	7.9	-	-	11.2	10.9	8.0	9.7	-	9.3	10.7	9.7	11.6	-		9.6
12 /22	-	9.6	8.0	7.2	10.1	-	-	9.2	8.8	9.8	8.7	-	10.7	10.0	8.9	9.1	-	-	9.6	10.4	8.9	10.2	-	11.1	9.6	10.8	9.0															

相馬		
月日＼年※)		
1月平均	1月	
2月平均	2月	
3月平均	3月	
4月平均	4月	
5月平均	5月	
6月平均	6月	
7月平均	7月	
8月平均	8月	
9月平均	9月	
10月平均	10月	
11月平均	11月	
12月平均	12月	
最高値	Max.	
最低値	Min.	
平均値	Ave.	
1 / 1	1/1	
1 / 2	1/2	
1 / 3	1/3	
1 / 4	1/4	
1 / 5	1/5	
1 / 6	1/6	
1 / 7	1/7	
1 / 8	1/8	
1 / 9	1/9	
1 / 10	1/10	
1 / 11	1/11	
1 / 12	1/12	
1 / 13	1/13	
1 / 14	1/14	
1 / 15	1/15	
1 / 16	1/16	
1 / 17	1/17	
1 / 18	1/18	
1 / 19	1/19	
1 / 20	1/20	
1 / 21	1/21	
1 / 22	1/22	
1 / 23	1/23	
1 / 24	1/24	
1 / 25	1/25	
1 / 26	1/26	
1 / 27	1/27	
1 / 28	1/28	
1 / 29	1/29	
1 / 30	1/30	

相馬		
月日＼年※)		
1	/31	1/31
2	/1	2/1
2	/2	2/2
2	/3	2/3
2	/4	2/4
2	/5	2/5
2	/6	2/6
2	/7	2/7
2	/8	2/8
2	/9	2/9
2	/10	2/10
2	/11	2/11
2	/12	2/12
2	/13	2/13
2	/14	2/14
2	/15	2/15
2	/16	2/16
2	/17	2/17
2	/18	2/18
2	/19	2/19
2	/20	2/20
2	/21	2/21
2	/22	2/22
2	/23	2/23
2	/24	2/24
2	/25	2/25
2	/26	2/26
2	/27	2/27
2	/28	2/28
2	/29	2/29
3	/1	3/1
3	/2	3/2
3	/3	3/3
3	/4	3/4
3	/5	3/5
3	/6	3/6
3	/7	3/7
3	/8	3/8
3	/9	3/9
3	/10	3/10
3	/11	3/11
3	/12	3/12
3	/13	3/13
3	/14	3/14
3	/15	3/15

相馬		
月日\年※)		
3	/16	3/16
3	/17	3/17
3	/18	3/18
3	/19	3/19
3	/20	3/20
3	/21	3/21
3	/22	3/22
3	/23	3/23
3	/24	3/24
3	/25	3/25
3	/26	3/26
3	/27	3/27
3	/28	3/28
3	/29	3/29
3	/30	3/30
3	/31	3/31
4	/1	4/1
4	/2	4/2
4	/3	4/3
4	/4	4/4
4	/5	4/5
4	/6	4/6
4	/7	4/7
4	/8	4/8
4	/9	4/9
4	/10	4/10
4	/11	4/11
4	/12	4/12
4	/13	4/13
4	/14	4/14
4	/15	4/15
4	/16	4/16
4	/17	4/17
4	/18	4/18
4	/19	4/19
4	/20	4/20
4	/21	4/21
4	/22	4/22
4	/23	4/23
4	/24	4/24
4	/25	4/25
4	/26	4/26
4	/27	4/27
4	/28	4/28
4	/29	4/29

相馬	
月日＼年※)	
4 /30	4/30
5 /1	5/1
5 /2	5/2
5 /3	5/3
5 /4	5/4
5 /5	5/5
5 /6	5/6
5 /7	5/7
5 /8	5/8
5 /9	5/9
5 /10	5/10
5 /11	5/11
5 /12	5/12
5 /13	5/13
5 /14	5/14
5 /15	5/15
5 /16	5/16
5 /17	5/17
5 /18	5/18
5 /19	5/19
5 /20	5/20
5 /21	5/21
5 /22	5/22
5 /23	5/23
5 /24	5/24
5 /25	5/25
5 /26	5/26
5 /27	5/27
5 /28	5/28
5 /29	5/29
5 /30	5/30
5 /31	5/31
6 /1	6/1
6 /2	6/2
6 /3	6/3
6 /4	6/4
6 /5	6/5
6 /6	6/6
6 /7	6/7
6 /8	6/8
6 /9	6/9
6 /10	6/10
6 /11	6/11
6 /12	6/12
6 /13	6/13

相馬		
月日＼年※)		
6	/14	6/14
6	/15	6/15
6	/16	6/16
6	/17	6/17
6	/18	6/18
6	/19	6/19
6	/20	6/20
6	/21	6/21
6	/22	6/22
6	/23	6/23
6	/24	6/24
6	/25	6/25
6	/26	6/26
6	/27	6/27
6	/28	6/28
6	/29	6/29
6	/30	6/30
7	/1	7/1
7	/2	7/2
7	/3	7/3
7	/4	7/4
7	/5	7/5
7	/6	7/6
7	/7	7/7
7	/8	7/8
7	/9	7/9
7	/10	7/10
7	/11	7/11
7	/12	7/12
7	/13	7/13
7	/14	7/14
7	/15	7/15
7	/16	7/16
7	/17	7/17
7	/18	7/18
7	/19	7/19
7	/20	7/20
7	/21	7/21
7	/22	7/22
7	/23	7/23
7	/24	7/24
7	/25	7/25
7	/26	7/26
7	/27	7/27
7	/28	7/28

相馬	
月日＼年※)	
7 /29	7/29
7 /30	7/30
7 /31	7/31
8 /1	8/1
8 /2	8/2
8 /3	8/3
8 /4	8/4
8 /5	8/5
8 /6	8/6
8 /7	8/7
8 /8	8/8
8 /9	8/9
8 /10	8/10
8 /11	8/11
8 /12	8/12
8 /13	8/13
8 /14	8/14
8 /15	8/15
8 /16	8/16
8 /17	8/17
8 /18	8/18
8 /19	8/19
8 /20	8/20
8 /21	8/21
8 /22	8/22
8 /23	8/23
8 /24	8/24
8 /25	8/25
8 /26	8/26
8 /27	8/27
8 /28	8/28
8 /29	8/29
8 /30	8/30
8 /31	8/31
9 /1	9/1
9 /2	9/2
9 /3	9/3
9 /4	9/4
9 /5	9/5
9 /6	9/6
9 /7	9/7
9 /8	9/8
9 /9	9/9
9 /10	9/10
9 /11	9/11

相馬		
月日\年※)		
9	/12	9/12
9	/13	9/13
9	/14	9/14
9	/15	9/15
9	/16	9/16
9	/17	9/17
9	/18	9/18
9	/19	9/19
9	/20	9/20
9	/21	9/21
9	/22	9/22
9	/23	9/23
9	/24	9/24
9	/25	9/25
9	/26	9/26
9	/27	9/27
9	/28	9/28
9	/29	9/29
9	/30	9/30
10	/1	10/1
10	/2	10/2
10	/3	10/3
10	/4	10/4
10	/5	10/5
10	/6	10/6
10	/7	10/7
10	/8	10/8
10	/9	10/9
10	/10	10/10
10	/11	10/11
10	/12	10/12
10	/13	10/13
10	/14	10/14
10	/15	10/15
10	/16	10/16
10	/17	10/17
10	/18	10/18
10	/19	10/19
10	/20	10/20
10	/21	10/21
10	/22	10/22
10	/23	10/23
10	/24	10/24
10	/25	10/25
10	/26	10/26

相 席		
月日\年 ㊦)		
10 /27	10/27	
10 /28	10/28	
10 /29	10/29	
10 /30	10/30	
10 /31	10/31	
11 /1	11/1	
11 /2	11/2	
11 /3	11/3	
11 /4	11/4	
11 /5	11/5	
11 /6	11/6	
11 /7	11/7	
11 /8	11/8	
11 /9	11/9	
11 /10	11/10	
11 /11	11/11	
11 /12	11/12	
11 /13	11/13	
11 /14	11/14	
11 /15	11/15	
11 /16	11/16	

相馬		
月日\年※)		
11	/17	11/17
11	/18	11/18
11	/19	11/19
11	/20	11/20
11	/21	11/21
11	/22	11/22
11	/23	11/23
11	/24	11/24
11	/25	11/25
11	/26	11/26
11	/27	11/27
11	/28	11/28
11	/29	11/29
11	/30	11/30
12	/1	12/1
12	/2	12/2
12	/3	12/3
12	/4	12/4
12	/5	12/5
12	/6	12/6
12	/7	12/7
12	/8	12/8
12	/9	12/9
12	/10	12/10
12	/11	12/11
12	/12	12/12
12	/13	12/13
12	/14	12/14
12	/15	12/15
12	/16	12/16
12	/17	12/17
12	/18	12/18
12	/19	12/19
12	/20	12/20
12	/21	12/21
12	/22	12/22
12	/23	12/23
12	/24	12/24
12	/25	12/25
12	/26	12/26
12	/27	12/27
12	/28	12/28
12	/29	12/29
12	/30	12/30
12	/31	12/31