

いわき市小名浜の定地水温(℃)																			※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																														
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)						
1月平均	9.8	8.6	10.4	12.9	12.4	9.5	13.0	10.2	9.6	11.7	12.6	9.3	12.2	9.5	12.1	12.7	9.5	12.9	9.5	8.9	10.3	9.2	10.4	11.3	10.2	9.1	9.3	8.4	10.8	9.7	10.5	10.8	12.9	10.2	11.8	12.4	10.1	11.0	13.0	13.9	13.6	11.4	10.7						
2月平均	9.3	6.9	9.7	10.3	11.6	8.6	10.6	10.2	8.3	9.0	10.4	7.4	11.0	7.4	11.6	8.5	8.5	10.2	7.9	8.0	8.1	9.1	9.6	11.4	8.8	7.8	8.1	8.8	10.4	7.3	7.6	8.5	11.5	7.9	11.3	12.0	11.4	8.7	12.0	13.6	11.5	11.8	9.3						
3月平均	6.6	6.7	10.0	9.0	10.5	10.5	9.7	9.9	8.0	8.4	10.0	7.5	11.2	7.6	10.6	8.2	7.6	9.1	7.7	8.3	7.5	8.5	10.7	11.3	8.3	7.7	8.2	7.2	11.4	8.4	8.2	8.9	9.7	10.2	12.5	9.9	11.4	8.5	13.2	13.5	11.5	-	9.1						
4月平均	8.1	8.3	11.1	12.3	12.1	11.6	11.4	11.8	9.1	10.9	12.1	9.7	13.6	9.1	13.6	11.0	11.1	11.7	9.9	9.6	9.3	9.7	12.3	10.2	12.0	8.7	11.4	8.9	12.6	11.5	9.6	10.9	10.3	13.1	11.2	10.4	14.5	11.9	14.9	15.3	11.8	-	10.9						
5月平均	9.8	11.0	11.8	14.6	12.8	13.5	15.1	11.6	11.9	14.0	15.3	12.5	14.2	11.2	15.3	13.2	16.4	14.1	12.5	11.8	11.7	14.2	14.0	11.1	13.2	11.3	14.4	14.2	12.4	14.3	13.2	14.3	13.8	16.5	12.6	14.9	16.3	16.2	16.7	17.2	14.3	-	13.5						
6月平均	14.3	13.5	13.8	15.8	13.6	15.0	17.1	14.9	15.2	16.0	16.5	14.2	14.8	15.1	17.3	14.6	19.6	15.8	14.5	13.5	15.4	17.8	16.5	14.6	16.3	15.3	17.3	16.0	16.0	16.5	16.6	17.0	16.5	18.0	17.3	18.6	17.3	17.4	20.3	19.7	17.3	-	16.2						
7月平均	18.0	17.5	17.2	18.4	17.8	19.2	20.5	18.0	17.9	18.7	18.5	17.6	17.7	17.9	19.9	18.4	20.4	18.5	17.9	18.3	19.0	19.7	20.7	18.6	17.9	18.8	19.8	19.0	17.9	18.7	19.4	20.9	18.0	19.5	20.3	19.1	21.5	20.7	23.4	22.1	20.4	-	18.9						
8月平均	19.9	19.8	20.7	21.6	20.5	22.2	21.8	20.3	20.7	21.8	22.2	20.7	20.4	21.1	22.0	22.0	22.2	21.1	18.9	20.0	21.9	21.4	22.8	22.0	21.9	21.4	21.7	20.5	21.5	21.0	22.9	23.2	23.9	23.0	22.5	22.9	23.6	22.2	24.0	25.2	24.4	-	21.7						
9月平均	21.5	21.1	21.0	22.5	21.3	22.5	22.2	20.8	20.8	23.1	21.6	22.1	21.4	21.4	23.4	22.9	21.6	21.3	20.6	20.6	22.2	22.4	22.8	23.1	21.5	23.0	21.9	22.9	23.0	21.7	21.8	22.9	21.8	22.0	23.1	23.1	21.7	22.9	25.2	24.4	24.9	-	22.1						
10月平均	18.4	18.7	18.8	19.7	19.3	20.3	18.5	18.0	18.1	20.9	20.0	20.1	19.2	19.6	20.0	20.2	18.9	18.9	17.8	18.4	20.0	20.3	20.1	19.9	19.1	20.9	19.2	20.9	20.1	19.1	19.2	20.2	18.4	20.1	19.9	19.2	19.7	20.4	21.5	22.2	20.7	-	19.5						
11月平均	14.9	15.3	15.2	15.4	17.0	17.3	15.8	15.3	16.5	17.5	17.3	18.4	15.6	15.9	18.0	16.0	18.4	14.3	15.6	16.5	15.9	17.0	16.8	17.4	15.6	17.0	16.2	16.7	16.6	18.0	16.9	16.2	15.4	16.4	16.2	15.8	16.7	19.2	18.4	20.3	16.4	-	16.5						
12月平均	11.3	12.6	13.4	12.5	13.3	14.2	13.2	13.5	14.6	14.5	13.0	16.2	13.0	12.7	15.5	12.4	15.6	11.1	12.5	13.7	11.3	13.3	12.9	14.1	12.8	14.8	11.9	13.1	12.6	14.5	13.3	15.1	14.2	14.6	13.2	11.5	13.0	16.2	15.8	16.2	14.2	-	13.5						
最高値	23.8	22.4	22.8	24.8	22.8	25.2	24.6	22.9	22.9	24.2	23.6	23.3	22.7	23.0	25.0	24.7	23.1	22.6	22.2	21.6	23.5	24.4	24.3	24.8	23.3	25.2	23.8	24.3	24.3	23.0	25.0	26.9	25.2	24.2	24.9	25.3	25.1	24.2	26.9	26.8	26.7	13.0	24.0						
最低値	5.8	5.5	8.4	7.7	9.0	7.2	8.5	8.0	7.3	7.8	9.0	6.4	9.8	6.8	8.8	7.4	7.1	8.8	6.8	7.4	6.7	7.9	9.2	9.0	7.8	6.6	7.4	6.3	8.8	6.3	6.9	7.6	8.4	7.0	9.7	8.9	8.4	6.9	11.1	12.4	9.7	9.7	7.8						
平均値	13.6	13.4	14.5	15.5	15.2	15.5	15.8	14.5	14.4	15.6	15.9	14.6	15.5	14.2	16.7	15.1	16.0	15.1	13.8	14.0	14.5	15.3	15.9	15.5	14.9	14.8	15.5	14.8	15.5	15.2	15.0	15.8	15.6	16.1	16.1	15.9	16.5	16.4	18.3	18.7	16.8	11.6	15.3						
1 / 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
1 / 2	11.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
1 / 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
1 / 4	10.8	11.5	-	14.5	12.2	10.0	12.1	11.2	11.6	13.3	13.8	10.6	-	-	12.0	15.3	11.0	13.1	-	-	11.7	9.7	11.8	11.2	-	-	12.3	9.8	11.2	-	-	11.7	13.3	11.4	12.6	-	9.7	9.2	13.7	15.4	-	-	11.9						
1 / 5	10.0	-	10.3	14.3	12.0	10.3	12.2	-	11.2	12.7	14.2	10.3	-	10.0	11.1	14.8	10.2	-	-	10.2	11.4	9.3	11.1	-	10.																								

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																																
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)				
2 /2	9.5	-	9.2	11.6	11.9	7.2	11.0	-	8.5	9.7	11.0	7.9	-	7.5	12.1	9.2	9.1	-	-	8.0	9.0	9.8	9.8	-	8.6	8.5	7.9	6.6	-	-	7.9	8.7	11.8	8.7	-	-	12.1	9.6	11.8	12.9	-	12.0	9.1				
2 /3	-	7.0	9.8	11.4	11.7	7.8	-	8.4	7.7	9.2	11.2	-	11.0	7.9	12.1	9.4	-	-	8.0	8.1	9.1	9.9	-	-	8.5	8.8	8.0	6.5	-	9.9	7.7	8.4	11.4	-	-	12.8	11.7	9.2	11.4	-	12.0	12.5	9.2				
2 /4	9.0	6.9	9.7	10.6	10.9	-	11.1	9.8	8.4	8.3	-	-	10.7	8.5	10.8	9.6	-	11.1	8.2	8.2	9.0	-	-	11.8	8.7	8.1	8.0	-	11.1	9.9	7.7	8.3	-	-	12.4	12.8	11.3	9.6	-	-	12.4	12.2	9.7				
2 /5	10.3	7.0	8.4	10.8	-	8.0	10.9	9.7	8.4	-	-	7.7	10.7	7.6	11.1	-	8.4	11.0	8.1	8.0	-	-	9.3	12.0	8.6	8.0	-	-	11.1	8.2	7.8	9.0	-	8.3	11.2	12.3	10.9	-	-	13.5	12.2	12.4	9.4				
2 /6	10.7	6.8	8.6	11.7	11.4	7.9	10.6	9.2	-	-	11.0	7.9	10.7	7.6	-	-	9.0	11.0	8.2	7.7	-	8.6	9.8	12.6	8.6	-	-	7.6	10.4	7.5	7.7	-	13.4	8.2	11.7	12.1	-	-	11.8	12.7	11.6	12.3	9.6				
2 /7	10.8	7.1	9.2	-	11.5	8.3	10.8	9.2	-	9.6	11.2	7.4	11.5	-	-	9.4	8.6	11.5	7.8	-	8.6	8.7	10.1	12.9	-	-	8.4	8.3	10.3	7.4	-	-	12.6	7.5	12.3	10.8	-	9.7	12.5	13.1	11.5	-	9.8				
2 /8	10.5	7.4	-	11.0	11.5	8.3	10.6	-	8.8	9.7	11.5	7.9	-	-	11.9	9.4	8.1	11.5	-	-	8.8	8.9	9.8	12.4	-	7.8	8.3	8.9	10.9	-	-	7.9	12.3	7.4	11.7	-	11.5	9.4	12.2	13.3	-	-	9.7				
2 /9	10.0	-	9.4	10.5	12.8	8.2	-	-	8.4	9.8	11.5	7.8	-	7.3	11.6	9.1	8.1	-	-	7.9	7.8	9.2	9.6	-	8.9	8.4	8.6	8.9	-	-	7.9	7.8	12.4	7.0	-	-	9.9	10.0	12.2	13.3	-	9.7	8.9				
2 /10	-	7.2	9.8	10.6	12.4	-	-	8.9	8.7	10.6	10.9	-	11.3	7.5	12.6	9.2	-	-	7.8	7.5	8.6	8.7	-	-	9.2	9.8	8.0	8.6	-	6.5	7.6	8.1	11.8	-	-	11.0	10.7	10.2	11.7	-	11.3	10.4	9.2				
2 /11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2 /12	10.8	6.6	11.0	10.6	-	-	11.9	9.8	8.6	-	-	-	10.6	7.5	12.1	-	-	10.7	9.1	7.4	-	-	-	12.3	8.9	7.7	-	-	10.7	6.4	8.0	7.6	-	-	10.4	11.4	11.2	-	-	-	11.8	11.3	9.5				
2 /13	10.7	7.0	10.2	10.4	12.0	8.9	11.1	9.5	-	-	11.1	7.9	10.8	7.9	-	-	8.3	10.5	8.4	7.6	-	8.3	9.8	12.1	9.2	-	-	7.9	10.7	6.7	8.1	-	11.1	8.3	10.0	12.2	-	-	13.5	13.6	12.3	11.4	9.4				
2 /14	10.2	7.4	10.2	-	11.9	8.5	10.6	10.5	-	8.5	11.0	8.0	10.8	-	-	8.7	8.3	10.3	8.5	-	8.0	9.2	9.5	11.3	-	-	7.9	8.7	10.9	7.1	-	-	11.1	7.9	10.1	13.0	-	8.3	12.9	14.3	11.4	-	9.5				
2 /15	9.5	7.7	-	10.3	11.7	8.5	11.1	10.0	8.0	8.1	10.3	8.2	-	-	10.8	8.8	8.0	10.0	-	-	7.9	9.4	10.0	11.0	-	7.5	7.8	9.0	11.2	-	-	9.1	11.5	8.6	9.7	-	12.7	8.0	11.8	14.4	-	-	9.4				
2 /16	8.7	-	9.4	9.3	12.4	8.6	12.9	-	8.5	8.9	10.5	7.9	-	7.0	11.2	7.9	8.2	-	-	7.6	8.3	9.6	9.4	-	9.8	7.1	7.9	8.9	-	-	7.1	8.2	11.4	8.3	-	-	12.8	8.4	11.4	14.5	-	12.8	8.9				
2 /17	-	6.9	9.2	9.2	12.6	8.0	-	10.5	9.0	8.7	9.5	-	11.4	7.8	11.0	7.9	-	-	8.2	7.5	7.4	9.0	-	-	8.8	6.9	8.1	8.6	-	6.9	7.2	8.4	11.7	-	-	12.2	12.1	8.9	12.0	-	12.6	11.8	8.9				
2 /18	9.0	6.9	9.2	9.3	12.3	-	10.8	11.4	8.8	8.2	-	-	11.1	6.8	11.6	7.7	-	9.9	8.4	7.7	7.4	-	-	10.5	8.6	6.8	8.4	-	10.1	6.6	7.2	8.4	-	-	10.4	11.8	11.5	8.3	-	-	11.7	11.6	9.0				
2 /19	9.0	6.3	9.4	9.2	-	8.1	10.2	11.5	8.4	-	-	6.7	11.0	7.1	11.6	-	9.0	9.4	8.2	7.6	-	-	9.4	10.8	8.6	6.7	-	-	10.8	6.4	6.9	8.5	-	7.4	11.1	12.1	11.1	-	-	15.2	10.9	11.7	9.1				
2 /20	9.0	6.6	9.1	9.2	11.2	9.3	9.9	10.6	-	-	9.6	6.4	10.5	7.3	-	-	9.0	9.2	8.0	8.0	-	9.1	9.5	11.3	8.6	-	-	9.5	9.9	6.3	7.1	-	10.7	7.8	11.8	12.5	-	-	12.7	15.0	10.4	11.0	9.2				
2 /21	9.0	6.6	10.0	-	11.9	9.3	9.7	10.8	-	9.7	9.2	6.5	11.1	-	-	8.0	8.7	9.5	7.5	-	7.5	9.2	9.3	11.6	-	-	8.0	10.2	9.6	6.6	-	-	11.4	8.0	12.0	12.2	-	7.8	11.7	14.7	11.3	-	9.4				
2 /22	-	6.4	-	9.7	11.7	9.5	10.2	-	8.4	8.8	9.0	6.5	-	-	11.3	7.5	9.2	9.9	-	-	7.6	9.2	9.5	11.1	-	6.6	7.9	10.1	9.7	-	-	8.8	10.4	7.6	11.2	-	12.2	7.5	11.1	13.3	-	-	9.1				
2 /23	8.0	-	10.6	10.4	10.6	9.4	-	-	8.3	8.9																																					

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値※	
3 /20	7.0	7.0	10.2	-	10.1	11.2	9.3	-	-	-	10.7	-	-	7.8	-	-	-	9.3	7.8	-	-	8.4	10.3	-	-	-	-	-	-	9.7	9.0	-	-	11.4	13.0	-	-	-	12.7	-	-		9.7	
3 /21	-	7.0	-	-	-	-	-	9.4	-	-	-	7.7	11.3	-	-	7.8	8.0	-	-	-	-	8.4	-	11.5	-	-	-	6.9	12.3	-	-	-	9.4	-	-	-	-	-	13.0	9.7		9.3		
3 /22	6.0	6.8	-	8.2	9.2	11.3	8.9	-	7.9	7.9	11.0	8.1	-	-	-	8.1	8.1	9.4	-	8.3	8.0	8.7	10.2	-	-	-	-	6.8	11.4	-	-	8.9	9.0	10.7	13.1	-	10.7	8.6	14.0	12.4	-		9.1	
3 /23	6.0	-	9.5	8.2	9.2	12.0	-	9.5	8.0	8.6	11.2	-	-	7.1	8.8	7.8	8.7	-	-	8.4	7.9	8.7	10.3	-	9.0	8.3	-	7.2	-	-	9.2	9.2	9.3	9.9	-	10.4	11.0	7.5	14.3	-	-		8.9	
3 /24	-	5.5	9.6	8.1	9.0	-	-	9.5	8.4	9.0	11.0	-	10.8	7.7	9.0	8.4	-	-	8.0	8.7	7.7	8.6	-	9.9	8.8	8.4	-	-	-	8.8	8.3	9.2	8.9	-	-	10.5	11.4	7.9	14.7	-	11.1		9.0	
3 /25	6.3	6.1	9.8	7.8	9.5	-	9.3	8.6	8.4	8.5	-	8.0	10.8	7.8	9.5	-	-	9.4	8.4	8.5	7.9	-	-	9.5	8.8	8.0	-	-	12.0	9.0	8.0	8.9	-	-	12.3	10.4	12.2	8.3	-	13.6	11.8		9.1	
3 /26	7.0	6.1	10.0	7.8	-	11.6	9.3	8.5	-	-	-	7.8	11.2	7.9	9.8	-	8.2	9.5	8.5	8.0	-	-	11.3	10.6	8.3	7.9	-	6.6	11.9	10.0	8.2	-	-	10.4	12.1	10.2	12.2	-	-	13.7	13.2		9.3	
3 /27	6.1	6.6	10.2	-	10.1	10.8	9.4	8.7	-	-	9.6	8.2	11.8	8.4	-	8.0	7.5	9.6	8.9	-	-	8.6	11.5	11.0	8.2	-	-	6.5	12.2	10.2	8.6	-	8.9	11.8	12.0	10.7	-	-	13.5	13.1	11.3		9.6	
3 /28	6.0	7.1	10.6	7.7	9.9	11.5	8.9	-	-	8.3	10.5	7.9	11.4	-	-	8.6	7.8	9.4	9.1	-	8.3	8.7	11.8	10.8	-	-	-	7.3	12.2	10.3	-	9.6	8.4	12.7	12.1	-	-	8.6	13.5	13.4	12.1		9.7	
3 /29	6.5	6.7	-	8.1	9.6	12.0	9.0	-	8.9	8.5	10.0	8.1	-	-	12.8	8.9	7.8	9.8	-	9.0	8.1	8.8	12.0	-	-	7.9	-	7.2	12.8	-	-	9.9	8.6	12.8	11.3	-	12.3	8.7	13.4	13.6	-		9.6	
3 /30	6.5	-	10.6	7.8	9.8	11.5	9.4	10.2	8.3	8.6	10.6	-	-	8.2	11.0	9.6	7.2	-	-	9.3	8.0	8.7	12.0	-	8.4	7.4	-	7.4	-	-	9.4	10.1	9.0	12.7	-	9.2	12.6	8.6	13.7	-	-		9.3	
3 /31	-	7.2	11.1	7.8	10.1	11.8	-	10.0	8.5	8.5	11.0	-	11.7	8.3	10.5	9.3	-	-	8.0	8.9	7.9	8.6	-	10.6	8.6	7.9	-	-	-	9.5	9.9	10.3	9.3	-	-	9.4	12.9	9.3	14.3	-	10.8		9.3	
4 /1	8.1	6.8	10.4	7.8	10.3	-	8.8	10.7	8.7	9.2	-	8.4	11.5	8.0	10.5	-	-	10.2	9.0	8.0	8.2	-	-	9.9	9.3	8.3	-	-	11.8	10.2	10.0	10.2	-	-	11.3	9.9	13.3	8.8	-	14.4	10.4		9.6	
4 /2	6.8	7.2	10.6	8.6	-	13.1	8.6	12.8	8.5	-	-	8.4	12.1	7.8	11.2	-	7.6	11.0	9.1	9.0	-	-	12.2	10.1	9.2	8.7	-	7.5	12.7	10.0	9.2	-	-	13.2	11.2	10.0	16.2	-	-	13.8	10.2		10.0	
4 /3	7.3	7.5	10.4	-	10.8	13.2	8.6	12.7	-	-	10.7	8.4	11.9	7.1	-	9.8	8.2	11.1	8.7	-	-	9.0	12.2	10.5	8.7	-	-	7.8	12.9	10.3	9.6	-	9.1	13.0	10.8	10.3	-	-	14.6	14.1	9.8		10.1	
4 /4	7.2	7.8	10.7	11.8	10.7	13.9	8.8	12.9	-	9.2	10.5	8.0	11.8	-	-	9.5	7.8	11.6	9.1	-	9.0	8.8	11.8	10.6	-	-	-	8.1	12.9	10.4	-	10.4	9.4	13.0	10.8	-	-	9.4	14.4	14.2	9.7		10.2	
4 /5	6.8	7.6	-	11.6	10.7	12.6	9.3	-	8.6	9.5	11.0	8.3	-	-	12.4	10.2	8.0	10.8	-	8.6	8.4	9.1	11.9	-	-	8.4	8.6	7.4	13.0	-	-	9.9	10.0	13.2	11.9	-	14.6	8.9	15.6	14.1	-		9.9	
4 /6	6.8	-	11.4	13.2	10.6	11.8	9.3	13.2	8.6	9.6	11.8	-	-	8.9	12.4	10.3	8.6	-	-	9.1	8.4	8.6	11.9	-	10.0	8.5	8.5	7.2	-	-	9.3	10.1	10.2	13.6	-	9.9	13.1	8.9	15.7	-	-		9.9	
4 /7	-	7.3	11.2	12.0	11.0	11.9	-	12.0	8.9	10.2	12.1	-	14.5	8.8	11.9	10.0	-	-	8.2	9.4	8.3	8.8	-	11.3	10.8	9.1	10.6	-	-	10.9	9.8	10.3	10.2	-	-	10.1	13.5	9.6	15.8	-	10.6		10.3	
4 /8	7.2	7.3	11.2	11.3	11.6	-	8.8	10.7	9.0	10.2	-	8.9	14.3	9.3	11.6	-	-	10.3	9.0	9.0	9.8	-	-	11.3	11.3	8.1	11.3	-	13.7	11.1	9.1	10.2		-	11.6	10.2	14.8	9.4	-	14.9	12.0		10.4	
4 /9	7.7	8.0	11.0	10.1	-	10.9	9.1	11.5	8.9	-	-	9.0	14.7	9.1	11.1	-	9.9	10.6	9.1	9.0	-	-	13.2	10.7	11.2	8.3	-	7.8	13.4	11.0	8.5	-	-	12.3	11.6	10.8	14.4	-	-	15.1	11.2		10.5	
4 /10	7.8	8.2	11.5	-	11.9	11.3	9.7	13.0	-	-	12.2	9.6	14.5	8.9	-	11.3	9.6	10.5	8.7	-	-	8.9	12.8	10.6	11																			

いわき市小名浜の定地水温(℃)																				※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)						
5/6	-	9.4	10.8	14.3	13.6	-	-	11.2	10.8	13.8	-	-	14.8	9.8	14.2	-	-	-	13.6	10.4	10.3	-	-	-	-	10.8	12.6	-	-	-	-	12.2	-	-	-	-	15.8	15.9	-	-	-		12.0						
5/7	9.1	10.9	11.2	14.0	-	12.5	15.8	11.7	10.5	-	-	11.1	14.6	10.4	14.3	-	16.6	13.6	14.5	10.3	-	-	13.5	10.9	12.6	11.2	-	13.4	11.9	14.0	12.7	-	-	15.3	12.0	13.4	16.2	-	-	18.0	13.6		12.9						
5/8	8.9	10.5	11.6	-	12.2	13.0	15.8	11.4	-	-	15.2	11.3	15.4	11.2	-	13.2	16.3	14.4	14.7	-	-	13.0	14.0	9.8	13.0	-	-	13.7	10.3	14.3	12.3	-	11.9	14.7	10.5	14.5	-	-	14.2	17.0	13.5		13.2						
5/9	9.7	10.4	12.0	13.7	-	12.5	15.8	-	-	13.7	14.9	11.5	13.8	-	-	12.4	15.6	13.2	11.2	-	10.4	12.7	14.8	10.5		-	14.4	14.4	11.2	14.7	-	12.7	11.9	14.4	11.6	-	-	15.8	14.1	15.6	14.1		13.1						
5/10	9.8	10.1	-	14.3	-	13.2	14.9	-	10.6	14.1	15.2	11.4	-	-	15.9	12.5	14.4	13.7	-	11.0	11.4	12.9	14.8	-		9.5	14.9	15.5	11.8	-	-	13.3	13.2	13.9	12.1	-	16.0	14.9	16.4	15.8	-		13.2						
5/11	10.4	-	11.6	15.1	12.6	13.4	-	10.2	11.1	14.5	16.2	-	-	11.4	15.3	12.6	14.7	-	-	10.4	10.9	13.5	14.2	-	13.0	11.4	13.9	13.6	-	-	12.0	12.8	12.4	13.6	-	13.9	15.9	15.8	16.9	-	-		12.9						
5/12	-	11.4	11.8	15.4	12.1	-	-	10.0	11.6	13.9	16.0	-	13.6	11.6	14.5	-	-	-	13.2	10.3	11.2	12.9	-	10.4	13.3	11.3	13.8	-	-	15.3	12.6	13.3	11.9	-	-	13.8	16.8	16.2	16.8	-	13.4		12.7						
5/13	9.2	10.1	12.2	13.6	-	-	15.3	10.7	12.0	13.6	-	11.8	13.5	11.5	14.6	-	-	13.3	12.9	10.9	11.4	-	-	10.6	14.2	9.4	15.5	-	12.2	15.2	12.3	14.0	-	-	12.2	14.7	16.9	16.8	-	16.9	14.3		12.8						
5/14	9.4	10.2	11.5	12.4	-	13.9	14.9	11.2	11.5	-	-	11.9	14.2	11.2	15.2	12.8	16.3	13.4	13.8	11.4	-	-	13.9	10.4	13.0	9.7	-	14.6	12.5	14.0	11.7	-	-	16.0	12.6	14.6	16.4	-	-	15.2	15.4		13.1						
5/15	10.0	11.1	11.6	-	12.1	13.0	15.3	10.1	-	-	15.6	12.1	13.8	11.5	-	13.7	16.6	13.8	13.8	-	-	14.4	14.0	10.8	12.8	-	-	15.7	13.0	14.4	11.2	-	14.1	15.5	12.4	14.9	-	-	17.0	15.3	15.8		13.6						
5/16	10.2	11.3	12.0	14.6	12.2	14.2	15.3	10.9	-	14.7	15.4	12.3	13.6	-	-	14.8	16.2	14.0	12.1	-	11.6	14.7	13.5	11.1	-	-	15.6	15.1	13.0	14.3	-	14.3	15.4	16.2	13.3	-	-	16.1	16.5	16.4	15.2		14.0						
5/17	10.9	11.6	-	15.2	13.1	14.2	14.1	-	12.2	14.6	15.2	12.6	-	-	14.7	14.2	14.6	13.5	11.7	11.5	10.9	14.3	14.0	-	-	11.9	15.5	14.5	13.3	-	-	14.6	15.3	17.5	12.9	-	16.5	15.4	17.2	16.6	-		13.8						
5/18	11.2	-	12.2	15.6	12.6	13.9	14.2	10.9	12.0	14.8	15.0	-	-	11.0	14.7	14.0	14.6	-	-	11.4	11.4	14.9	12.5	-	12.3	11.9	15.3	13.2	-	-	13.7	13.5	13.8	16.7	-	15.2	15.3	15.5	17.5	-	-		13.5						
5/19	-	11.6	12.4	15.7	12.6	14.4	-	11.0	11.3	14.8	15.7	-	14.4	10.5	15.5	-	-	-	12.0	12.0	11.8	15.1	-	12.6	12.4	11.6	16.4	-	-	14.2	13.6	14.1	14.6	-	-	15.3	15.2	16.6	18.4	-	12.9		13.4						
5/20	11.0	11.5	11.5	15.4	13.4	-	13.7	11.3	12.0	13.8	-	12.3	14.3	11.6	15.8	-	-	14.1	11.8	11.9	11.5	-	-	13.1	12.5	12.2	15.9	-	13.8	14.3	13.2	15.6	-	-	13.5	15.1	15.7	17.3	-	17.2	13.0		13.3						
5/21	9.0	10.8	11.8	15.6	-	13.2	15.7	11.3	12.1	-	-	12.4	14.1	12.2	15.3	14.9	16.5	13.8	11.8	11.9	-	-	12.8	10.2	13.0	9.5	-	16.5	12.0	14.9	13.2	-	-	16.9	12.9	14.2	15.9	-	-	16.8	13.4		13.4						
5/22	7.8	11.6	13.3	-	12.2	12.9	15.4	11.4	-	-	15.5	12.8	14.0	11.5	-	14.9	17.4	13.6	12.2	-	-	15.4	13.8	10.4	13.5	-	-	14.6	12.3	14.0	12.8	-	15.0	17.0	11.4	14.3	-	-	18.4	17.4	14.2		13.8						
5/23	9.4	11.8	13.6	14.6	12.2	12.9	15.3	-	-	14.0	14.7	12.3	14.1	-	-	14.2	18.1	14.0	12.2	-	11.8	16.1	14.5	10.8	-	-	14.0	13.7	12.8	13.9	-	14.9	14.3	17.9	11.9	-	-	16.1	17.6	18.6	13.5		14.1						
5/24	9.8	12.0	-	13.3	12.2	13.6	15.0	-	12.2	13.6	15.6	12.7	-	-	16.8	14.5	17.6	14.3	-	12.1	11.3	14.3	14.9	-	-	11.9	13.4	14.1	12.8	-	-	15.2	15.2	17.3	14.9	-	16.1	15.9	17.2	18.7	-		14.3						
5/25	9.7	-	10.2	13.6	12.5	14.4	-	12.3	12.0	14.1	15.7	-	-	11.6	16.2	14.7	18.0	-	-	12.9	13.0	14.9	14.1	-	12.9	11.6	14.0	14.6	-	-	14.0	15.4	13.9	17.6	-	15.7	16.9	17.2	17.2	-	-		14.2						
5/26	-	9.7	11.2	14.0	13.2																																												

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(℃)	
6 /22	15.0	-	15.0	17.8	14.7	14.5	-	14.6	15.2	17.4	17.3	-	-	15.9	18.0	14.6	18.8	-	-	12.8	16.8	19.0	16.4	-	16.1	16.4	20.4	16.7	-	-	16.8	18.4	17.9	17.4	-	19.7	18.2	18.1	21.7	-	-		17.0	
6 /23	-	13.5	16.6	17.9	15.0	-	-	15.7	16.1	17.6	16.6	-	14.8	15.4	18.3	15.8	-	-	14.5	12.7	15.8	18.9	-	14.8	17.0	16.8	20.0	-	-	16.4	16.6	19.4	17.7	-	-	18.1	18.2	17.3	20.4	-	19.2		16.6	
6 /24	15.2	13.8	15.6	18.5	-	-	17.9	15.5	15.7	17.7	-	17.0	14.8	15.9	18.9	-	-	16.3	15.4	13.5	14.5	-	-	15.8	16.5	15.9	17.2	-	16.2	17.7	16.4	19.3	-	-	18.8	19.3	17.6	17.3	-	18.3	18.2		16.6	
6 /25	15.7	14.9	15.0	17.5	-	16.3	18.8	15.3	15.7	-	-	17.1	15.0	16.6	16.8	-	19.4	17.0	16.0	13.7	-	-	17.9	15.9	16.5	15.8	-	16.5	16.6	17.9	16.9	-	-	17.7	19.2	17.5	18.2	-	-	18.8	18.1		16.8	
6 /26	16.5	15.3	14.8	-	15.3	16.1	19.0	16.1	-	-	16.9	15.5	15.0	16.4	-	15.7	19.6	16.6	16.2	-	-	19.3	17.4	16.2	18.0	-	-	17.6	17.8	18.0	17.9	-	17.1	18.2	20.4	18.0	-	-	21.8	19.3	17.8		17.4	
6 /27	16.1	15.9	15.1	16.5	16.0	17.0	18.7	-	-	17.6	17.2	15.2	15.5	-	-	16.0	20.0	16.8	16.8	-	14.7	20.2	17.6	16.4	-	-	16.6	18.1	17.4	17.8	-	19.2	18.0	18.7	20.9	-	-	18.4	22.1	19.1	18.3		17.6	
6 /28	16.7	16.1	-	17.1	16.5	16.6	18.5	-	16.9	16.3	17.3	15.1	-	-	16.9	16.9	19.9	17.1	-	15.4	15.4	20.3	18.8	-	-	16.0	16.8	17.7	17.4	-	-	20.2	17.4	17.9	21.1	-	18.7	18.4	22.2	19.7	-		17.6	
6 /29	17.2	-	17.2	17.0	16.5	17.5	-	17.5	16.9	16.8	17.8	-	-	15.8	16.5	15.8	19.8	-	-	15.8	16.3	20.7	19.0	-	16.0	16.3	17.6	16.6	-	-	18.0	19.7	17.5	16.8	-	19.6	19.5	19.2	21.7	-	-		17.5	
6 /30	-	16.5	15.9	17.2	15.5	18.0	-	17.9	16.8	17.0	18.2	-	14.9	16.0	16.6	16.0	-	-	17.8	16.4	16.7	20.5	-	15.9	16.6	16.9	18.8	-	-	18.8	18.6	20.0	18.1	-	-	19.4	19.7	19.5	21.6	-	20.1		17.5	
7 /1	17.5	16.7	16.9	17.7	15.8	-	19.5	15.3	16.5	17.3	-	15.7	15.7	17.8	16.8	-	-	17.9	18.2	15.4	17.4	-	-	16.9	16.7	17.5	19.1	-	18.1	19.2	18.3	20.3	-	-	19.3	18.8	20.1	19.8	-	21.0	20.4		17.6	
7 /2	17.5	17.3	15.5	17.8	-	18.7	21.1	15.6	17.1	-	-	15.2	16.2	17.7	17.4	14.1	17.8	17.5	18.0	15.5	-	-	18.9	17.2	16.8	18.0	-	18.3	18.0	19.5	18.3	-	-	17.1	19.3	18.4	20.3	-	-	19.0	19.9		17.5	
7 /3	17.3	17.2	14.9	-	15.8	18.8	21.3	15.3	-	-	17.4	15.1	15.8	16.3	-	16.1	19.2	17.6	18.8	-	-	19.6	18.3	17.1	17.2	-	-	18.6	16.6	19.8	18.7	-	17.1	16.6	20.2	20.8	-	-	22.4	19.5	20.6		17.9	
7 /4	17.3	17.4	14.6	17.5	16.5	18.5	21.7	15.4	-	16.4	15.7	14.9	15.9	-	-	17.0	19.3	17.5	18.8	-	16.9	19.9	20.4	16.0	-	-	20.5	18.0	16.0	20.2	-	20.8	16.5	16.9	19.3	-	-	19.3	22.7	20.3	20.9		17.9	
7 /5	17.5	16.8	-	17.6	17.0	18.2	22.1	-	17.9	16.6	15.5	16.3	-	-	19.3	18.2	19.3	17.7	-	18.1	17.2	19.6	19.2	-	-	20.4	19.4	18.9	14.4	-	-	18.5	16.3	17.0	19.5	-	19.6	19.4	22.9	20.5	-		18.2	
7 /6	17.5	-	16.1	17.7	17.6	16.8	21.8	16.5	17.0	16.4	16.7	-	-	17.8	19.5	18.4	18.6	-	18.0	17.9	17.6	19.2	19.6	-	17.6	20.6	19.3	19.0	-	-	18.4	19.0	17.1	14.9	-	19.1	19.7	19.0	23.5	-	-		18.3	
7 /7	-	16.6	17.0	17.6	18.0	16.7	-	17.4	17.5	17.4	-	-	18.6	17.1	19.6	-	-	-	17.9	16.9	17.7	19.0	-	16.6	18.1	21.4	20.1	-	-	19.6	18.6	19.7	18.0	-	-	18.3	20.1	17.6	22.8	-	19.9		18.4	
7 /8	16.2	16.9	17.4	17.0	-	-	23.3	17.6	17.6	18.1	-	16.1	17.2	16.2	19.7	-	-	16.6	-	17.8	18.0	-	-	17.1	18.8	19.9	19.6	-	13.7	17.4	18.4	19.6	-	-	19.3	17.9	19.5	19.0	-	20.7	21.0		18.1	
7 /9	15.5	17.4	17.9	17.0	-	18.6	19.9	18.5	-	-	-	16.2	17.0	16.7	19.6	18.2	19.3	17.2	17.3	18.7	-	-	21.5	16.8	16.5	19.0	-	19.0	14.9	18.2	18.2	-	-	18.6	19.5	17.8	20.6	-	-	20.3	21.0		18.1	
7 /10	17.0	18.0	18.0	-	18.5	18.3	20.8	18.2	-	-	18.2	16.8	16.8	16.4	-	19.5	21.4	17.9	18.0	-	-	20.2	21.8	17.1	16.2	-	-	19.4	15.5	16.0	18.2	-	18.4	18.2	19.8	18.1	-	-	22.3	20.7	21.2		18.3	
7 /11	18.0	17.6	17.8	17.0	17.4	18.7	21.4	-	-	18.3	18.2	17.2	17.4	-	-	20.2	21.0	18.9	17.7	-	19.1	20.1	21.2	17.4	-	-	20.1	20.4	15.8	16.8	-	18.3	19.5	18.4	20.1	-	-	21.3	22.9	20.8	18.			

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(℃)	
8 /8	17.2	21.4	19.2	20.8	19.8	24.1	21.3	-	-	21.6	22.8	20.5	18.5	-	-	21.5	22.3	22.5	-	-	21.2	20.4	21.5	21.9	-	-	21.0	18.3	21.2	19.6	-	23.2	23.6	22.2	21.2	-	-	23.6	22.9	24.0	23.4		21.3	
8 /9	16.3	21.8	-	20.0	18.6	25.2	22.3	-	20.4	21.1	22.1	20.0	-	-	21.6	21.2	22.5	21.1	-	18.8	21.0	19.7	22.3	-	-	21.5	21.2	21.1	21.3	-	-	22.1	23.1	23.2	21.8	-	-	23.3	22.4	24.5	-		21.4	
8 /10	16.4	-	17.8	20.2	21.1	24.7	-	16.9	20.6	21.4	21.8	-	-	21.2	21.7	21.7	22.3	-	-	18.8	22.1	19.4	22.7	-	21.0	21.5	21.4	21.5	-	-	23.2	23.1	23.7	22.9	-	-	25.1	21.7	22.4	-	-		21.4	
8 /11	17.2	20.7	16.8	20.6	21.0	-	-	16.9	20.7	21.0	21.8	-	17.4	21.3	23.0	21.9	-	-	-	19.1	21.8	21.2	-	22.2	21.5	21.4	21.4	-	-	21.0	23.7	-	-	-	-	22.4	21.7	-	-	-	-		21.1	
8 /12	17.5	19.4	18.8	20.8	-	-	21.5	19.7	19.7	20.7	-	22.0	19.9	21.2	22.3	-	-	19.7	-	19.6	21.7	-	-	22.3	21.7	21.1	22.1	-	21.4	19.8	24.2	23.7	-	-	-	22.4	22.2	21.7	-	-	22.9		21.3	
8 /13	17.0	18.6	20.2	20.9	-	21.2	21.2	19.3	20.2	-	-	22.5	21.7	21.2	23.3	-	21.3	20.0	-	20.3	-	-	23.1	21.5	22.1	18.8	-	21.4	22.3	18.5	24.3	-	-	24.0	22.8	22.0	23.2	-	-	26.2	21.8		21.5	
8 /14	19.0	18.7	20.6	-	22.4	21.0	21.3	19.2	-	-	22.8	23.3	20.6	21.9	-	21.3	21.8	20.7	-	-	-	22.0	23.0	22.2	21.7	-	-	21.6	22.7	19.8	24.1	-	24.2	23.8	23.2	22.2		-	24.8	26.3	23.6		22.1	
8 /15	19.2	18.6	20.6	21.0	19.9	22.0	21.3	-	-	19.1	22.5	22.5	21.3	-	-	22.6	22.5	20.4	18.1	-	22.2	21.0	22.8	22.6	-	-	22.1	20.0	23.4	20.7	-	23.7	24.3	23.9	23.4	-		18.9	26.2	26.2	24.4		21.9	
8 /16	19.0	17.9	-	21.3	21.6	22.0	21.4	-	19.8	19.0	21.1	17.2	-	-	24.1	22.7	22.7	21.4	-	20.3	21.5	21.3	23.2	-	-	19.8	22.1	21.0	23.2	-	-	22.9	24.0	24.2	24.4	-	21.8	21.2	25.8	26.1	-		21.8	
8 /17	19.8	-	21.5	21.6	19.8	20.4	21.8	20.8	19.9	21.2	23.1	-	-	21.4	24.4	23.5	21.9	-	-	20.4	22.1	22.6	22.5	-	23.2	20.3	22.4	21.4	-	-	25.0	22.1	24.1	20.5	-	23.0	21.7	21.3	25.6	-	-		22.2	
8 /18	-	16.9	20.9	21.8	21.0	19.8	-	21.4	20.4	20.6	23.4	-	21.7	21.2	23.7	23.6	21.6	-	18.6	19.8	22.9	22.4	-	21.8	23.3	22.2	23.0	-	-	21.2	25.0	22.1	24.4	-	-	23.5	22.5	21.5	24.6	-	24.9		22.2	
8 /19	18.0	18.2	22.2	22.7	21.0	-	22.1	22.0	20.3	20.3	-	22.1	22.3	21.5	23.0	-	-	21.7	18.8	20.8	23.4	-	-	22.4	23.0	23.1	22.2	-	22.0	21.9	22.8	22.5	-	-	20.3	23.3	23.2	21.6	-	26.5	24.8		21.9	
8 /20	22.5	18.9	22.0	23.6	-	22.3	22.0	21.0	21.2	-	-	22.2	22.3	20.9	24.0	-	-	22.6	18.9	21.4	-	-	23.3	22.2	23.0	23.4	-	21.1	20.8	22.7	23.3	-	-	22.7	22.8	23.6	24.0	-	-	26.3	24.7		22.2	
8 /21	23.0	18.7	21.4	-	21.5	21.9	21.8	20.4	-	-	22.2	22.4	19.4	20.9	-	23.6	21.5	20.9	18.8	-	-	21.3	23.8	22.1	23.0	-	-	20.6	19.4	22.9	23.0	-	24.8	22.9	23.6	23.7	-	-	23.8	26.2	24.5		22.0	
8 /22	23.0	19.6	20.8	23.6	22.2	21.0	21.5	-	-	22.3	21.1	22.5	20.2	-	-	23.6	21.7	20.4	19.2	-	23.4	22.8	23.6	22.4	-	-	21.5	20.3	19.5	22.8	-	22.8	25.0	23.5	24.9	-	-	21.0	24.8	26.8	25.0		22.1	
8 /23	22.2	20.8	-	23.2	21.6	21.3	21.3	-	21.2	22.2	22.6	21.6	-	-	19.4	23.5	21.8	21.3	-	21.3	21.8	22.2	23.5	-	-	23.2	21.8	20.9	21.0	-	-	23.0	25.2	22.5	24.1	-	24.1	21.9	25.6	26.8	-		22.2	
8 /24	22.9	-	21.2	23.7	20.2	18.8	-	22.8	20.6	23.2	23.2	-	-	22.2	22.4	23.7	21.9	-	-	20.9	19.3	21.7	23.0	-	20.0	24.1	22.0	20.8	-	-	22.3	22.2	24.8	22.4	-	24.1	24.3	22.3	24.7	-	-		22.3	
8 /25	-	21.4	21.3	24.2	19.8	-	-	21.1	21.7	23.3	23.1	-	20.8	21.8	24.7	23.8	-	-	18.8	20.4	22.5	22.2	-	22.3	20.3	24.0	22.5	-	-	21.9	23.1	21.9	24.7	-	-	22.8	23.8	21.4	24.7	-	24.5		22.3	
8 /26	22.2	21.4	22.8	24.8	-	-	21.4	20.2	20.6	24.1	-	20.4	20.8	21.4	24.1	-	-	21.2	19.6	20.2	22.7	-	-	22.4	21.8	23.3	22.0	-	20.9	21.9	22.9	21.8	-	-	24.4	24.5	24.0	22.3	-	26.1	26.3		21.9	
8 /27	20.2	21.5	22.5	22.8	-	22.5	22.5	21.0	21.2	-	-	20.9	21.2	20.4	23.7	-	22.7	21.5	19.9	20.4	-	-	23.8	22.5	22.3	22.8	-	21.9	21.7	21.7	22.8	-	-	21.7	24.2	25.1	24.0	-	-	25.5	26.7		22.1	
8 /28	19.0	21.1	2																																									

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
9 /24	20.0	20.8	20.6	22.4	-	-	21.6	20.6	20.1	-	-	21.5	20.7	19.3	-	-	-	20.7	19.8	20.8	-	-	-	22.1	20.4	23.2	-	21.9	22.2	21.3	22.2	-	-	-	22.8	21.9	21.9	-	-	23.4	23.5		21.3	
9 /25	19.8	21.4	20.6	-	21.1	23.3	21.6	20.5	-	-	21.6	21.3	20.5	20.3	22.3	23.3	20.3	20.7	19.9	-	-	22.0	22.0	21.5	20.0	-	-	21.9	22.5	21.2	21.8	-	20.6	22.1	22.6	21.7	-	-	23.9	23.1	23.5		21.4	
9 /26	20.0	-	21.0	21.6	21.6	22.9	21.3	-	-	22.8	21.8	21.3	20.2	-	-	23.2	20.3	20.6	19.9	-	21.2	22.0	21.8	21.7	-	-	21.4	22.2	22.7	20.7	-	22.1	21.2	21.4	22.3	-	-	22.3	24.2	23.1	23.7		21.5	
9 /27	20.5	20.6	-	21.5	21.1	22.2	20.8	-	20.3	22.8	21.5	21.3	-	-	21.8	22.6	20.5	20.3	-	20.7	21.3	21.8	21.9	-	-	19.7	20.8	22.5	21.5	-	-	22.2	21.5	20.8	22.1	-	20.8	22.7	24.3	23.7	-	21.4		
9 /28	20.0	-	19.7	21.3	21.0	22.3	-	18.5	20.0	22.5	21.6	-	-	20.8	22.5	22.3	20.5	-	-	20.6	21.5	21.9	22.1	-	22.6	21.7	20.7	22.5	-	-	21.1	22.2	21.1	20.6	-	21.1	21.1	22.6	24.2	-	-	21.4		
9 /29	-	20.7	19.6	21.2	21.0	22.4	-	18.8	20.3	22.4	20.8	-	20.0	21.2	22.5	22.1	19.8	-	19.8	21.0	21.4	22.4	-	20.3	22.4	21.6	21.0	-	-	20.8	21.2	21.8	19.8	-	-	21.1	21.2	22.5	24.8	-	24.0	21.0		
9 /30	21.1	20.5	19.6	21.2	21.1	-	20.2	19.3	20.9	22.6	-	21.1	20.3	21.1	22.7	-	-	20.1	19.7	20.8	21.3	-	-	20.3	21.3	21.5	21.1	-	21.6	20.6	20.3	21.4	-	-	22.1	20.7	21.8	22.7	-	23.3	23.4	21.0		
10 /1	20.2	20.7	19.4	20.9	-	22.0	19.8	19.2	-	-	-	20.7	20.1	21.1	23.0	-	19.7	20.0	18.9	20.4	-	-	20.9	20.2	20.8	21.4	-	23.0	21.7	20.7	20.4	-	-	22.2	22.1	20.8	21.6	-	-	23.2	23.6	20.8		
10 /2	20.0	20.4	19.6	-	20.5	22.2	19.3	19.2	-	-	21.3	20.4	20.0	20.8	-	22.3	19.9	20.3	19.1	-	-	22.0	21.3	20.2	20.9	-	-	23.1	22.1	20.3	20.7	-	20.2	21.9	22.2	20.5	-	-	24.1	23.4	23.0	20.8		
10 /3	20.5	20.6	19.8	21.4	19.6	21.8	19.3	-	-	22.1	21.3	20.5	20.1	-	-	21.7	19.8	20.3	18.7	-	21.9	22.1	21.3	19.9	-	-	20.4	22.7	22.0	20.9	-	22.0	20.0	21.8	22.3	-	-	22.7	23.4	23.6	23.1	21.0		
10 /4	20.2	20.6	-	21.3	20.0	22.1	19.9	-	19.0	22.1	21.6	-	-	-	20.9	21.7	19.4	20.4	-	19.3	21.4	22.1	21.4	-	-	21.8	19.9	22.0	21.6	-	-	22.1	20.1	21.5	22.3	-	21.3	23.1	23.7	23.1	-	21.0		
10 /5	20.2	-	19.4	21.0	20.0	22.1	20.1	19.4	19.1	22.2	21.4	-	-	20.9	21.0	21.6	19.6	20.0	-	19.3	20.8	22.1	21.5	-	20.6	21.5	19.8	22.3	-	-	19.6	22.0	19.3	21.3	-	20.9	21.6	23.1	23.5	-	-	20.7		
10 /6	-	19.8	20.1	21.0	19.8	22.1	-	18.8	18.5	22.2	20.8	-	20.5	20.7	21.5	21.1	-	-	18.7	19.0	20.9	21.7	-	20.3	20.9	21.6	19.6	-	-	20.1	19.5	22.4	19.2	-	-	20.3	21.8	21.7	22.6	-	23.4	20.4		
10 /7	20.4	20.0	20.6	21.4	20.0	-	19.4	18.5	18.4	22.3	-	20.6	20.8	21.0	21.5	-	-	20.0	18.4	19.0	20.8	-	-	20.1	20.4	21.3	19.8	-	21.6	20.1	19.6	20.9	-	-	20.6	20.1	21.1	21.0	-	22.9	22.6	20.2		
10 /8	20.0	19.7	20.2	20.8	-	21.5	19.5	18.5	-	-	-	22.0	20.9	20.3	21.5	-	-	20.3	18.3	19.3	-	-	-	20.3	19.7	21.5	-	-	21.8	20.1	18.9	-	-	-	20.7	19.8	21.2	-	-	22.9	22.3	20.2		
10 /9	20.0	19.3	19.7		19.0	21.0	19.2	18.5	-	-	20.0	20.0	20.1	20.4	-	-	19.3	20.0	18.0	-	-	-	20.9	20.1	19.7	-	-	21.3	21.8	20.0	19.6	-	-	21.2	20.9	19.4	-	-	-	22.3	22.8	20.0		
10 /10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21.1	19.0	19.4	17.7	-	-	20.9	20.6	20.3	-	-	-	21.2	21.2	20.3	-	-	19.7	21.4	20.0	-	-	-	21.2	21.8	21.4	20.2		
10 /11	20.2	19.5	-	20.7	19.9	19.4	18.8	-	-	22.1	19.5	20.0	-	-	-	21.2	19.3	18.8	-	-	20.5	21.1	20.5	-	-	-	19.8	21.3	20.8	-	-	19.9	19.8	21.4	21.2	-	21.5	20.2	21.2	21.6	-	20.4		
10 /12	18.0	-	19.6	20.8	19.0	19.3	-	18.6	18.2	21.8	19.6	-	-	19.5	20.8	21.5	19.3	-	-	19.2	20.3	21.2	20.8	-	-	21.9	19.7	21.4	-	-	-	20.2	19.5	20.9	-	19.7	21.3	20.0	21.1	-	-	20.2		
10 /13	-	19.2	19.0	20.4	20.1	-	-	18.7	18.4	22.2	19.7	-	18.9	19.8	21.0	21.2	-	-	-	19.2	20.5	21.1	-	-	19.0	21.8	19.5	-	-	-	19.2	20.4	19.4	-	-	20.0	20.2	19.7	21.2	-	-	20.0		
10 /14	19.2	19.0	19.0	18.6	-	-	18.6	18.5	18.0	22.1	-	19.8	19.2	20.0	21.2	-	-	-	18.1	18.8	-	-	-	19.7	19.4	21.8	19.8	-	-	19.6	19.4	20.5	-	-	-	19.9	19.7	19.3	-	-	21.2	19.7		
10 /15	18.0	19.2	19.3	19.9	-	20.0	18.8	18.5	17.6	-	-	19.8	19.5	20.3	20.7	-	19.0	19.0	17.5	18.5	-	-	20.3	19.9	19.1	21.5	-	21.1	20.3	19.2	18.6	-	-	19.6	20.2	19.7	20.1	-	-	21.7	20.5	19.5		
10 /16	18.2	19.2	18.9	-	20.1	20.4	17.8	18.4	-	-	20.0	20.0	18.7	20.5	-	20.5	18.5	19.2	17.7	-	-	20.3	20.1	20.0	18.9	-	-	20.9	20.2	18.7	19.0	-	18.3	19.9	19.4	18.8	-	-	21.2	22.4	20.8	19.4		
10 /17	18.0	19.0	18.9	19.4	20.0	20.6	18.4	-	-	21.7	20.5	19.0	20.1	-	-	20.0	18.8	18.8	17.8	-	20.3	20.0	19.6	19.9	-	-	19.8	20.5	19.8	18.6	-	22.6	17.9	20.1	19.1	-	-	19.9	21.3	22.6	20.6	19.7		
10 /18	18.0	18.0	-	19.4	19.5	20.6	18.3	-	18.7	20.5	19.7	19.2	-	-	19.2	20.2	18.3	19.0	-	18.2	20.2	20.2	19.8	-	-	21.7	19.6	20.9	19.5	-	-	20.1	18.0	19.6	19.5	-	18.7	19.7	20.9	22.9	-	19.5		
10 /19	17.3	-	19.0	19.3	19.1	20.2	18.3	17.8	18.5	20.6	20.1	-	-	19.6	18.5	19.2	17.6	-	-	18.3	20.0	20.0	19.6	-	18.7	20.5	18.9	20.6	-	-	19.5	20.3	17.7	19.2	-	18.4	18.6	18.9	21.3	-	-	19.2		

いわき市小名浜の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
10 /27	-	18.2	17.6	18.9	18.9	-	-	16.9	16.8	19.2	18.9	-	17.9	18.1	19.2	18.7	-	-	17.0	17.1	18.7	18.4	-	19.4	17.9	19.9	17.7	-	-	18.6	18.3	19.4	16.9	-	-	17.9	17.9	19.2	20.5	-	19.2		18.2	
10 /28	16.0	17.2	17.8	19.2	-	-	17.9	16.8	16.8	19.3	-	20.0	17.1	18.3	19.2	-	-	17.8	17.0	16.6	18.2	-	-	18.9	17.6	18.6	17.8	-	18.3	17.9	18.9	18.5	-	-	18.3	17.8	18.2	19.7	-	20.9	19.2		18.1	
10 /29	16.5	17.4	17.8	18.3	-	18.1	17.3	16.8	-	-	-	20.9	17.5	18.4	18.7	-	19.1	17.3	17.1	16.2	-	-	19.2	19.9	17.6	18.3	-	20.2	18.0	17.8	18.4	-	-	18.9	17.8	18.2	17.9	-	-	22.1	18.5		18.3	
10 /30	17.0	17.2	17.7	-	17.8	18.3	17.6	17.0	-	-	19.3	21.2	17.3	18.6	-	17.9	17.8	16.5	16.9	-	-	18.6	19.2	18.4	17.7	-	-	19.7	18.3	17.7	18.3	-	16.9	18.8	17.8	18.4	-	-	19.8	18.9	17.8		18.2	
10 /31	17.0	16.8	17.7	17.0	18.2	18.3	17.6	-	-	19.5	19.8	20.5	17.4	-	-	17.7	18.7	16.3	16.8	-	18.5	18.4	19.0	18.3	-	-	17.8	19.2	18.5	18.2	-	17.7	16.3	18.7	17.9	-	-	19.0	19.6	22.0	17.9		18.2	
11 /1	16.5	16.6	-	17.4	18.6	18.2	17.1	-	17.3	19.4	19.9	19.8	-	-	18.3	18.2	18.4	16.5	-	17.1	17.8	18.4	19.0	-	-	18.5	17.9	18.8	18.3	-	-	18.3	16.2	17.9	18.0	-	17.6	19.0	20.3	21.8	-		18.1	
11 /2	16.5	-	16.3	17.7	18.4	18.4	17.0	15.5	17.0	18.7	20.8	-	-	18.2	18.7	17.9	18.6	-	-	17.2	17.7	18.1	19.1	-	17.1	18.2	17.5	19.3	-	-	17.5	17.7	16.7	17.8	-	18.3	17.8	20.2	21.0	-	-		17.9	
11 /3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
11 /4	-	17.6	17.3	16.4	17.6	-	-	16.0	17.5	18.1	-	-	16.7	17.8	17.5	-	-	-	17.6	17.3	17.9	-	-	18.2	16.1	18.0	17.9	-	-	18.6	17.6	17.4	-	-	-	17.3	17.6	20.9	-	-	17.6		17.5	
11 /5	16.0	17.2	17.0	16.6	-	18.5	16.7	15.8	-	-	-	20.3	16.7	17.8	17.0	-	17.3	15.7	17.0	17.3	-	-	18.2	17.4	16.4	17.5	-	17.7	17.7	18.3	18.4	-	-	18.7	17.4	16.5	17.5	-	-	21.8	17.3		17.4	
11 /6	16.0	16.2	16.4	-	18.0	18.6	16.9	15.9	-	-	17.9	20.0	16.4	16.8	-	17.5	17.6	15.2	17.4	-	-	18.3	18.4	19.0	16.1	-	-	18.5	17.4	19.4	18.0	-	16.1	18.9	17.3	16.7	-	-	20.6	21.2	17.4		17.5	
11 /7	16.3	15.9	16.0	16.6	18.6	18.7	16.8	-	-	18.4	18.4	18.3	16.2	-	-	17.3	17.2	14.8	17.3	-	18.1	18.3	18.1	19.5	-	-	17.9	18.6	17.8	19.5	-	16.7	16.7	18.5	17.6	-	-	19.6	21.5	20.3	17.5		17.7	
11 /8	16.3	16.2	-	15.8	18.5	18.5	17.1	-	16.5	18.6	19.2	19.6	-	-	17.3	17.4	16.6	15.3	-	17.2	18.0	17.9	17.9	-	-	17.9	17.4	18.2	17.9	-	-	16.6	16.9	18.0	17.8	-	17.4	20.1	20.7	19.8	-		17.6	
11 /9	16.5	-	15.8	15.8	18.5	17.7	-	15.6	16.5	17.9	18.1	-	-	17.1	17.5	16.8	17.6	-	-	17.2	17.7	18.0	17.9	-	16.4	18.2	16.8	18.1	-	-	18.6	17.1	16.8	17.9	-	17.1	17.5	19.7	19.8	-	-		17.4	
11 /10	-	15.9	15.9	16.4	18.5	-	-	15.7	15.8	18.2	17.6	-	15.4	17.3	17.1	16.4	-	-	16.3	17.0	17.2	18.2	-	17.9	16.5	17.9	16.4	-	-	18.5	18.3	16.4	15.9	-	-	16.2	17.7	19.8	19.8	-	17.4		17.0	
11 /11	16.0	15.8	16.0	16.2	-	-	16.8	15.7	16.0	18.8	-	19.5	15.6	16.3	16.6	-	-	14.7	15.8	17.4	16.9	-	-	17.9	17.0	17.6	16.4	-	18.0	18.4	17.7	17.0	-	-	16.2	15.9	17.4	19.4	-	21.2	16.8		16.9	
11 /12	16.0	15.1	16.1	15.8	-	-	16.4	15.4	16.5	-	-	19.7	15.3	16.1	17.2	-	20.6	15.2	15.6	17.7	-	-	17.4	17.8	16.6	17.0	-	17.4	16.9	19.0	17.5	-	-	17.4	16.8	15.1	17.3	-	-	21.3	15.9		17.0	
11 /13	15.5	15.0	16.4	-	18.3	17.8	16.2	15.3	-	-	16.9	18.5	15.6	15.6	-	15.8	20.5	15.1	15.6	-	-	17.4	17.6	18.0	15.9	-	-	17.7	16.2	19.3	17.3	-	15.4	17.4	16.5	15.5	-	-	17.6	21.0	16.4		16.8	
11 /14	15.0	15.6	15.6	16.2	18.3	17.9	16.3	-	-	18.4	17.2	18.3	15.3	-	-	15.9	20.4	14.9	15.0	-	16.6	17.4	17.3	18.1	-	-	16.8	17.6	15.5	18.2	-	17.1	16.1	16.7	17.1	-	-	20.3	17.8	20.5	16.4		17.0	
11 /15	15.0	16.0	-	15.2	16.8	17.7	15.3	-	17.5	17.6	17.6	18.4	-	-	17.5	16.0	20.0	14.6	-	16.1	15.7	17.9	17.5	-	-	17.2	16.4	16.9	15.8	-	-	17.2	15.8	16.2	16.9	-	16.8	20.5	18.1	20.6	-		16.9	
11 /16	14.5	-	15.2	14.9	16.7	17.0	-	15.5	17.0	17.1	16.3	-	-	16.4	18.5	16.2	19.8	-	-	16.0	15.7	17.4	17.3	-	15.9	16.1	15.7	16.5	-	-	17.5	16.9	15.5	15.7	-	15.6	17.3	19.4	17.6	-	-		16.6	
11 /17	-	14.8	15.4</																																									

いわき市小名浜の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(℃)
12 /11	11.9	13.2	14.7	-	14.0	15.4	12.8	14.6	-	-	13.7	16.5	12.6	11.7	-	13.1	14.3	10.3	12.5	-	-	12.7	13.7	14.5	12.8	-	-	12.8	13.9	14.5	14.4	-	14.9	15.3	13.4	-	-	-	17.2	17.8	13.5	13.6	
12 /12	12.0	13.0	14.0	12.7	14.0	14.8	13.5	-	-	14.1	14.0	16.4	12.7	-	-	12.0	15.7	10.5	12.4	-	10.5	12.7	13.3	14.8	-	-	12.4	13.0	13.7	15.3	-	13.7	15.4	15.6	14.3	-	-	17.2	16.7	17.0	13.8	13.6	
12 /13	11.5	13.2	-	12.6	13.4	14.5	12.4	-	14.5	15.7	13.5	16.8	-	-	15.1	11.6	16.1	10.5	-	13.9	10.9	13.1	13.1	-	-	14.8	12.4	13.3	13.1	-	-	15.1	14.7	14.7	12.8	-	13.0	17.0	16.5	17.2	-	13.7	
12 /14	11.5	-	13.6	13.4	13.6	14.2	-	13.6	15.0	14.9	13.1	-	-	12.2	14.6	11.9	16.6	-	-	13.4	10.6	13.9	12.7	-	12.8	14.6	12.1	13.3	-	-	14.1	15.6	13.9	15.5	-	11.6	12.4	-	15.9	-	-	13.6	
12 /15	-	13.4	15.2	13.3	14.2	14.0	-	13.1	13.6	14.7	13.5	-	12.1	12.9	15.3	11.8	-	-	12.0	13.2	10.5	14.2	-	13.2	12.5	15.5	12.1	-	-	13.7	13.5	14.6	14.2	-	-	11.3	12.2	16.5	16.0	-	14.0	13.2	
12 /16	11.0	12.8	14.6	12.5	13.3	-	12.6	12.3	13.4	14.5	-	15.8	12.2	12.9	15.6	-	-	10.8	12.4	14.1	10.4	-	-	13.2	12.6	13.8	11.0	-	11.5	13.0	13.5	14.7	-	-	12.1	10.7	12.4	15.7	-	16.3	13.2	12.9	
12 /17	11.2	12.2	14.0	12.4	-	13.0	12.8	12.5	13.2	-	-	17.0	12.1	13.0	16.4	-	15.2	11.3	11.7	13.8	-	-	12.0	13.4	12.3	13.5	-	13.3	11.6	13.7	13.6	-	-	14.4	12.6	10.4	12.6	-	-	15.8	13.3	13.2	
12 /18	10.2	11.7	12.4	-	13.2	13.3	13.2	12.5	-	-	12.7	17.5	12.6	-	-	12.4	15.7	11.3	11.2	-	-	13.7	12.0	13.8	12.0	-	-	13.8	11.8	12.9	12.6	-	13.6	14.5	14.3	10.5	-	-	15.4	15.7	13.2	13.1	
12 /19	10.4	13.0	13.5	12.3	12.1	13.2	12.9	-	-	13.7	12.4	17.6	12.7	-	-	12.5	14.3	11.3	11.9	-	10.6	12.8	12.0	13.7	-	-	11.1	13.7	11.8	12.2	-	14.9	13.8	14.6	13.5	-	-	15.1	14.7	15.4	12.8	13.0	
12 /20	10.4	-	-	12.5	11.4	12.9	11.9	-	13.6	13.0	11.7	16.6	-	-	15.1	12.7	14.0	11.1	-	13.0	10.5	13.3	12.2	-	-	12.9	10.9	12.5	10.9	-	-	15.2	13.6	14.6	13.4	-	11.4	15.7	15.2	16.2	-	13.0	
12 /21	9.2	-	14.3	-	11.2	13.6	11.8	13.0	14.2	14.1	11.8	-	-	11.8	14.8	12.8	14.6	-	-	13.5	11.5	13.4	12.4	-	11.6	13.6	10.9	12.0	-	-	11.7	16.0	13.2	13.7	-	9.8	11.7	14.8	15.4	-	-	12.8	
12 /22	-	11.7	13.6	12.0	12.1	-	-	13.1	14.0	12.5	11.7	-	-	11.8	14.1	12.3	-	-	11.3	12.7	11.7	13.3	-	13.6	11.6	13.7	11.3	-	-	13.6	11.4	16.3	12.8	-	-	10.1	11.8	15.0	15.4	-	14.4	12.6	
12 /23	10.2	11.4	14.1	11.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.7	10.4	11.1	15.5	-	14.7	13.5	11.6	
12 /24	10.8	11.5	14.2	11.9	-	-	12.7	-	13.2	-	-	15.6	11.0	12.3	13.5	-	-	9.8	11.7	12.3	-	-	-	12.1	11.7	14.2	-	-	10.5	13.1	11.3	-	-	-	13.2	10.5	11.1	-	-	14.1	13.7	12.3	
12 /25	9.7	11.6	13.9	-	11.6	13.0	12.7	-	-	-	11.6	15.4	11.2	12.3	-	12.2	15.2	9.9	11.6	-	-	12.5	11.5	12.1	11.1	-	-	11.5	10.0	13.2	12.3	-	14.1	13.8	12.5	10.9	-	-	14.7	14.5	14.2	12.3	
12 /26	10.1	11.7	14.3	-	11.4	13.5	11.9	-	-	13.6	10.2	15.8	10.6	-	-	11.7	14.8	9.6	11.7	-	11.0	12.2	11.3	12.3	-	-	10.1	11.6	9.8	12.1	-	14.7	13.2	13.9	12.9	-	-	14.5	15.4	15.1	14.1	12.1	
12 /27	10.0	10.9	-	12.1	11.7	13.8	11.3	-	13.9	14.4	10.2	13.4	-	-	13.2	10.6	14.9	9.4	-	11.8	9.7	12.7	11.2	-	-	13.6	10.4	10.6	10.1	-	-	15.4	11.1	14.0	12.9	-	12.9	14.3	15.2	14.7	-	12.1	
12 /28	9.5	-	14.6	13.2	11.3	12.4	-	-	-	14.5	10.8	-	-	11.9	14.1	11.0	15.0	-	-	11.6	9.2	13.7	-	-	11.4	13.7	10.0	12.0	-	-	10.7	14.9	-	12.8	-	10.6	14.5	14.3	-	-	12.2		
12 /29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 /30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 /31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

いわ	
月日＼年（）	
1月平均	1月
2月平均	2月
3月平均	3月
4月平均	4月
5月平均	5月
6月平均	6月
7月平均	7月
8月平均	8月
9月平均	9月
10月平均	10月
11月平均	11月
12月平均	12月
最高値	Max.
最低値	Min.
平均値	Ave.
1 / 1	1/1
1 / 2	1/2
1 / 3	1/3
1 / 4	1/4
1 / 5	1/5
1 / 6	1/6
1 / 7	1/7
1 / 8	1/8
1 / 9	1/9
1 / 10	1/10
1 / 11	1/11
1 / 12	1/12
1 / 13	1/13
1 / 14	1/14
1 / 15	1/15
1 / 16	1/16
1 / 17	1/17
1 / 18	1/18
1 / 19	1/19
1 / 20	1/20
1 / 21	1/21
1 / 22	1/22
1 / 23	1/23
1 / 24	1/24
1 / 25	1/25
1 / 26	1/26
1 / 27	1/27
1 / 28	1/28
1 / 29	1/29
1 / 30	1/30
1 / 31	1/31
2 / 1	2/1

いわ		
月日\年 <)		
2 /2	2/2	
2 /3	2/3	
2 /4	2/4	
2 /5	2/5	
2 /6	2/6	
2 /7	2/7	
2 /8	2/8	
2 /9	2/9	
2 /10	2/10	
2 /11	2/11	
2 /12	2/12	
2 /13	2/13	
2 /14	2/14	
2 /15	2/15	
2 /16	2/16	
2 /17	2/17	
2 /18	2/18	
2 /19	2/19	
2 /20	2/20	
2 /21	2/21	
2 /22	2/22	
2 /23	2/23	
2 /24	2/24	
2 /25	2/25	
2 /26	2/26	
2 /27	2/27	
2 /28	2/28	
2 /29	2/29	
3 /1	3/1	
3 /2	3/2	
3 /3	3/3	
3 /4	3/4	
3 /5	3/5	
3 /6	3/6	
3 /7	3/7	
3 /8	3/8	
3 /9	3/9	
3 /10	3/10	
3 /11	3/11	
3 /12	3/12	
3 /13	3/13	
3 /14	3/14	
3 /15	3/15	
3 /16	3/16	
3 /17	3/17	
3 /18	3/18	
3 /19	3/19	

いわ		
月日\年 <)		
3	/20	3/20
3	/21	3/21
3	/22	3/22
3	/23	3/23
3	/24	3/24
3	/25	3/25
3	/26	3/26
3	/27	3/27
3	/28	3/28
3	/29	3/29
3	/30	3/30
3	/31	3/31
4	/1	4/1
4	/2	4/2
4	/3	4/3
4	/4	4/4
4	/5	4/5
4	/6	4/6
4	/7	4/7
4	/8	4/8
4	/9	4/9
4	/10	4/10
4	/11	4/11
4	/12	4/12
4	/13	4/13
4	/14	4/14
4	/15	4/15
4	/16	4/16
4	/17	4/17
4	/18	4/18
4	/19	4/19
4	/20	4/20
4	/21	4/21
4	/22	4/22
4	/23	4/23
4	/24	4/24
4	/25	4/25
4	/26	4/26
4	/27	4/27
4	/28	4/28
4	/29	4/29
4	/30	4/30
5	/1	5/1
5	/2	5/2
5	/3	5/3
5	/4	5/4
5	/5	5/5

いわ	
月日\年 <)	
5 /6	5/6
5 /7	5/7
5 /8	5/8
5 /9	5/9
5 /10	5/10
5 /11	5/11
5 /12	5/12
5 /13	5/13
5 /14	5/14
5 /15	5/15
5 /16	5/16
5 /17	5/17
5 /18	5/18
5 /19	5/19
5 /20	5/20
5 /21	5/21
5 /22	5/22
5 /23	5/23
5 /24	5/24
5 /25	5/25
5 /26	5/26
5 /27	5/27
5 /28	5/28
5 /29	5/29
5 /30	5/30
5 /31	5/31
6 /1	6/1
6 /2	6/2
6 /3	6/3
6 /4	6/4
6 /5	6/5
6 /6	6/6
6 /7	6/7
6 /8	6/8
6 /9	6/9
6 /10	6/10
6 /11	6/11
6 /12	6/12
6 /13	6/13
6 /14	6/14
6 /15	6/15
6 /16	6/16
6 /17	6/17
6 /18	6/18
6 /19	6/19
6 /20	6/20
6 /21	6/21

いわ	
月日\年 <)	
6 /22	6/22
6 /23	6/23
6 /24	6/24
6 /25	6/25
6 /26	6/26
6 /27	6/27
6 /28	6/28
6 /29	6/29
6 /30	6/30
7 /1	7/1
7 /2	7/2
7 /3	7/3
7 /4	7/4
7 /5	7/5
7 /6	7/6
7 /7	7/7
7 /8	7/8
7 /9	7/9
7 /10	7/10
7 /11	7/11
7 /12	7/12
7 /13	7/13
7 /14	7/14
7 /15	7/15
7 /16	7/16
7 /17	7/17
7 /18	7/18
7 /19	7/19
7 /20	7/20
7 /21	7/21
7 /22	7/22
7 /23	7/23
7 /24	7/24
7 /25	7/25
7 /26	7/26
7 /27	7/27
7 /28	7/28
7 /29	7/29
7 /30	7/30
7 /31	7/31
8 /1	8/1
8 /2	8/2
8 /3	8/3
8 /4	8/4
8 /5	8/5
8 /6	8/6
8 /7	8/7

いわ	
月日\年 <)	
8 /8	8/8
8 /9	8/9
8 /10	8/10
8 /11	8/11
8 /12	8/12
8 /13	8/13
8 /14	8/14
8 /15	8/15
8 /16	8/16
8 /17	8/17
8 /18	8/18
8 /19	8/19
8 /20	8/20
8 /21	8/21
8 /22	8/22
8 /23	8/23
8 /24	8/24
8 /25	8/25
8 /26	8/26
8 /27	8/27
8 /28	8/28
8 /29	8/29
8 /30	8/30
8 /31	8/31
9 /1	9/1
9 /2	9/2
9 /3	9/3
9 /4	9/4
9 /5	9/5
9 /6	9/6
9 /7	9/7
9 /8	9/8
9 /9	9/9
9 /10	9/10
9 /11	9/11
9 /12	9/12
9 /13	9/13
9 /14	9/14
9 /15	9/15
9 /16	9/16
9 /17	9/17
9 /18	9/18
9 /19	9/19
9 /20	9/20
9 /21	9/21
9 /22	9/22
9 /23	9/23

いわ	
月日\年 < >	
9 /24	9/24
9 /25	9/25
9 /26	9/26
9 /27	9/27
9 /28	9/28
9 /29	9/29
9 /30	9/30
10 /1	10/1
10 /2	10/2
10 /3	10/3
10 /4	10/4
10 /5	10/5
10 /6	10/6
10 /7	10/7
10 /8	10/8
10 /9	10/9
10 /10	10/10
10 /11	10/11
10 /12	10/12
10 /13	10/13
10 /14	10/14
10 /15	10/15
10 /16	10/16
10 /17	10/17
10 /18	10/18
10 /19	10/19
10 /20	10/20
10 /21	10/21
10 /22	10/22
10 /23	10/23
10 /24	10/24
10 /25	10/25
10 /26	10/26

いわ		
月日\年 <)		
10 /27	10/27	
10 /28	10/28	
10 /29	10/29	
10 /30	10/30	
10 /31	10/31	
11 /1	11/1	
11 /2	11/2	
11 /3	11/3	
11 /4	11/4	
11 /5	11/5	
11 /6	11/6	
11 /7	11/7	
11 /8	11/8	
11 /9	11/9	
11 /10	11/10	
11 /11	11/11	
11 /12	11/12	
11 /13	11/13	
11 /14	11/14	
11 /15	11/15	
11 /16	11/16	
11 /17	11/17	
11 /18	11/18	
11 /19	11/19	
11 /20	11/20	
11 /21	11/21	
11 /22	11/22	
11 /23	11/23	
11 /24	11/24	
11 /25	11/25	
11 /26	11/26	
11 /27	11/27	
11 /28	11/28	
11 /29	11/29	
11 /30	11/30	
12 /1	12/1	
12 /2	12/2	
12 /3	12/3	
12 /4	12/4	
12 /5	12/5	
12 /6	12/6	
12 /7	12/7	
12 /8	12/8	
12 /9	12/9	
12 /10	12/10	

いわ	
月日\年 < >	
12 /11	12/11
12 /12	12/12
12 /13	12/13
12 /14	12/14
12 /15	12/15
12 /16	12/16
12 /17	12/17
12 /18	12/18
12 /19	12/19
12 /20	12/20
12 /21	12/21
12 /22	12/22
12 /23	12/23
12 /24	12/24
12 /25	12/25
12 /26	12/26
12 /27	12/27
12 /28	12/28
12 /29	12/29
12 /30	12/30
12 /31	12/31